

### Abbey Caravans: 05











New Botero green soft furnishings combine with the Pennsylvania Cherry woodgrain and light beige contrasting details to create a welcoming interior. Moulded lockers and bed frames have been built using precision-engineered methods to make them strong and light. This provides the benefits of more storage space with large doors for easy access. In some models hinged locker shelves make even greater use of the space.



Other new features include enhanced 12V halogen lighting, loose fit carpets on wood block effect vinyl flooring for easy cleaning and tough lightweight aluminium bunk ladders. Fixed beds now have aluminium frame tops with sprung beech slats to make them stronger and more comfortable.









## Aventura

New domestic-style kitchen facilities include a Belling range-style cooker, recessed sink with circular bowl and chopping board and concealed 89litre electronic ignition fridge. Corner washrooms now feature a bi-fold door to separate the shower area from the cassette toilet.

### Aventura Features

#### Exterior

#### New for 2005

- · All new bodyshell
- AL-KO AKS 3004 stabiliser
- · AL-KO Euro overrun device with assisted handbrake
- · Alloy wheels
- · Hitch cover
- · Moulded rear panel incorporating new light clusters and high level brake light
- · Re-styled front panel featuring new style screen printed windows
- New graphics scheme
- Increased body width 2.23m/7'4"
- · New wheel spat design
- Flush fitting awning light
- · Glacier white exterior
- Underslung spare wheel and carrier
- Durable one piece GRP sidewall construction
- · Exterior door with window and blind
- Exterior access locker door (end washroom models)
- Exterior access battery box with mains inlet (battery not included)
- Lined external access locker (model specific)
- · Gas bottle storage with gas strut supported door
- · Double glazed opening windows with concealed fixings
- Heki large tilting panoramic roof window with flynet and blind (2 in 318)
- AL-KO lightweight galvanised steel chassis with Euro-Axle
- Reversing light
- · High level side marker lights
- · Awning channel on both sides of caravan

- · Removable fridge vents with integral fly mesh for easy maintenance and inspection
- · Quick release door retainer
- · Fixing points for rear mounted cycle rack (model specific)

#### Lounge & Dining Area

#### New for 2005

- · New design large curved upper locker doors
- · Lightweight locker construction made from injection moulded material
- Lightweight bed frames featuring injection moulded 'space frame' technology and full front access
- · Luxury loose fit carpets over wood block effect vinyl flooring
- · New Botero green upholstery scheme
- · New side dinette table leg design
- . TV shelf in rear of 319
- TV cupboard with swivel base (317 & 318)
- Pennsylvania Cherry colour furniture
- Long front beds 1900mm (6'3") (model specific)
- Large 'L' shaped front lounge (319 & 325)
- · Chest of drawers with occasional table (model specific)
- Curtain storage for centre dinette curtain (320 & 325)
- · Dedicated permanent bunk bed featuring fixed ladder and lighting (330 & 340)
- · Freestanding table with dedicated storage location
- Cocktail cabinet (model specific)
- · Seat ventilation boards
- Split front base cushions for easy bed make up
- Super quality domestic style sprung seats and backrests

- · Cantilever hinged bed tops sized for easy access
- · Curtains with tie-backs
- · Twin curtain tracks for improved hanging presentation and ease of use
- 2 scatter cushions and 2 bolster cushions
- Clock

#### **Body Structure**

- 25mm bonded side walls with polystyrene insulation core
- · 32mm semi bonded roof with polystyrene insulation core
- · 44mm bonded floor with styrofoam insulation core

#### Kitchen


#### New for 2005

- · Recessed stainless steel bowl and pillar tap with new food grade nylon chopping board and drainer
- New Thetford 89 litre electronic ignition fridge concealed behind cloaking door
- · Durable edge finish to kitchen worktop incorporating new style laminate
- . Flush fitting Belling thermostatically controlled oven and grill
- . New style dual fuel hob with 800W electric hot plate and three gas burners with electronic ignition incorporating flame failure protection
- Safety hob lid with cut out feature
- · Kitchen with drop down extendible work surface (317 & 318)
- · Moulded cutlery drawer on smooth steel runners

#### Washroom

#### New for 2005

- . Improved washroom to 317 and 318 featuring bi-fold door separating shower area from cassette toilet
- · New double walk-in wardrobe with hinged mirrored access to fitted shelves (340 only)



- · Thetford cassette toilet with independent tank and manual flush
- · Access to wardrobe shelving from vanity mirror door (315, 320, 325 & 340)
- · Chrome finish shower equipment
- Microswitched chrome finish lever mixer tap
- Light pelmet and shelf (model specific)

#### Heating & Plumbing

- Dual fuel gas and mains 800W electric storage water heater
- · Bulkhead mounted gas regulator
- Uprated 12 litre/minute submersible pump
- Dual fuel 3kW gas & 2kW electric space heater complete with ducted blown air heating
- · Grade 2 classification for heating and thermal insulation
- · Large bore underslung rigid waste pipes
- Inboard semi-rigid piped fresh water system

#### Electrical

#### New for 2005

- Colour co-ordinated 12V directional downlighters to lounge & bedroom area
  - · Uprated 12V cable to television point
  - · Solar panel plug-in provision
  - TV station with modern 230V/12V sockets and coax/aerial connection
  - · Fully protected mains electric system with two 230V mains sockets
  - · Switchmode charger/transformer
- 12V electrical system with one 12V socket and plug
- 12V distribution panel
- · 12V halogen ceiling lights

- · Halogen lighting in washroom
- 25 metre mains hook-up lead

#### Fittings & Equipment

#### New for 2005

- Aluminium framed fixed bed top (317, 318 & 319)
- Teleco omni directional television aerial
- · Pull out roller slatted beds
- . New concertina partition door to rear bedroom models (model specific)
- · New aluminium bunk ladder (where bunks provided)
- Domestic style cabinet hinges
- Steel rimmed spare wheel and tyre
- · Full height exterior door flyscreen
- · Large exterior offside entry door into multifunction storage area, incorporating a unique hinged bunk base allowing full access (330 only)
- Storage area floor fixing eyelets, for securing large items (330 & 340)
- · Night latch ventilation to all windows
- · Cassette flyscreen and blind to all windows
- · Multi directional roof lights with sliding blind and flynet
- · Caravan entrance step
- Smoke alarm
- · Smooth operation steel drawer runners
- · Removable entrance mat
- · Isolation taps to all gas appliances

#### Security & Safety

- · Identity number etched to windows and caravan chassis
- · Concealed security data chip within caravan construction
- Single key operated locks
- · All models comply with European standards



**01** Aventura 340 "walk-in" wardrobe

03 AL-KO AKS 3004 stabiliser & hitch cover with assisted handbrake


02 Aventura 340 locker



































### Aventura

					317						
Model	312	315	316		317	318	319	320	325	330	340
Berths	2	2	5		4	4	4	4	4	6	6
Number of Axles	1	1	1		1	1	1	1	1	1	2
Internal Length (at bed box height)	4.20m/13'9"	4.67m/15'4"	5.13m/16'10"		4.74m/15'7"	5.39m/17'8"	5.13m/16'10"	5.23m/17'2"	5.23m/17'2"	5.50m/18'1"	6.27m/20'7"
Overall Width	2.23m/7"4"	2.23m/7'4"	2.23m/7'4"		2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including TV aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"		2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Overall Length	5.88m/19'3"	6.35m/20'10"	6,81m/22'4"		6.42m/21'1"	7.07m/23'2"	6.81m/22'4"	6.91m/22'8"	6.91m/22'8"	7.18m/23'7"	7.95m/26'1"
Mass in Running Order (including tolerance)	968kg/19.1cwt*	1073kg/21.1cwt	1182kg/23.3cwt*		1093kg/21.5cwt	1204kg/23.7cwt	1166kg/23.0cwt*	1189kg/23.4cwt	1173kg/23.1cwt*	1223kg/24.1cwt	1368kg/26.9cwt
Essential Habitation Equipment Payload	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt		82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt
Personal Effects Payload	100kg/2.0cwt	105kg/2.1cwt	139kg/2.7cwt		125kg/2.5cwt	132kg/2.6cwt	129kg/2.5cwt	130kg/2.6cwt	130kg/2.6cwt	191kg/3.8cwt	160kg/3.1cwt
Optional Equipment Payload	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt		4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt
Maximum Technical Permissible Laden Mass	1154kg/22.8cwt*	1264kg/24.9cwt	1407kg/27.7cwt*		1304kg/25.7cwt	1422kg/28.0cwt	1381kg/27.2cwt*	1405kg/27.7cwt	1389kg/27.4cwt*	1500kg/29.6cwt	1614kg/31.7cwt
Awning A/A Dimension"	8.41m/27'7"	8.88m/29'2"	9.34m/30'8"		8.95m/29'4"	9.60m/31'6"	9.34m/30'8"	9.44m/31'0"	9.44m/31'0"	9.71m/31'10"	10.48m/34'5"
Tyre Size	195/70 r14 91	195/70 r14 95	175 r14 99	3	195/70 r14 95	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175/65 r14 82

#### \* Estimated weight.

- Double bed size is quoted with wrap round seating.
- "Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

#### bed sizes

Front Double <sup>†</sup>	208cm x 180cm/6'10" x 5'11" 208cm x 180cm/6'10	0" x 5'11" 208cm x 180cm/6'10" x 5'11"	208cm x 134cm/6'10" x 4'5"	208cm x 167cm/6'10" x 5'6"	209cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	209cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"
or One Single	190cm x 72cm/6'3" x 2'4" 180cm x 72cm/5'11"	" x 2'4" 190cm x 72cm/6'3" x 2'4"		190cm x 72cm/6'3" x 2'4"		190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"
and One Single	180cm x 72cm/5'11" x 2'4" 190cm x 72cm/6'3" x	x 2'4" 180cm x 72cm/5'11" x 2'4"		167cm x 72cm/5'6" x 2'4"		180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"
Rear Double		209cm x 133cm/6'10" x 4'4"	188cm x 138cm/6'2" x 4'6"	198cm x 138cm/6'6" x 4'6"	205cm x 133cm/6'8" x 4'4"				
Rear Bunk		194cm x 56cm/6'4" x 1'10"							
Side Single (offside)						180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"		
Side Single (nearside)								180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"
Side Bunk						178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"
Rear Lower Bunk								184cm x 62cm/6'0" x 2'1"	
Rear Upper Bunk								184cm x 60cm/6'0" x 2'0"	
Side Lower Bunk						78			180cm x 56cm/5'11" x 1'10"
Side Upper Bunk									180cm x 58cm/5'11" x 1'11"





New suede-effect front corner panels and Heki rooflights give a fresh, airy look with Zenoris green and gold soft furnishings and stylish furniture. Curved lockers with solid ash frames provide plenty of storage.



Other benefits include smooth operating concertina blinds and loose fit carpets on wood block effect vinyl flooring for easier cleaning. Electrical equipment is easily controlled via a panel positioned over the door, which is finished in a champagne colour to co-ordinate with the sockets and light switches.



# GTS Vogue

The kitchens have undergone further improvements with the addition of a new Belling range-style cooker, food grade nylon chopping board and new kitchen laminate. The new improved charger unit has a higher output and there is provision to plug in a solar panel for greater independence.



# GTS Vogue

Washrooms are spacious and practical, thanks to the 7'4" overall width, and all layouts boast a luxurious specification with separate shower areas or enclosed cubicles.

# GTS Vogue Features

#### Exterior

#### New for 2005

- · AL-KO AKS 3004 stabiliser
- · Hitch cover with integral gas compartment light
- · Re-styled front panel featuring new style screen print windows
- · Glacier white exterior
- · Moulded back panel incorporating high level spoiler, high level brake light and round rear
- Flush fitting aluminium framed windows
- · AL-KO Euro hitch with assisted handbrake
- · Underslung spare wheel carrier
- · Heavy duty corner steadies
- · Curved high level side marker lights
- Barbecue point with isolation valve
- · Body colour front gutter mould
- Durable one piece GRP sidewall construction
- Exterior door with window, blind and moulded interior door liner with integral magazine storage
- External access locker (model specific)
- · Exterior access battery box with mains inlet and aerial input socket(battery not included)
- External access door under fixed bed (415, 418, 420)
- Lined external access locker with 230v external socket
- · Gas bottle storage with gas strut supported door
- Heki large tilting panoramic roof window with flynet and blind (2 in 415)
- · AL-KO lightweight galvanised steel chassis with Euro-Axle
- 14" polished alloy wheels
- Reversing light
- · Flush fitting awning light
- · Awning channel on both sides of caravan
- TV/FM aerial and booster

- · Removable fridge vents for easy maintenance and inspection
- · Quick release door retainer
- · Fixing points for rear mounted cycle rack (model specific)

#### Lounge & Dining Area

#### New for 2005

- · New Zenoris green and gold upholstery scheme
- · Restyled fabric covered front corner pods and centre pod incorporating new clock
- · Luxury loose fit carpet
- Wood block effect vinyl floor covering
- Pennsylvania Cherry colour furniture with co-ordinated handles
- · Long front beds 1900mm (6'3") (model specific)
- Large 'L' shaped front lounge (model specific)
- · Freestanding table with dedicated storage location
- · Chest of drawers with occasional table (model specific)
- · Front roof lockers
- · Cocktail cabinet with courtesy light
- · Backrest ventilation boards
- · Cantilever hinged bed tops sized for easy access
- Drop down front side bed flaps
- · Rolled edged mouldings to worktops
- Super quality domestic style sprung seats and backrests
- · Split front base cushions for easy bed make up
- Curtains with tie-backs and contrasting pelmets
- · Curtain storage for centre dinette curtain (model specific)
- Twin curtain tracks for improved hanging presentation and ease of use
- Scatter cushions
- · Clock

#### **Body Structure**

- · 44mm bonded floor with styrofoam insulation core
- · 32mm semi bonded roof with polystyrene insulation core
- 25mm bonded side walls with polystyrene insulation core

#### Kitchen

#### New for 2005

- · New food grade nylon chopping board
- . New style kitchen laminate
- . New style Belling flush fitting thermostatically controlled oven with grill and pan storage
- . New design dual fuel hob with 800W electric hot plate and three gas burners incorporating flame failure protection and electronic ignition
- · Safety hob lid with cut out feature
- · Recessed stainless steel bowl with pillar tap, removable draining board
- · Electronic power fridge with full width freezer compartment
- Microwave oven provision (216,217)
- · L shaped kitchen with swivel TV facility and worktop extension (415)
- · Moulded cutlery drawer on smooth steel
- Pull out storage baskets (model specific)
- Utensil rack (model specific)
- · Towel rail on fridge door

#### Washroom


#### New for 2005

- Fully fitted luxury washrooms with separate shower area or cubicle
- Thefford cassette toilet with independent tank and electric flush
- · Access to wardrobe shelving from vanity mirror door (215, 416 & 417)

- · Chrome finish shower equipment
- Microswitched chrome finish lever mixer tap
- Opening window

#### Heating & Plumbing

• Dual fuel gas and mains 800W electric storage water heater



- water pumps · Dual fuel 3kW gas & 2kW electric space heater
- complete with ducted blown air heating · Grade 2 classification for heating and thermal insulation
- Large bore underslung rigid waste pipes
- Inboard semi-rigid piped fresh water system

#### Electrical

#### New for 2005

- . Uprated 12V cable to television point
- · Supply unit incorporating 18 amp switchmode charger/transformer
- · Solar panel plug-in provision
- Electrical control panel over exterior door Fully protected mains electric system with three 230V mains sockets
- TV station with 230V/12V sockets and coax/aerial connect
- · Colour co-ordinated mains lights
- · Colour co-ordinated adjustable 12V halogen reading light
- · Colour co-ordinated halogen lighting in washroom
- · Colour co-ordinated 12V halogen ceiling lights
- 12V electrical system with one 12V socket and plug

- · Colour co-ordinated downlighters in kitchen
- · Fitted speakers, wiring, housing and aerial for easy fitting of a sound system
- Omnivent 3 speed fan and skylight
- 25 metre mains hook-up lead

#### Fittings & Equipment

#### New for 2005

- New design aluminium bunk ladder (where bunks provided)
- · Multi position 'Mini Heki' clear skylights with blind and flyscreen (model specific)
- · Cassette flyscreens and blinds to all windows (concertina on sides and rear)
- Steel rimmed spare wheel and tyre
- · Concertina partition doors to rear bedroom models (model specific)
- · Night latch ventilation to all windows
- · Multi directional roof lights with sliding blind and flynet
- · Full height exterior door flyscreen
- Entrance mat with embroidered logo in brush out tray
- · Caravan entrance step
- Smoke alarm
- · Removable hanging rail in shower (model specific)
- · Domestic style cabinet hinges
- · Pull out roller slatted beds
- Smooth operation steel drawer runners
- Isolation taps to all gas appliances

#### Security & Safety

- · Identity number etched to windows and caravan chassis
- · Concealed security data chip within caravan construction
- Single key operated locks
- · All models comply with European standards












**01** Flush fitting aluminium windows

02 Loose fit carpets 03 Omnivent 3 speed fan


























### GTS Vogue

Model	<b>   215</b>	216	217	<b>1</b> 415	416	417	418	420	516	517
Berths	2	2	2	4	4	4	4	4	5	5
Number of Axles	1	1	1	1	1	1	1	1	1	1
Internal Length (at bed box height)	4.61m/15'2"	4.61m/15'2"	4.61m/15'2"	5.39m/17'8"	5.23m/17'2"	5.23m/17'2"	5.39m/17'8"	5.39m/17'8"	5.39m/17'8"	5.39m/17'8"
Overall Width	2.23m/7'4"									
Overall Height (including TV aerial)	2.76m/9'1"									
Overall Length	6.29m/20'8"	6.29m/20'8"	6.29m/20'8"	7.07m/23'2"	6.91m/22'8"	6.91m/22'8"	7.07m/23'2"	7.07m/23'2"	7.07m/23'2"	7.07m/23'2"
Mass in Running Order (including tolerance)	1129kg/22.2cwt	1105kg/21.8cwt	1100kg/21.7cwt	1237kg/24.3cwt	1213kg/23.9cwt	1199kg/23.6cwt	1227kg/24.2cwt	1227kg/24.2cwt	1245kg/24.5cwt	1245kg/24.5cwt
Essential Habitation Equipment Payload	82kg/1.6cwt									
Personal Effects Payload	104kg/2.0cwt	104kg/2.0cwt	104kg/2.0cwt	132kg/2.6cwt	130kg/2.6cwt	130kg/2.6cwt	132kg/2.6cwt	132kg/2.6cwt	142kg/2.8cwt	142kg/2.8cwt
Optional Equipment Payload	4kg/0.1cwt	17kg/0.3cwt	17kg/0.3cwt	4kg/0.1cwt						
Maximum Technical Permissible Laden Mass	1319kg/25.9cwt	1308kg/25.7cwt	1303kg/25.6cwt	1455kg/28.6cwt	1429kg/28.2cwt	1415kg/27.9cwt	1445kg/28.5cwt	1445kg/28.5cwt	1473kg/29.0cwt	1473kg/29.0cwt
Awning A/A Dimension"	8.90m/29'2"	8.90m/29'2"	8.90m/29'2"	9.68m/31'9"	9.52m/31'3"	9.52m/31'3"	9.68m/31'9"	9.68m/31'9"	9.68m/31'9"	9.68m/31'9"
Tyre Size	195/70 r14 95	195/70 r14 95	195/70 r14 95	75 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99

#### bed sizes

208cm x 190cm/6'10" x 6'3" 208cm x 190cm/6'10" x 6'3" 208cm x 139cm/6'10" x 4'7"	208cm x 166cm/6'10" x 5'5"	208cm x 180cm/6'10" x 5'11"	208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 139cm/6'10" x 4'7"
190cm x 71cm/6'3" x 2'4" 190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"		190cm x 71cm/6'3" x 2'4"	
190cm x 71cm/6'3" x 2'4" 190cm x 71cm/6'3" x 2'4"	166cm x 71cm/5'5" x 2'4"	180cm x 71cm/5'11" x 2'4"	190cm x 71cm/6'3" x 2'4"	180cm x 71cm/5'11" x 2'4"		180cm x 71cm/5'11" x 2'4"	
	196cm x 138cm/6'5" x 4'6"			190cm x 138cm/6'3" x 4'6"	190cm x 138cm/6'3" x 4'6"	192cm x 138cm/6'4" x 4'6"	208cm x 138cm/6'10" x 4'6"
	,					192cm x 58cm/6'4" x 1'11"	192cm x 58cm/6'4" x 1'11"
		180cm x 66cm/5'11" x 2'2"	180cm x 66cm/5'11" x 2'2"				
		178cm x 56cm/5'10" x 1'10"	178cm x 56cm/5'10" x 1'10"				
	190cm x 71cm/6'3" x 2'4" 190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4" 166cm x 71cm/5'5" x 2'4"	190cm x 71cm/6'3" x 2'4" 180cm x 71cm/6'3" x 2'4" 180cm x 66cm/5'11" x 2'2"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4" 190cm x 71cm/6'3" x 2	190cm x 71cm/6'3" x 2'4" 190cm x 71cm/6'3" x 2	190cm x 71cm/63" x 2'4" 190cm

<sup>\*</sup> Estimated weight. Double bed size is quoted with wrap round seating.

<sup>&</sup>quot;Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.





Burgundy and pale gold soft furnishings create a warm and comfortable interior. Mini and large Heki rooflights let in plenty of light and air.

Front corner pods in suede-effect fabric sit alongside stylish curved lockers with solid ash framed doors, which provide plenty of easy-to-access storage. Even more storage space is located under the hinged bed tops, which open easily.











# Spectrum

Fully fitted luxury washrooms with separate sealed shower cubicles are featured in all models and other high specification equipment includes microswitched chrome finish lever tap, large vanity bowl, built-in 9 gallon water tank and Thetford cassette electric flush toilet.

# Spectrum

#### Exterior

#### New for 2005

- · AL-KO AKS 3004 stabiliser
- · Hitch cover with integral gas compartment light
- Re-styled front panel featuring new style screen printed windows
- Glacier white exterior
- Moulded back panel incorporating high level spoiler, high level brake light and round rear light cluster
- Body colour front gutter mould
- · Curved high level side marker lights
- AL-KO Euro hitch with assisted handbrake
- 14" alloy wheels
- · Underslung spare wheel carrier
- · Barbecue point with isolation valve
- Durable one piece GRP sidewall construction
- Flush fitting aluminium framed windows
- Heki large tilting panoramic roof window with flynet and blind (2 in 535 & 540)
- · Exterior door with window, blind and moulded interior door liner with integral magazine storage
- External access door under fixed bed (540)
- Lined external access locker with 230v external socket
- Exterior access battery box with mains inlet and aerial input socket (battery not included)
- · Gas bottle storage with gas strut supported door
- AL-KO lightweight galvanised steel chassis with Euro-Axle
- · Heavy duty corner steadies
- TV/FM aerial and booster
- · Flush fitting awning light
- Reversing light
- Awning channel on both sides of caravan
- Removable fridge vents for easy maintenance and inspection
- · Quick release door retainer
- · Fixing points for rear mounted cycle rack (model specific)

#### Lounge & Dining Area

#### New for 2005

- · Restyled fabric covered front corner pods incorporating new clock
- · 'Johan Stanford' upholstery fabric
- · Luxury loose fit carpet
- · Wood block effect vinyl floor covering
- Aluminium double framed bed tops (535, 540)
- · 'Pennsylvania Cherry' colour furniture
- Long front beds 1900mm (6'3") (model specific)
- · Drop down front side bed flaps
- Improved cantilever hinged action bed top with beech sprung slats
- · Backrest ventilation boards
- · Freestanding table with dedicated storage
- · Curtain storage for centre dinette curtain (Spectrum 419)
- Rolled edged mouldings to worktops and tables
- Two television station points (520, 620, 535)
- · Super quality domestic style sprung seats and backrests
- · Split front base cushions for easy bed make up
- Curtains with tie-backs and contrasting pelmets
- · Twin curtain tracks for improved hanging presentation and ease of use
- Scatter cushions
- · Cocktail cabinet with courtesy light
- Clock
- · Chest of drawers with occasional table (model specific)
- Optional 6 berth layout (620)

#### **Body Structure**

- · 44mm bonded floor with styrofoam insulation core
- 32mm semi bonded roof with polystyrene insulation core
- 25mm bonded side walls with polystyrene insulation core

#### Kitchen

#### New for 2005

- · New food grade nylon chopping board
- · New style kitchen laminate
- New style Belling flush fitting thermostatically controlled oven with grill and pan storage
- New style dual fuel hob with 800w electric hot plate and three gas burners incorporating flame failure protection and electronic ignition
- Safety hob lid with cut out feature
- 86 litre electronic power fridge (not 540)
- 135 litre electronic fridge/freezer (540)
- Microwave oven
- Recessed stainless steel bowl with pillar tap. removable draining board and chopping board
- · L shaped kitchen with swivel TV facility and worktop extension (540)
- Moulded cutlery drawer on smooth steel runners
- · Towel rail on fridge door
- Pull out storage baskets (model specific)
- Utensil rack (model specific)

- · Fully fitted luxury washroom with vanity unit and sealed shower cubicle
- · Thetford cassette toilet with independent tank and electric flush
- · Microswitched chrome finish lever mixer tap
- · Chrome finish shower equipment
- Opening window

#### Heating & Plumbing

- Dual fuel gas and mains 800W electric storage water heater
- · Bulkhead mounted gas regulator
- Uprated 12 litres/minute submersible water pump
- · Dual fuel 3kW gas & 2kW electric space heater complete with ducted blown air heating Grade 2 classification for heating and thermal
- Internal 9 gallon water tank with filling pump and level gauge
- Inboard semi-rigid piped fresh water system
- · Large bore underslung rigid waste pipes

#### Electrical

insulation

#### New for 2005

- Up rated 12V cable to television point
- . Supply unit incorporating 18 amp switchmode charger/transformer
- · Solar panel plug-in provision
- · Electrical control panel over exterior door
- · Fully protected mains electric system with four 230V mains sockets (one external)
- 12v electrical system with one 12V socket and plug (2 in 520 & 620)
- colour co-ordinated adjustable 12V halogen reading lights
- · Colour co-ordinated downlighters in kitchen
- · Colour co-ordinated halogen lighting in washroom
- · Colour co-ordinated 12V halogen ceiling lights
- · Colour co-ordinated mains lights
- TV station with 230V/12V sockets and coax/aerial connection (2 in 520 & 620)
- · Omnivent 3 speed fan and skylight
- · Fitted speakers, wiring, housing and aerial for easy fitting of a sound system
- · 25 metre mains hook-up lead

#### Fittings & Equipment

#### New for 2005

- New design aluminium bunk ladder (where bunks provided)
- Multi position 'Mini Heki' clear skylights with blind and flyscreen (model specific)
- Concertina partition doors to rear bedroom models (model specific)
- · Cassette flyscreens and blinds to all windows (concertina to sides and rear)
- · Full height exterior door flyscreen
- · Multi directional roof lights with sliding blind and flynet
- · Night latch ventilation to all windows
- · Entrance mat with embroidered logo in brush out tray
- · Caravan entrance step
- · Portable wheeled waste water container
- Smoke alarm
- · Removable hanging rail in shower (model specific)
- · Steel rimmed spare wheel and tyre
- · AL-KO side mounted scissor jack
- · Domestic style cabinet hinges
- Isolation taps to all gas appliances
- · Smooth operation steel drawer runners Pull out roller slatted beds

#### Security & Safety

- Lockable rear corner steadies (lock not supplied)
- · Alarm system with passive infra-red sensor and tilt sensor with easy to use key fob operation
- Concealed security data chip within carayan construction
- · Identity number etched to windows and caravan chassis
- Single key operated locks
- · All models comply with European standards



02

03

01 Microwave oven 02 Alarm system


03 Spectrum 540 fridge freezer






















### Spectrum

Model	419	. 0520	535	540	620
Berths	4	525	4	4	
DETUIS	7	5	4	4	5 opt 6
Number of Axles	2	2	2	2	2
Internal Length (at bed box height)	5.85m/19'2"	6.27m/20'7"	6.27m/20'7"	6.27m/20'7"	6.27m/20'7"
Overall Width	2.23m/7"4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including TV aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	7.53m/24'8"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"
Mass in Running Order (including tolerance)	1358kg/26.7cwt*	1451kg/28.6cwt	1412kg/27.8cwt*	1469kg/28.9cwt	1457kg.28.7cwt
Essential Habitation Equipment Payload	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt
Personal Effects Payload	136kg/2.7cwt	150kg/3.0cwt	140kg/2.8cwt	140kg/2.8cwt	160kg/3.1cwt
Optional Equipment Payload	29kg/0.6cwt	29kg/0.6cwt	29kg/0.6cwt	29kg/0.6cwt	49kg/1.0cwt
Maximum Technical Permissible Laden Mass	1638kg/32.3cwt*	1745kg/34.5cwt	1696kg/33.5cwt*	1753kg/34.6cwt	1781kg/35.1cwt
Awning A/A Dimension"	10.08m/33'1"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"
Tyre Size	175/65 r14 82	75/65 r14 82	175/65 r14 82	175/65 r14 82	175/65 r14 82

- \* Estimated weight.¹ Double bed size is quoted with wrap round seating.
- "Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only.

  Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

#### bed sizes

Front Double <sup>1</sup>	208cm x 139cm/6'10" x 4'7"	208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"
or One Single			182cm x 71cm/6'0" x 2'4"		190cm x 71cm/6'3" x 2'4"
and One Single		3	180cm x 71cm/5'11" x 2'4"		180cm x 71cm/5'11" x 2'4"
Rear Double		208cm x 138cm/6'10" x 4'6"	186cm x 134cm/6'1" x 4'5"	192cm x 138cm/6'4" x 4'6"	205cm x 137cm/6'9" x 4'6"
Rear Bunk		192cm x 58cm/6'4" x 1'11"			
Side Single (offside)	180cm x 66cm/5'11" x 2'2"				177cm x 68cm/5'10" x 2'3"
Side Single (nearside)					177cm x 68cm/5'10" x 2'3"
Side Bunk	178cm x 56cm/5'10" x 1'10"				172cm x 56cm/5'8" x 1'10"
Optional Bunk					172cm x 56cm/5'8" x 1'10"

			1
	5		1
1			19
		1	
7			

#### Your Local Dealer



All Abbey models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Abbey caravan carries the "NCC Approved Caravan" badge. The NCC also conduct unannounced inspections at the Abbey factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.



For added security all Abbey caravans come registered with the Caravan Registration and Identification Scheme (CRIS), the UK's official database of caravans and their keepers. Abbey caravans not only carry the unique 17 digit CRIS Vehicle Identification Number (VIN) die stamped into the chassis, but windows are also etched with the VIN and an electronic tag embedded within the bodywork for extra security. Specialist insurance companies increasingly require registration with CRIS before granting cover and when you come to sell your caravan your CRIS registration will prove invaluable.



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Abbey products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2005 models will have commenced on or after 1 September 2004.

All props are for photographic purposes only and are not included in the specification

Issued September 2004



Abbey Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042 e-mail: enquiry@swiftleisure.co.uk web site: www.abbeycaravans.co.uk A MEMBER OF THE SWIFT GROUP

Leaders in Leisure