







YOUR 1ST CHOICE FOR MORE CHOICE

- OVER 300 CARAVANS ON SHOW INDOOR & SEASONAL OUTDOOR CAMPING DISPLAY
- AWNING DISCOUNT CENTRE
- ACCESSORIES SUPERMARKET
- 5 STAR SERVICE CENTRE & REPAIR WORKSHOPS
- FINANCE & INSURANCE (SUBJECT TO STATUS)

GUARANTEED A WARM WELCOME



Swift Caravans 2005







Conqueror

Challenger

Charisma



All Swift Group models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Swift caravan carries the "NCC Approved Caravan" badge. The NCC also conduct unannounced inspections at the Swift Group factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

CRÍS

For added security all Swift caravans come registered with the Caravan Registration and Identification Scheme (CRiS), the UK's official database of caravans and their keepers. Swift caravans not only carry the unique 17 digit CRiS Vehicle Identification Number (VIN) die stamped into the chassis, but windows are also etched with the VIN and an electronic tag embedded within the bodywork for extra security. Specialist insurance companies increasingly require registration with CRiS before granting cover and when you come to sell your caravan your CRiS registration will prove invaluable.

Swift Caravans

Quality with Style

Swift Caravans are the result of four decades of quality and innovation that has earned the brand the distinction of being revered as the thoroughbred of the touring caravan world.

The Swift ethos is based on combining build quality with pure luxury and functional layouts that suit every need.

2005 sees an all new Charisma range, with three new layouts including the first twin axle in this line-up. All models have benefited from new technology to make lockers and bed frames lighter and stronger, and interior styling has been transformed with an innovative design approach.

Other improvements include higher specification kitchens in the Challenger and Conqueror ranges, which have both enjoyed great success following their redesign.

The quality ethos extends to the SuperCare aftersales service and the SuperSure three-year manufacturer's warranty, that comes with every new Swift tourer, providing peace of mind on holiday.

Swift's active owners' club is open to all purchasers of Swift tourers. Full details can be found by logging onto www.swift-owners-club.co.uk



Conqueror travel in style

Five models make up this flagship range, which has enjoyed overwhelming success and stands head and shoulders above its competitors. For 2005 new features include burgundy designer graphics, redesigned hitch cover and the latest AL-KO AKS 3004 stabiliser for added towing confidence.







Kitchens have been upgraded even further for 2005 with a new Stoves cooker, new kitchen laminate and food grade nylon chopping board, which can be stored away when not in use.

A microwave oven comes as standard in all models.



Conqueror 630 SAL



Conqueror 630 SAL



Conqueror 630 SAL

Relax on soft furnishings in Dakar green and cream. Italian-style curved furniture provides plenty of storage in the lockers. Front corner panels are fabric trimmed and there are loose fit carpets fitted over wood block effect vinyl flooring for easy cleaning.

The Conqueror also comes with fitted speakers, wiring, housing and aerial to make the installation of your chosen sound system trouble-free.



Conqueror 580 SAL



Conqueror 650 LUX



Conqueror 630 SAL

Bunk beds have a lighter, more secure ladder and bed tops are cantilever hinged offering easier access to spacious storage. Washrooms are fully fitted and luxurious, following a redesign and upgrade, with all models offering separate sealed circular shower cubicles. The 630 has an airing cupboard and all models are fitted with a Thetford cassette toilet with independent tank and electric flush.









Conqueror 640 SAL

Above & main picture Conqueror 645 LUX

Conqueror 580 SA

features

Exterior

New for 2005

- AL-KO AKS 3004 stabiliser
- · Hitch cover with integral courtesy light
- New Graphics scheme
- Glacier white exterior
- 3 window front with high level marker lights
- · Back panel incorporating high level spoiler, high level brake light and wrap round rear light cluster
- AL-KO Euro hitch with assisted handbrake
- 14" alloy wheels
- Underslung spare wheel carrier
- Flush fitting aluminium framed windows
- Heki large tilting panoramic roof window with flynet and blind (2 in 630 & 645)
- Exterior door with window, blind and moulded interior door liner with integral magazine storage
- External access heated locker (model specific)
- · Exterior access battery box with mains inlet and aerial input socket (battery not included)
- Lined external access locker with 230v external socket
- External access door under fixed bed (630)
- Gas bottle storage with gas strut supported door
- AL-KO lightweight galvanised steel chassis with Euro-Axle
- Heavy duty corner steadies
- Smooth aluminium single joint side panels
- TV/FM aerial and booster
- Awning channel on both sides of caravan
- Flush fitting awning light
- Reversing light
- Barbecue point with isolation valve
- Fixing points for rear mounted cycle rack (model specific)
- Removable fridge vents for easy maintenance and inspection
- Quick release door retainer

Lounge/Dining area New for 2005

- Restyled fabric covered front corner pods
 Large curved upper lockers with integrated front corner light mouldings
- Dakar Green upholstery fabric
- Luxury loose fit carpet
- · Woodblock effect vinyl floor covering

- Aluminium framed double bed tops (model specific)
- Korsica Apple colour furniture with co-ordinated handles
- Long front beds 1900mm (6'3") (model specific)
- Large 'L' shaped front lounge (model specific) Chest of drawers with occasional table (model specific)
- Drop down front side bed flaps
- Cantilever hinged action bed top with beech sprung slats
- Front roof lockers
- Freestanding table with dedicated storage location
- · Rolled edged hardwood mouldings to worktops and tables
- Two television station points (640 Sal, 650 Lux & 645 Lux)
- Backrest ventilation boards
- Optional 6 berth layout (650)
- Cocktail cabinet with courtesy light
- . Split front base cushions for easy bed make up
- · Super quality domestic style sprung seats and backrests
- Curtains with tie-backs and contrasting pelmets
- Curtain storage for centre dinette curtain (MS)
- Twin curtain tracks for improved hanging presentation and ease of use
- Scatter cushions
- Clock

Body Structure

- 44mm bonded floor with styrofoam insulation core
- 32mm semi bonded roof with polystyrene insulation core
- 25mm bonded side walls with polystyrene insulation core

Fittings and Equipment

- New design aluminium bunk ladder (where bunks provided)
- Multi position 'Mini Heki' clear skylights with blind and flyscreen (model specific)
- · Cassette flyscreens and blinds to all windows (concerting on sides and rear)
- · Concertina partition doors to rear bedroom models (model specific)
- · Steel rimmed spare wheel and tyre
- Multi directional roof lights with sliding blind and flynet
- Full height exterior door flyscreen
- Night latch ventilation to all windows
- Entrance mat with embroidered logo in brush out tray
- AL-KO side mounted scissor jack
- Smoke alarm
- Caravan entrance step
- Portable wheeled waste water container
- · Removable hanging rail in shower (model specific)
- Isolation taps to all gas appliances
- Pull out roller slatted beds
- · Domestic style cabinet hinges
- Smooth operation steel drawer runners

Kitchen

New for 2005

- · New food grade nylon chopping board
- New style kitchen laminate
- . New style Stoves flush fitting thermostatically controlled oven with grill and pan storage
- · Recessed stainless steel bowl with pillar tap, removable draining board
- Microwave oven
- 86 litre electronic power fridge (not Conqueror 630)
- 135 litre electronic fridge/freezer (Conqueror 630)
- . New style dual fuel hob with 800W electric hot plate, three gas burners incorporating flame failure protection and

- · Safety hob lid with cut out feature
- . L shaped kitchen with swivel TV facility and worktop extension (630)
- Pull out storage baskets (model specific)
- Utensil rack (model specific)
- Moulded cutlery drawer on smooth steel runners
- Towel rail on fridge door

Washroom

- · Fully fitted luxury washroom with vanity unit and sealed shower cubicle
- Thetford cassette toilet with independent tank and electric flush
- Access to wardrobe shelving from vanity mirror door (580)
- Airing cupboard (630)
- · Microswitched chrome finish lever mixer tap
- Chrome finish shower equipment
- Opening window

Heating and Plumbing

- Dual fuel gas and mains 800W electric storage water heater
- Bulkhead mounted gas regulator
- Uprated 12 litre/minute submersible water pump
- Dual fuel 3kW gas & 2kW electric space heater complete with ducted blown air heating
- Grade 2 classification for heating and thermal insulation
- Internal 9 gallon water tank with filling pump and level gauge
- · Large bore underslung rigid waste pipes
- Inboard semi-rigid piped fresh water system

Electrical

New for 2005

- Upgraded 12V cable to television point
- Power supply unit incorporating 18 amp switchmode charger/transformer
- Solar panel plug-in provision
- · Electrical control panel over exterior door
- Fully protected mains electric system with four 230V mains sockets and 1 external
- 12V electrical system with one 12V socket and plug (2 in 640, 645 & 650)
- Colour co-ordinated adjustable 12V halogen reading lights
- Colour co-ordinated downlighters in kitchen
- Colour co-ordinated mains lights
- Colour co-ordinated 12V halogen ceiling lights
- TV station with 230V/12V sockets and coax/aerial connection (2 in 640, 645 & 650)
- · Colour co-ordinated halogen lighting in washroom
- · Omnivent 3 speed fan and skylight
- Fitted speakers, wiring, housing and aerial for easy fitting of a sound system
- 25 metre mains hook-up lead

Security & Safety

- · Alarm system with passive infra-red and tilt sensor with easy to use key fob operation
- Identity number etched to windows and caravan chassis
- · Concealed security data chip within caravan construction
- · Lockable rear corner steadies (lock not supplied)
- Single key operated locks · All models comply with European standards
















Conqueror specification




580 SAL





640 SAL





Model	
Berths	
Number of Axles	
Internal Length (at bed box height)	
Overall Width	
Overall Height (including TV aerial)	
Overall Length	
Mass in Running Order (including tolerance)	
Essential Habitation Equipment Payload	
Personal Effects Payload	
Optional Equipment Payload	
Maximum Technical Permissible Laden Mass	
Awning A/A Dimension ^{tt}	
Tyre Size	
Bed sizes	
Front Double [†]	

4
2
5.85m/19'2"
2.23m/7'4"
2.76m/9'1"
7.54m/24'9"
1327kg/26.1cwt*
115kg/2.3cwt
136kg/2.7cwt
29kg/0.6cwt
1607kg/31.7cwt*
10.08m/33 ¹ 1"
175/65 r14 82
208cm x 139cm/6'10" x 4'7"
- Committee




1741kg/34.4cwt

10.50m/34'5"

175/65 r14 82

208cm x 139cm/6'10" x 4'7"



208cm x 139cm/6'10" x 4'7"



Bed sizes	
Front Double ^t	
or One Single	
and One Single	
Rear Double	
Rear Bunk	
Side Single (offside)	
Side Single (nearside)	
Side Bunk	
Optional Bunk	

208cn	n x 139cm/6'10" x 4'7"	
180cm	n x 66cm/5'11" x 2'2"	
178cm	n x 56cm/5'10" x 1'10"	

192cm x 138cm/6'4" x 4'6" 208cm x 138cm/6'10" x 4'6" 192cm x 58cm/6'4" x 1'11"

200CH X 160CH/6 10 X 5 11	ZUBCITI X TOUCHI/O TU X S T I
182cm x 71cm/6'0" x 2'4"	190cm x 71cm/6'3" x 2'4"
180cm x 71cm/5'11" x 2'4"	180cm x 71cm/5'11" x 2'4"
186cm x 134cm/6'1" x 4'5"	205cm x 137cm/6'9" x 4'6"
	177cm x 68cm/5'10" x 2'3"
	177cm x 68cm/5'10" x 2'3"
	172cm x 56cm/5'8" x 1'10"

^{*} Estimated weight.

172cm x 56cm/5'8" x 1'10"

¹ Double bed size is quoted with wrap round seating.

Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

Challenger let yourself explore

The Challenger range has 10 models to choose from, and all boast a distinctive glacier white exterior, full height rear panel with smart light clusters and new designer graphics. Wheel spats and polished alloy wheels finish off the exterior look, whilst the latest AL-KO AKS 3004 stabiliser has been fitted for added towing confidence.







The Challenger's width of 7'4" makes a real difference in areas like the redesigned kitchen, which incorporates domestic style fixtures and fittings.

Also new are the latest Stoves cooker, food grade nylon chopping board and a new laminate surface with hardwood edges. There is an exterior BBQ point for the option to cook al-fresco.



Challenger 5

Front corner pods have been fabric trimmed to co-ordinate with the Nordica burgundy soft furnishings. Mini and large Heki rooflights help to make the interior light and airy. Curved locker design provides ample overhead storage.

A new improved charger unit and the ability to plug in your solar panel to help preserve the battery, are among the other improvements.



Challenger 530



Challenger 500



nallenger 460

Beds are comfortable and practical, featuring split front cushions to make them easier to assemble. Cantilever hinged bed tops provide easy access to underseat storage.

Washrooms are luxurious with generous storage and all models offer a spacious integral shower cubicle or separated shower area.



Challenger 5

Exterior

New for 2005

- AL-KO AKS 3004 stabiliser
- Hitch cover with integral gas compartment light
- New graphics scheme

features

- Glacier white exterior
- 3 window front with high level marker lights
- Back panel incorporating high level spoiler, high level brake light and new wrap round rear light cluster
- Front gutter mould
- All models now with increased body width of 2.23m/7'4"
- Flush fitting aluminium framed windows
- AL-KO Euro hitch with assisted handbrake
- Heavy duty corner steadies
- 14" polished alloy wheels
- Barbecue point with isolation valve
- Underslung spare wheel carrier
- Heki large tilting panoramic roof window with flynet and blind (2 in 500)
- Exterior door with window, blind and moulded interior door liner with integral magazine storage
- External access door under fixed bed (500, 550 & 550L)
- External access locker (model specific)
- Exterior access battery box with mains inlet and aerial input socket (battery not included)
- Lined external access locker with 230v external socket
- Gas bottle storage with gas strut supported door
- · Smooth aluminium single joint side panels
- AL-KO lightweight galvanised steel chassis with Euro-Axle
- TV/FM aerial and booster
- Flush fitting awning light
- Awning channel on both sides of caravan
- Reversing light
- Removable fridge vents for easy maintenance and inspection
- Fixing points for rear mounted cycle rack (model specific)
- Quick release door retainer

Lounge/Dining area

New for 2005

- Restyled fabric covered front corner pods
- Large curved upper lockers
- Nordic burgundy upholstery fabric
- Luxury loose fit carpet
- Woodblock effect vinyl floor covering
- Aluminium framed double bed tops (model specific)
- Korsica Apple colour furniture with co-ordinated handles
- Long front beds 1900mm (6'3") (model specific)
- Large 'L' shaped front lounge (model specific)
- Chest of drawers with occasional table (model specific) Freestanding table with dedicated storage location
- Cocktail cabinet with courtesy light
- Cantilever hinged bed tops sized for easy access
- Drop down front side bed flaps
- Backrest ventilation boards
- Super quality domestic style sprung seats and backrests
- Split front base cushions for easy bed make up
- Front roof lockers
- Rolled edged hardwood mouldings to worktops and tables
- Clock
- Curtains with tie-backs and contrasting pelmets
- Curtain storage for centre dinette curtain (model specific)
- Scatter cushions
- Twin curtain tracks for improved hanging presentation and ease

Body Structure

- · 44mm bonded floor with styrofoam insulation core
- . 32mm semi bonded roof with polystyrene insulation core
- 25mm bonded side walls with polystyrene insulation core

Fittings and Equipment

New for 2005

- New design aluminium bunk ladder (where bunks provided)
- Multi position 'Mini Heki' clear skylights with blind and flyscreen (model specific)
- · Cassette flyscreens and blinds to all windows (concertina on sides and rear)
- · Steel rimmed spare wheel and tyre
- Concertina partition doors to rear bedroom models (model
- Multi directional roof lights with sliding blind and flynet
- Night latch ventilation to all windows
- Full height exterior door flyscreen
- Entrance mat with embroidered logo in brush out tray
- Caravan entrance step
- Removable hanging rail in shower (model specific)
- Smoke alarm
- Pull out roller slatted beds
- Isolation taps to all gas appliances
- · Domestic style cabinet hinges
- Smooth operation steel drawer runners

New for 2005

- . New food grade nylon chopping board
- New style kitchen laminate
- . New style Stoves flush fitting thermostatically controlled oven with grill and pan storage

- · Electronic power fridge with full width freezer
- Recessed stainless steel bowl with pillar tap, removable draining board
- Microwave oven provision (460 & 470)
- . New style dual fuel hob with 800W electric hot plate, three gas burners incorporating flame failure protection and electronic ignition
- Safety hob lid with cut out feature
- L shaped kitchen with swivel TV facility and worktop extension (500)
- · Towel rail on fridge door
- · Utensil rack (model specific)
- Moulded cutlery drawer on smooth steel runners
- Pull out storage baskets (model specific)

Washroom

New for 2005

- Fully fitted luxury washroom with separate shower area or cubicle
- Thetford cassette toilet with independent tank and electric flush
- Access to wardrobe shelving from vanity mirror door (model specific)
- Opening window
- · Chrome finish shower equipment
- Microswitched chrome finish lever mixer tap

Heating and Plumbing

- Dual fuel gas and mains 800W electric storage water heater
- Bulkhead mounted gas regulator
- Uprated 12 litre/minute submersible water pump
- Dual fuel 3kW gas & 2kW electric space heater complete with ducted blown air heating
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid piped fresh water system
- Large bore underslung rigid waste pipes

Electrical

- New for 2005
- Upgraded 12V cable to television point
- Power supply unit incorporating 18 amp switchmode charger/transformer
- Solar panel plug-in provision
- Electrical control panel over exterior door
- Colour co-ordinated 12V halogen ceiling lights
- · Colour co-ordinated downlighters in kitchen
- Colour co-ordinated mains lights
- Colour co-ordinated halogen lighting in washroom
- Colour co-ordinated adjustable 12V halogen reading lights
- 12v electrical system with one 12V socket and plug TV station with 230V/12V sockets and coax/aerial connection
- Omnivent 3 speed fan and skylight
- Fully protected mains electric system with three 230V mains sockets
- Fitted speakers, wiring, housing and aerial for easy fitting of a sound system
- 25 metre mains hook-up lead

Security & safety

- · Identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Single key operated locks · All models comply with European standards















specification



















1425kg/28.1cwt

9.52m/31'3"

175 r14 99





1432kg/28.2cwt

9.68m/31'9"

175 r14 99

Mo	odel
Ber	ths
Nur	nber of Axles
Inte	rnal Length (at bed box height)
Ove	erall Width
Ove	erall Height (including TV aerial)
Ove	erall Length
Mas	ss in Running Order (including tolerance)
Ess	ential Habitation Equipment Payload
Pers	sonal Effects Payload
Opt	ional Equipment Payload
Max	kimum Technical Permissible Laden Mass
Awr	ning A/A Dimension ^{tt}
Tyre	Size

460	470	480	
2	2	2	
1	1	1	
4.61m/15'2"	4.61m/15'2"	4.61m/15'2"	
2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	
2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	
6.30m/20'8"	6.30m/20'8"	6.30m/20'8"	
1084kg/21.3cwt	1092kg/21.5cwt	1123kg/22.1cwt	
82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	
104kg/2.0cwt	104kg/2.0cwt	104kg/2.0cwt	
17kg/0.3cwt	17kg/0.3cwt	4kg/0.1cwt	
1287kg/25.2cwt	1295kg/25.4cwt	1313kg/25.8cwt	
8.90m/29'2"	8.90m/29'2"	8.90m/29'2"	
195/70 r14 95	195/70 r14 95	195/70 r14 95	

	490	490L	500	520
	5	5	4	4
	1	1	1 = =	1
	5.39m/17'8"	5.39m/17'8"	5.39m/17'8"	5.23m/17'2"
	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
	7.08m/23'3"	7.08m/23'3"	7.08m/23'3"	6.92m/22'8"
	1236kg/24.3cwt	1243kg/24.5cwt	1231kg/24.2cwt	1191kg/23.4
	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt
	142kg/2.8cwt	142kg/2.8cwt	132kg/2.6cwt	130kg/2.6cw
	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt
	1464kg/28.8cwt	1471kg/29.0cwt	1449kg/28.5cwt	1407kg/27.7
	9.68m/31'9"	9.68m/31'9"	9.68m/31'9"	9.52m/31'3"
	175 r14 99	175 r14 99	175 r14 99	175 r14 99

L a				
520	530	550	550L	
4	4	4	4	
1	1	1	1	
5.23m/17'2"	5.23m/17'2"	5.39m/17'8"	5.39m/17'8"	
2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	
2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	
6.92m/22'8"	6.92m/22'8"	7.08m/23'3"	7.08m/23'3"	
1191kg/23.4cwt	1209kg/23.8cwt	1214kg/23.9cwt	1214kg/23.9cwt	
82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	
130kg/2.6cwt	130kg/2.6cwt	132kg/2.6cwt	132kg/2.6cwt	
4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	

1432kg/28.2cwt

9.68m/31'9"

175 r14 99

Bed sizes	
Front Double [†]	
or One Single	
and One Single	
Rear Double	
Rear Bunk	
Side Single (offside)	
Side Bunk	

208cm x 139cm/6'10" x 4'7"	208cm x 190cm/6'10" x 6'3"	208cm x 190cm/6'10" x 6'3"
	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"
	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"

208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 166cm/6'10" x 5'5"	208cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"	208cm x 139cm/6'10" x 4'7"	
	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"	190cm x 71cm/6'3" x 2'4"		
	180cm x 71cm/5'11" x 2'4"	166cm x 71cm/5'5" x 2'4"	190cm x 71cm/6'3" x 2'4"	180cm x 71cm/5'11" x 2'4"	180cm x 71cm/5'11" x 2'4"		
208cm x 138cm/6'10" x 4'6"	192cm x 138cm/6'4" x 4'6"	196cm x 138cm/6'5" x 4'6"			190cm x 138cm/6'3" x 4'6"	190cm x 138cm/6'3" x 4'6"	
192cm x 58cm/6'4" x 1'11"	192cm x 58cm/6'4" x 1'11"						
			180cm v 66cm/5'11" v 2'2"	180cm v 66cm/5'11" v 2'2"			

1407kg/27.7cwt

178cm x 56cm/5'10" x 1'10" 178cm x 56cm/5'10" x 1'10"

^{*} Estimated weight.

[†] Double bed size is quoted with wrap round seating.

[&]quot;Note on awning sizes:

Due to the varying awning designs and sizes the awning sizes given are approximate only.

Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

the holiday of a lifetime

The all new Charisma range has three new layouts including a twin-axle model and all models are now 7'4" wide. New exterior features include a moulded rear panel with new light clusters and high level brake light, exterior graphics and alloy wheels.

All models are fitted with the new AL-KO AKS 3004 stabiliser for added towing confidence.







Locker and bed frame construction has been revolutionised with the introduction of injection moulded materials, which are light and strong. This has created more storage space in lockers and under beds. Some lockers have shelves which are hinged to enable storage of more bulky items.

New Fiji terracotta soft furnishings create a stylish, comfortable interior, while co-ordinating loose-fit carpets over wood block effect vinyl flooring are easily removed for cleaning.




Charisma 56

The interior benefits from brand new furniture styling and enhanced 12V lighting.

New aluminium frames on top of fixed beds provide a comfortable sleeping base and cantilever hinged bed tops give easy access to storage underneath.









Charisma 230



Charisma 550

The redesigned kitchen features a new Stoves cooker, recessed sink with circular bowl and chopping board and an 89 litre electronic ignition fridge with cloaking door. The laminate work surface has thick durable edging.

Corner washrooms have a bi-fold door, which separates the shower area from the cassette toilet. The new 590 has a large rear washroom with a double "walk-in" wardrobe.



Charisma 565



Charisma 230

Charisma 550

features

Exterior

- New for 2005
- AL-KO AKS 3004 stabiliser
- Euro overrun device with assisted handbrake
- Alloy wheels
- Hitch cover
- Moulded rear panel incorporating new light clusters and high level brake light
- Re-styled front panel featuring new style screen print windows
- New graphics scheme
- Increased body width 2.23m/7'4"
- New wheel spat design
- Flush fitting awning light
- Glacier white exterior
- Underslung spare wheel and carrier
- Double glazed opening windows with concealed fixings
- Exterior door with window and blind
- Exterior access battery box with mains inlet (battery not included)
- · Lined external access locker (model specific)
- · Gas bottle storage with gas strut supported door
- Heki large tilting panoramic roof window with flynet and blind (2 in 550)
- Smooth aluminium single joint side panels
- AL-KO lightweight galvanised steel chassis with Euro-Axle
- Awning channel on both sides of caravan
- Reversing light
- High level side marker lights
- Removable fridge vents with integral fly mesh for easy maintenance and inspection
- Fixing points for rear mounted cycle rack (model specific)
- Quick release door retainer

Lounge/Dining area

New for 2005

 New design large curved upper locker doors featuring lightweight locker construction made from injection moulded synthetic material

- Lightweight bed frames featuring injection moulded "space frame" technology with full front access
- Luxury loose fit carpets over wood block effect vinyl flooring
- New 'Fiji' terracotta upholstery scheme
- · New side dinette table leg design
- TV shelf in rear of 555
- TV cupboard with swivel base (535 & 550)
- Korsica Apple colour furniture with co-ordinated handles
- Long front beds 1900mm (6'3") (model specific)
- Large 'L' shaped front lounge (model specific)
- Chest of drawers with occasional table (model specific)
- Freestanding table with dedicated storage location
 Cantilever hinged bed tops sized for easy access
- New improved drop down front side bed flaps
- Cocktail cabinet
- Dedicated permanent bunk bed featuring fixed ladder and lighting (570 & 590)
- Seat ventilation boards
- Curtains with tie-backs
- Curtain storage for centre dinette curtain (model specific)
- Twin curtain tracks for improved hanging presentation and ease of use
- Super quality domestic style sprung seats and backrests
- Split front base cushions for easy bed make up
 Scatter cushions and 2 bolster cushions
- Clock

Body Structure

- 25mm bonded side walls with polystyrene insulation core
- 44mm bonded floor with styrofoam insulation core
- · 32mm semi bonded roof with polystyrene insulation core

Fittings and Equipment

New for 2005

- Aluminium framed fixed bed top (535, 550 & 555)
- Teleco omni directional TV aerial
- New pull out roller slatted beds
- New concertina partition door to rear bedroom models (model specific)
- New aluminium bunk ladder (where bunks provided)
- Domestic style cabinet hinges
- Steel rimmed spare wheel and tyre
- · Multi directional roof lights with sliding blind and flynet
- · Night latch ventilation to all windows
- · Cassette flyscreen & blinds to all windows
- Full height exterior door flyscreen
- Large exterior offside entry door into multi-function storage area, incorporating a unique hinged bunk base allowing full access (570 only)
- Storage area floor fixing eyelets, for securing large items (570 & 590)
- Caravan entrance step
- Smoke alarm
- Removable entrance mat
- Isolation taps to all gas appliances
- Smooth operation steel drawer runners

Kitchen

New for 2005

- Recessed stainless steel bowl and pillar tap with removable food grade nylon chopping board and drainer
- New Thetford 89 litre electronic ignition fridge concealed by cloaking door

- Durable edge finish to kitchen worktop incorporating new style laminate
- Flush fitting Stoves thermostatically controlled oven with grill
- New style dual fuel hob with 800W electric hot plate and three gas burners incorporating flame failure protection and electronic ignition
- Safety hob lid with cut out feature
- Kitchen incorporating drop down extendible work surface (535 & 550)
- Moulded cutlery drawer on smooth steel runners

Washroom

New for 2005

- Improved washroom to 535 & 550 featuring bi-fold door, separating shower area from cassette toilet
- New double walk in wardrobe with hinged mirrored access to fitted shelves (590 only)
- Fully fitted luxury washroom with sealed shower cubicle (model specific)
- Thetford cassette toilet with independent tank and manual flush
- Access to wardrobe shelving from vanity mirror door (model specific)
- Pelmet with light and shelf (model specific)
- Microswitched chrome finish lever mixer tap
- Chrome finish shower equipment

Heating and Plumbing

- Dual fuel gas and mains 800W electric storage water heater (model specific)
- Bulkhead mounted gas regulator
- Dual fuel 3kW gas & 2kW electric space heater complete with ducted blown air heating
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid piped fresh water system
- · Large bore underslung rigid waste pipes

Electrical

New for 2005

- Colour co-ordinated 12V directional downlighters to lounge area
- Uprated 12V cable to television point
- Solar panel plug-in provision
- TV station with modern 230V/12V sockets and coax/aerial connection
- Fully protected mains electric system with two 230V mains sockets
- 12V electrical system with one 12V socket and plug
- Halogen ceiling lights
- Halogen lighting in washroom
- 12V distribution panel
- Switchmode charger/transformer
- 25 metre mains hook-up lead

Security & safety

- Identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Single key operated locks
- All models comply with European standards















Charisma specification




















Model
Berths
Number of Axles
Internal Length (at bed box height)
Overall Width
Overall Height (including TV aerial)
Overall Length
Mass in Running Order (including tolerance)
Essential Habitation Equipment Payload
Personal Effects Payload
Optional Equipment Payload
Maximum Technical Permissible Laden Mass
Awning A/A Dimension ^{tt}
Tyre Size
Bed sizes
Front Double'
or One Single
and One Single
Rear Double
Rear Bunk
Side Single (offside)
Side Single (nearside)
Side Bunk

Rear Lower Bunk Rear Upper Bunk Side Lower Bunk

Side Upper Bunk

220	230	535
2	2	4
1	1	1
4.20m/13'9"	4.67m/15'4"	4.74m/15'7"
2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
5.88m/19'3"	6.35m/20'10"	6.42m/21'1"
955kg/18.8cwt*	1059kg/20.8cwt	1080kg/21.3cwt
82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt
100kg/2.0cwt	105kg/2.1cwt	125kg/2.5cwt
4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt
1141kg/22.5cwt*	1250kg/24.6cwt	1291kg/25.5cwt
8.41m/27'7"	8.88m/29'2"	8.95m/29'4"
195/70 r14 91	195/70 r14 95	195/70 r14 95
208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"	208cm x 134cm/6'10" x 4'5"
190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	
180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	
		188cm x 138cm/6'2" x 4'6"

540	550	555	560	565	570	590	
5	4	4	4	4	6	6	
1	1	1	1	1	1	2	
5.13m/16'10"	5.39m/17'8"	5.13m/16'10"	5.23m/17'2"	5.23m/17'2"	5.50m/18'1"	6.27m/20'7"	
2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	
2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	
6.81m/22'4"	7.07m/23'2"	6.81m/22'4"	6.91m/22'8"	6.91m/22'8"	7.18m/23'7"	7.95m/26'1"	
1167kg/23.0cwt*	1183kg/23.3cwt	1150kg/22.6cwt*	1173kg/23.1cwt	1153kg/22.7cwt*	1206kg/23.7cwt	1353kg/26.6cwt	
82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	
139kg/2.7cwt	132kg/2.6cwt	129kg/2.5cwt	130kg/2.6cwt	130kg/2.6cwt	200kg/3.9cwt	160kg/3.1cwt	
4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	
1392kg/27.4cwt*	1401kg/27.6cwt	1365kg/26.8cwt*	1389kg/27.4cwt	1369kg/27.0cwt*	1492kg/29.3cwt	1599kg/31.4cwt	
9.34m/30'8"	9.60m/31'6"	9.34m/30'8"	9.44m/31'0"	9.44m/31'0"	9.71m/31'10"	10.48m/34'5"	
175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175/65 r14 82	

208cm x 180cm/6'10" x 5'	11" 208cm x 167m/6'10" x 5'6"	209cm x 139cm/6*10" x 4'7"	208cm x 180cm/6'10" x 5'11"	209cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"	
190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"		190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"	
180cm x 72cm/5'11" x 2'4	" 167cm x 72cm/5'6" x 2'4"		180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	
209cm x 133cm/6'10" x 4'	4" 198cm x 138cm/6'6" x 4'6"	205cm x 133cm/6'8" x 4'4"					
194cm x 56cm/6'4" x 1'10'							
			180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"			
					180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"	
			178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5"10" x 1'11"	
					184cm x 62cm/6'0" x 2'1"		
					184cm x 60cm/6'0" x 2'0"		
						180cm x 56cm/5'11" x 1'10"	
						180cm x 58cm/5'11" x 1'11"	

^{*} Estimated weight. ' Double bed size is quoted with wrap round seating.

[&]quot;Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

Your Local Dealer



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.



designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2005 models will have commenced on or after 1 September 2004.

The touring caravans described in this brochure are

All props are for photographic purposes only and are not included in the specification

Issued September 2004

Cars courtesy of Volvo Cars UK Limited



Swift Caravans

Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftleisure.co.uk web site: www.swiftcaravans.co.uk A MEMBER OF THE SWIFT GROUP

Quality with Style