



TOURING CARAVANS 1996

MORE PEOPLE GET ATTACHED TO OUR CARAVANS

The freedom of the open road

When the great outdoors

beckons and you feel the urge to get away for a while, what better way to travel than with your own ABI touring caravan? Going where you want, when you want you control your own destiny and whether you delight in staying put for a few days in unspoilt countryside or a charming village, or prefer to move on to embrace new pleasures every day, thanks to ABI you can take the comforts of home right along with you.

A wealth of ABI


ABI is, in terms of both quality and sales, the undisputed market leader in the UK and across much of Europe.

We make the most of new technology alongside traditional manufacturing methods and combine both in a continuing programme of capital investment that means we maintain the highest possible standards. Using the latest computerised equipment and a true understanding of what people want we create touring caravans and leisure homes of true distinction.

Behind everything we do is a simple underlying principle. Whether we are building caravans or helping customers, we care.



For a complete guide to our full product range, please dial 100 and ask for Freephone ABI.



Classic exterior styling



Vitreous enamel
4 burner hob.



Refrigerator.



Gas central heating with
Fan Master 1 or 2kw
electric heating system.



All models carry a
First Aid Kit



The Award

The outstanding new collection

from ABI offers all the quality, comfort and luxury you could want from a touring caravan. Elegant interiors and sleek body styling characterise all the models in the latest ABI range, from the super value Sprinter to the opulent Award, and all our caravans are beautifully built to ensure years of rewarding and relaxing leisure use.



The elegant spacious interiors offer unbeatable styling and refinement, combined with a comprehensive list of practical features, that make ABI caravans truly a home from home.

g and refined comfort



The Ace



The modern shower room has been designed to make the best possible use of the available space.



The Marauder



The Sprinter



e widest choice

*a wealth
perience,
smanship
computerised
n aids to
on, ABI
ufactures
most
prehensive
e of touring
ans available.
hever model
choose, it
odies the
best of
emporary
an design and
s more style,
er choice and
endous value
oney.*

Computer aided design

Extensive market research has given us a unique understanding of the expectations of caravan owners and everything we do helps fulfil those expectations.

So you have an unparalleled choice of luxurious models that enjoy an enviable reputation for quality, style and value.



The dealer network

Our dealer network offers essential services that will make owning your tourer more enjoyable.

Throughout Britain and Europe they know all there is to know about ABI caravans.

Their promise is to ensure our customers receive the care and courteous attention to which they are entitled - both before and after purchase. Staff at all levels are trained to understand your needs and do all they can to meet them.



*windows
ity etched
is engraved
formation
rded with
..R.I.S.*



*3 YEAR
WARRANTY
ABI Assured
warranty
on all
1996 models.*

*upholstery
e retardant*

*lamps fitted in
models*



Technical innovations



For a complete guide to our
full product range,
please contact the address below for
our full 28 page colour catalogue.



ABI Caravans Limited, Swinemoor Lane, Beverley, North Humberside HU17 0LJ.

Telephone: 01482 862976 Telefax: 01482 871482

Aftersales Telephone: 01482 883344

The content of this publication is as accurate as possible from information available at the time of going to press. ABI Caravans Limited reserves the right to alter specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for discrepancies between this information and subsequent models. All Touring Caravans in this brochure conform to British Standards for Touring Caravans: BS4626

The Sprinter RANGE

Ideally suited to first time caravanners who want to try this relaxing pastime on a more modest budget the ABL Sprinter offers many home comforts as standard.

Because you can choose from a wide range of extras the Sprinter actually adapts as your needs change to make your caravanning especially enjoyable.

There are three models to choose from and their attractive interiors and stylish exteriors are both practical and comfortable.

Take a close look at the Sprinter for yourself and you'll be surprised at how little weekend and holiday independence can cost.

Technical specifications

Features




- Galvanised lightweight chassis
- Narrow body width - only 1.99m
- Lockable exterior storage locker to front
- Rear panel with stop/tail, fog and indicator light clusters

- Side locker for gas bottle
- First Aid kit

Options

- Large front opening double-glazed window
- Tinted single-glazed opening windows to rest of caravan with night-time latches
- Awning rail
- Pull-out slatted bed system with slatted bed bases
- Kitchen with stainless steel 2 burner hob with grill, sink and drainer and ample draws and cupboards
- Washroom with mirror and tip-up sink
- 12v electrical system including lights
- Exterior battery box
- Thermostatically controlled oven
- Electrolux refrigerator (60 litre)
- Cassette toilet
- Mains input and transformer/charger
- Hot water system including shower
- Shower tray
- Gas/electric powered water heater
- Carver 1800 space heater
- Cassette blinds and flyscreens
- Tow bar fairing
- Double glazing
- Tyron wheel safety bands

Sprinter Specifications

BERTHS SCHEMATIC LAYOUT	350/2	400D	500 CT
	2	4 or 5 optional	4 or 5,6 optional
			
INTERNAL LENGTH	3.52m 11' 7"	3.98m 13' 1"	5.07m 16' 7 1/2"
OVERALL LENGTH	4.74m 15' 6"	5.20m 17' 1"	6.29m 20' 7 1/2"
OVERALL WIDTH	1.99m 6' 6 1/2"	1.99m 6' 6 1/2"	1.99m 6' 6 1/2"
OVERALL HEIGHT	2.46m 8' 1"	2.46m 8' 1"	2.46m 8' 1"
EX. WORKS WEIGHT	536kg 10.54 cwt	588kg 11.57 cwt	708kg 13.93 cwt
MAXIMUM AUTHORISED WEIGHT	800kg 15.74 cwt	850kg 16.72 cwt	1000kg 19.68 cwt
CARAVAN ALLOWABLE PAYLOAD	264kg 5.19 cwt	262kg 5.1 cwt	292kg 5.74 cwt
AWNING LENGTH	7.25m 23' 8"	7.70m 25' 3"	8.8m 28' 10"
BED SIZES	5' 10" x 2' 0" (S) 5' 10" x 2' 0" (S) or 6' 3" x 5' 10" (D)	3' 9" x 6' 3" (D) 6' 0" x 3' 10" (D) 5' 7" x 1' 10" (B)	6' 0" x 2' 0" (S) 6' 0" x 2' 0" (S) 6' 3" x 6' 0" (D) 6' 3" x 4' 0" (D) or 6' x 1' 10" (B) 1 or 2



For the ultimate in gracious leisure living the ABI Award range offers an exclusive combination of luxury, quality and refinement.

Opulent interiors and sleek body styling fuse seamlessly with an exciting line-up of practical features that create the kind of total comfort everyone longs for.

These distinguished touring caravans, with no less than seven superb models to choose from, inspire pride of ownership, loyalty and unbroken confidence that lasts through years of rewarding and relaxing use.

In fact, any Award caravan will become a trusted friend you can rely on time and time again.

Technical specifications

Features


- Alko lightweight chassis with Delta Euro axle system including shock absorbers
- Side jacking points and jack
- Tyron wheel safety bands
- Reversing lights
- Carver 3000 blown air central heating incorporating Fanmaster 1 or 2 kw electric heating system
- Cassette blinds and fly screens to all opening windows
- Fully fitted kitchen with thermostatically controlled oven and vitreous enamel 4 burner hob with grill, electronic ignition and extractor fan above
- Electrolux electronic ignition fridge (12v, 240v, & Gas) with 77 litre capacity and full width freezer compartment
- Fitted shower room including cassette toilet (with exterior 12v filler), shower tray, shower with riser bar, full height vanity unit with sink, mirrored doors, shelf unit, towel rail and shower doors
- 240v mains electric system with lights and 240v sockets (1 external)
- 12v electrical system with lights
- Awning light

- Exterior access battery box and mains input socket
- Transformer/charger
- Modular control panel for alarm, electrical and heating systems
- Gas/electric powered water heater
- Inboard fresh water tank
- Omnidirectional TV/FM aerial
- Insect screen to exterior door
- Interior sprung upholstery and back-rests (some areas may be foam construction)
- First Aid kit
- Spare wheel (with Tyron safety band)
- Infra-red security alarm with movement sensor

Options

- Twin axle: Transtar, Nightstar, Northstar, (standard on Superstar)
- "L" shaped front seating layout

Award Specifications

BERTHS SCHEMATIC LAYOUT	DAWNSTAR	DAYSTAR	TRANSTAR	BRIGHTSTAR	NORTHSTAR	NIGHTSTAR	SUPERSTAR
	2	2	2	2	4 or 5 optional	5	5 or 6 optional
							
INTERNAL LENGTH	4.15m 13' 7"	4.15m 13' 7"	4.48m 14' 8"	4.64m 15' 3"	5.11m 16' 9"	5.11m 16' 9"	6.25m 20' 6"
OVERALL LENGTH	5.7m 18' 8"	5.7m 18' 8"	6.02m 19' 9"	6.19m 20' 4"	6.65m 21' 10"	6.65m 21' 10"	7.81m 25' 7"
OVERALL WIDTH	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"
OVERALL HEIGHT	2.6m 8' 6"	2.6m 8' 6"	2.6m 8' 6"	2.6m 8' 6"	2.6m 8' 6"	2.6m 8' 6"	2.6m 8' 6"
EX. WORKS WEIGHT	920kg* 18.10 cwt*	924kg* 18.18 cwt*	964kg* 18.97 cwt*	988kg* 19.44 cwt*	1046kg* 20.58 cwt*	1119kg* 22.0 cwt*	1360kg* 26.76 cwt*
MAX. AUTHORISED WEIGHT	1166kg* 22.95 cwt*	1166kg* 22.95 cwt*	1250kg 24.6 cwt	1300kg 25.58 cwt	1400kg 27.5 cwt	1400kg 27.5 cwt	1650kg 32.5 cwt
CARAVAN ALLOWABLE PAYLOAD	246kg* 4.84 cwt*	242kg* 4.76 cwt*	286kg* 5.62 cwt*	300kg* 5.9 cwt*	300kg* 5.9 cwt*	281kg* 5.53 cwt*	290kg* 5.7 cwt*
AWNING LENGTH	8.25m 27' 0"	8.25m 27' 0"	8.58m 28' 2"	8.74m 28' 8"	9.21m 30' 3"	9.21m 30' 3"	10.35m 33' 11"
BED SIZES	6'7" x 4'4" (D) or 6'7" x 2'3" (S) 5'7" x 2'3" (S)	6'2" x 2'3" (S) 6'2" x 2'3" (S) or 6'6" x 6'2" (D)	5'11" x 2'3" (S) 5'11" x 2'3" (S) or 6'6" x 5'11" (D)	6'7" x 4'4" (D) or 6'7" x 2'3" (S) 5'8" x 2'3" (S)	6'7" x 4'4" (D) 6'0" x 2'3" (S) 6'0" x 1'10" (B)	5'11" x 2'3" (S) 5'11" x 2'3" (S) or 5'11" x 6'6" (D) 6'6" x 4'0" (D) 6'1" x 1'10" (B)	6'6" x 4'4" (D) 6'4" x 4'4" (D) 6'1" x 1'10" (B)

* = Estim.



For all the comfort and luxury you could want in a touring caravan, you need look no further than the ABI Jubilee range.

The striking exterior styling, the refined comfort and the choice of seven sensational models, adds up to a collection of caravans of unbeatable quality.

Our designers and craftsmen have thought of everything and exceptional features that are "optional" in most other caravans are included as standard with the Jubilee.

This very special approach is unique to ABI and it's your assurance that when it comes to your lasting enjoyment, with the Jubilee range, nothing has been left to chance.

Technical specifications






Features

- Galvanised lightweight chassis
- Reversing lights
- Tyron wheel safety bands
- Interior sprung seats (some areas may be foam construction)
- Carver 3000 blown air central heating incorporating Fanmaster 1 or 2 kw electric heating system
- Cassette blinds and flyscreens to all opening windows
- Free standing table with dedicated storage
- Fully fitted kitchen with thermostatically controlled oven and vitreous enamel 4 burner hob with grill, sink and drainer unit
- Electrolux fridge (12v, 240v & gas) (70 fridge litre capacity)
- Shower room with cassette toilet, and corner sink unit with wrap round mirrors, shower, folding shower door and 12v spot lights
- Modular control panel for electrical and heating systems
- 240v mains electric system with lights and 240v sockets
- 12v electrical lighting system
- Gas/electric powered water heater
- Awning light
- Exterior access battery box and mains input socket
- Transformer/charger
- Omnidirectional TV/FM aerial
- Battery operated clock
- First Aid kit

Options

- Twin axle Viceroy and Herald (standard on Statesman)
- Insect screen to exterior door
- "L" shaped front seating layout

Jubilee Specifications

BERTHS SCHEMATIC LAYOUT	STATESMAN					
	2	2	2	4 or 5 optional	5	5 or 6 optional
						
INTERNAL LENGTH	3.76m 12' 4"	4.27m 14' 0"	4.49m 14' 9"	5.28m 17' 4"	5.28m 17' 4"	6.06m 19' 10"
OVERALL LENGTH	5.28m 17' 4"	5.78m 19' 0"	6.01m 19' 9"	6.81m 22' 4"	6.81m 22' 4"	7.59m 24' 11"
OVERALL WIDTH	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"	2.16m 7' 1"
OVERALL HEIGHT	2.53m 8' 4"	2.53m 8' 4"	2.53m 8' 4"	2.53m 8' 4"	2.53m 8' 4"	2.53m 8' 4"
EX. WORKS WEIGHT	809kg 15.92 cwt	861kg 16.94 cwt	909kg 17.88 cwt	879kg 17.29 cwt	1037kg 20.40 cwt	1196kg 23.53 cwt
MAX. AUTHORISED WEIGHT	1000kg 19.68 cwt	1045kg 20.57 cwt	1100kg 21.65 cwt	1250kg 24.6 cwt	1250kg 24.6 cwt	1450kg 28.54 cwt
CARAVAN ALLOWABLE PAYLOAD	191kg 3.75 cwt	184kg 3.62 cwt	191kg 3.75 cwt	221kg 4.34 cwt	213kg 4.19 cwt	254kg 4.99 cwt
AWNING LENGTH	7.70m 25' 3"	8.20m 26' 11"	8.44m 27' 8"	8.44m 27' 8"	9.20m 30' 2"	9.97m 32' 7"
BED SIZES	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 6" x 4' 0" (D)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 6" x 4' 0" (D)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 6" x 4' 0" (D)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 6" x 4' 0" (D)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) 6' 6" x 4' 0" (D) or 6' 0" x 1' 10" (B) 6' 7" x 6' 0" x 3' 9" (D)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) 6' 6" x 4' 0" (D) or 6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 6" x 4' 0" (D) 6' 6" x 1' 10" (B)

The Marauder RANGE

The ABI Marauder range with a choice of four models, each with its own distinctive layout and exciting selection of optional extras, offers exceptional value for money caravanning.

Attractive interiors provide a superior level of comfort and style while making the most of every inch of available space. Exteriors are contemporary, sleek and attractive and demonstrate modern caravan design at its best.

For weekend breaks and longer holidays as well, any Marauder model will be a home from home you'll be proud to own.

Technical specifications

Features

- Galvanised lightweight chassis
- Rear panel with stop/tail, fog and indicator light clusters
- Tinted double-glazed opening windows (with night-time vents)
- 2 reversible scatter cushions
- Lined curtains with matching pelmets
- Gas/electric powered water heater
- First Aid kit

- Carver 1800 space heater

- Kitchen with vitreous enamel 3 burner hob with grill and colour co-ordinated sink and drainer

- Electrolux fridge (12v, 240v & gas) with 70 litre capacity

- Shower room with cassette toilet, shower, tip-up sink, mirrored shelving unit, shower tray and curtain

- 12v electrical system including lights and sockets

- 240v electrical system with sockets

- Awning light

- Exterior access battery box and mains input socket

- Transformer/charger

Options

- Thermostatically controlled oven

- Cassette blinds and flyscreens

- Interior sprung upholstery (some upholstery may be foam construction)

- Tyron wheel safety bands

Marauder Specifications

BERTHS SCHEMATIC LAYOUT	380/2	420ET	500CT	520ET
	2	5	5 or 6 optional	4 or 5 optional
INTERNAL LENGTH	3.83m 12' 6 ³ / ₄ "	4.24m 13' 10 ³ / ₄ "	5.07m 16' 7 ¹ / ₂ "	5.27 17' 3 ¹ / ₂ "
OVERALL LENGTH	5.37m 17' 7 ¹ / ₈ "	5.78m 18' 11 ¹ / ₂ "	6.61m 21' 8 ¹ / ₈ "	6.81m 22' 4 ¹ / ₈ "
OVERALL WIDTH	2.19m 7' 2 ¹ / ₄ "	2.19m 7' 2 ¹ / ₄ "	2.19m 7' 2 ¹ / ₄ "	2.19m 7' 2 ¹ / ₄ "
OVERALL HEIGHT	2.44m 8' 0"	2.44m 8' 0"	2.44m 8' 0"	2.44m 8' 0"
EX. WORKS WEIGHT	719kg 14.15 cwt	790kg 15.54 cwt	892kg 17.55 cwt	931kg 18.32 cwt
MAX. AUTHORISED WEIGHT	950kg 18.69 cwt	1050kg 20.67 cwt	1150kg 22.63 cwt	1150kg 22.63 cwt
CARAVAN ALLOWABLE PAYLOAD	231kg 4.54 cwt	260kg 5.11 cwt	258kg 5.07 cwt	219kg 4.3 cwt
AWNING LENGTH	7.73m 25' 4"	8.14m 26' 8"	8.97m 29' 5"	9.17m 30' 1"
BED SIZES	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 8" x 4' 5" (D)	6' 8" x 4' 0" (D) 6' 0" x 4' 0" (D) 5' 6" x 1' 10" (B)	6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) 6' 8" x 6' 0" (D) or 6' 8" x 4' 0" (D) 5' 11" x 1' 10" (B)	6' 0" x 2' 2" (S) 6' 0" x 1' 10" (B) 6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) 6' 0" x 2' 3" (S) or 6' 8" x 4' 5" (D)