



Bessacarr *Caravans '94*



THE *natural* CHOICE...



Bessacarr Caravans '94

A YEAR OF INNOVATION...


Over the past 40 years Bessacarr Caravans have built an enviable reputation for quality, reliability and value for money.

This year is no exception, with our distinctive styling, practical design and innovative features once again setting us apart from *mass* produced caravans. We have **not** compromised in producing a caravan to meet the demands of both discerning couples and committed family caravanners alike.

The decision to use traditional Bessacarr names for the brand new SE range was a logical step when one considers the long established values of quality construction for which Bessacarr are renowned and which are so pronounced in these stylish new caravans. The SE range provides the natural alternative for the caravanner who demands value without compromising on quality.

The '94 Cameo Caravans represent all that is best in luxury caravanning and boast a multitude of features that make them the ultimate choice for the dedicated caravanner.


The outstanding specification includes sealed for life bearings, shock absorbers, unique Swedish window systems, programmable central heating timers, unique slatted bed make-up, 'superpitch' facilities, remotely activated alarm systems, single key locking and a host of other practical and luxury features that make Cameo the *natural choice*.



The unique Swedish BV double glazed window system offers flush fitting, through body insulation, totally without cold bridge, and incorporates integral fly screens and blinds.



Cantilevered, spring-assisted bottle box door for unrestricted access.



Brand new Euro-axes with sealed-for-life bearings and Octagon shock absorbers for improved performance.

Totally unique to Bessacarr - a programmable timer and thermostat on all Alde heated models for maximum comfort in caravanning.




Alarm system with PIR, tow hitch and vibration sensors, all operated by remote key fob.




Superpitch mains water inlet and waste disposal facilities.

THE *natural* CHOICE...

The state-of-the-art electronic charger system and control panel is discreetly located at eye level behind a locker door.



Bessacarr's attention to detail is clearly illustrated in the polished hardwood edging used on all the central heating 'false' walls.



Deep wire baskets now enhance the practicality of the already spacious storage facilities of the Cameo range.

Cameo

2-BERTH MODELS

390 SLE
440 SLE
440 SL
470/2

The superb range of Cameo 2-berths offer the ultimate in 'no-limits' caravanning for the most discerning enthusiast. From the 13ft 390 SLE to the twin axle 16ft 470/2 they are truly the natural choice.

Bessacarr's versatile slide-out bed make-up now features a unique slatted system.



Cotton.



Velour.

Cameo

FAMILY MODELS

- 520 GLE** 4 berth
- 550 GL** 4 berth
- 550 GLD** 5 berth
- 600 GL** 5/6 berth
- 600 GLX** 4/5 berth



Luxury shower rooms also feature heated towel rails in Alde heated models.



Superbly equipped kitchens feature pull-out worktop extensions and basket storage.




Flyscreens and blinds are built into the main frame of the unique window systems.



The Alde Swedish central heating system provides interior comfort and domestic hot water from both gas and electric sources.

The Battery Box also houses the Superpitch mains water inlet.



INTRODUCING the SE range of family tourers

with distinctive and attractive exteriors and luxurious coordinated interiors. Featuring ample storage space and a very high level of specifications.

The brand new Denaby, Wentworth and Conisborough models offer the natural alternative for the discriminating and enthusiastic family caravanner.



Thetford cassette toilet with electric flush



Fully equipped luxury bathrooms



C. E. C. Power management system

Battery Box with integral mains hook-up





Dedicated table storage





Large practical kitchens feature 2.7 cu ft. fridge, 4 burner hob and grill with spark ignition and flame failure device

Cameo 390 SLE
2 Berth





BERTHS 2 Singles 6'5" x 2'3"
(1.96m x 0.68m)
OR
1 Double 6'6" x 6'5"
(1.98m x 1.96m)
INTERNAL BODY LENGTH 13'0" (3.96m)
SHIPPING LENGTH 17'11" (5.46m)
UN-LADEN WEIGHT 17.78cwt (903kg)
LOADING ALLOWANCE 3.82cwt (197kg)
TYRE SIZE 175 SR 13 RF

Cameo 440 SL
2 Berth





BERTHS 2 Singles 6'5" x 2'3"
(1.96m x 0.68m)
OR
1 Double 6'6" x 6'5"
(1.98m x 1.96m)
INTERNAL BODY LENGTH 14'11" (4.54m)
SHIPPING LENGTH 19'10" (6.04m)
UN-LADEN WEIGHT 19.02cwt (966kg)
LOADING ALLOWANCE 3.58cwt (184kg)
TYRE SIZE 175 SR 13 RF

Cameo 440 SLE
2 Berth





BERTHS 2 Singles 6'5" x 2'3"
(1.96m x 0.68m)
OR
1 Double 6'6" x 6'5"
(1.98m x 1.96m)
INTERNAL BODY LENGTH 14'11" (4.54m)
SHIPPING LENGTH 19'10" (6.04m)
UN-LADEN WEIGHT 19.02cwt (966kg)
LOADING ALLOWANCE 3.58cwt (184kg)
TYRE SIZE 175 SR 13 RF

Cameo 470/2
2 Berth





BERTHS 2 Singles 6'5" x 2'3"
(1.96m x 0.68m)
OR
1 Double 6'6" x 6'5"
(1.98m x 1.96m)
INTERNAL BODY LENGTH 16'0" (4.87m)
SHIPPING LENGTH 20'11" (6.52m)
UN-LADEN WEIGHT 19.88cwt (1010kg)
LOADING ALLOWANCE 3.72cwt (190kg)
TYRE SIZE 145 SR 13

Cameo 520 GLE
4 Berth




BERTHS 2 Singles 6'1" x 2'3" (1.85m x 0.68m)
OR
1 Double 6'1" x 6'6" (1.85m x 1.98m)
1 Single 5'11" x 2'3" (1.80m x 0.68m)
1 Bunk 5'11" x 2'2" (1.80m x 0.66m)
INTERNAL BODY LENGTH 17'1" (5.20m)
SHIPPING LENGTH 22'3" (6.78m)
UN-LADEN WEIGHT 21.45cwt (1090kg)
LOADING ALLOWANCE 4.15cwt (210kg)
TYRE SIZE 155 SR 13

Cameo 550 GL
4 Berth





BERTHS 2 Singles 6'5" x 2'3" (1.96m x 0.68m)
OR
1 Double 6'6" x 6'5" (1.98m x 1.96m)
1 Single 6'0" x 2'4" (1.83m x 0.71m)
1 Bunk 6'0" x 2'2" (1.83m x 0.66m)
INTERNAL BODY LENGTH 18'1" (5.51m)
SHIPPING LENGTH 23'0" (7.01m)
UN-LADEN WEIGHT 22.64cwt (1150kg)
LOADING ALLOWANCE 4.86cwt (250kg)
TYRE SIZE 155 SR 13

Cameo 550 GLD
5 Berth





BERTHS 2 Singles 6'5" x 2'3" (1.96m x 0.68m)
OR
1 Double 6'6" x 6'5" (1.98m x 1.96m)
1 Double 6'6" x 4'2" (1.98m x 1.27m)
1 Bunk 6'6" x 2'2" (1.98m x 0.66m)
INTERNAL BODY LENGTH 18'1" (5.51m)
SHIPPING LENGTH 23'0" (7.01m)
UN-LADEN WEIGHT 23.42cwt (1190kg)
LOADING ALLOWANCE 4.08cwt (210kg)
TYRE SIZE 155 SR 13

Cameo 600 GL
5/6 Berth




BERTHS Front: 2 Singles 6'1" x 2'3" (1.85m x 0.68m)
OR
1 Double 6'1" x 6'6" (1.85m x 1.98m)
Rear: 2 Singles 6'0" x 2'3" (1.83m x 0.68m)
1 Single 6'0" x 2'2" (1.83m x 0.66m)
1 Bunk (optional) 6'0" x 2'2" (1.83m x 0.66m)
INTERNAL BODY LENGTH 20'4" (6.20m)
SHIPPING LENGTH 25'3" (7.70m)
UN-LADEN WEIGHT 24.60cwt (1250kg)
LOADING ALLOWANCE 4.90cwt (250kg)
TYRE SIZE 155 SR 13

Cameo 600 GLX
4/5 Berth





BERTHS 2 Singles 6'1" x 2'3" (1.85m x 0.68m)
OR
1 Double 6'1" x 6'6" (1.85m x 1.98m)
1 Double 6'0" x 3'7" (1.83m x 1.09m)
1 Bunk (Optional) 6'0" x 2'2" (1.83m x 0.66m)
INTERNAL BODY LENGTH 20'4" (6.20m)
SHIPPING LENGTH 25'3" (7.70m)
UN-LADEN WEIGHT 24.60cwt (1250kg)
LOADING ALLOWANCE 4.90cwt (250kg)
TYRE SIZE 155 SR 13

SE 450/4 Denaby
4 Berth





BERTHS Front: 2 Singles 6'0" x 2'3" (1.83m x 0.68m)
OR
1 Double 6'6" x 6'0" (1.98m x 1.83m)
Rear: 1 Single 6'6" x 2'3" (1.98m x 0.68m)
1 Bunk 6'6" x 2'2" (1.98m x 0.66m)
INTERNAL BODY LENGTH 15'0" (4.57m)
SHIPPING LENGTH 20'4" (6.19m)
UN-LADEN WEIGHT 17.48cwt (890kg)
LOADING ALLOWANCE 6.09cwt (310kg)
TYRE SIZE 175 SR 13 SV

SE 500/4 Wentworth
4 Berth



BERTHS Front: 2 Singles 6'0" x 2'3" (1.83m x 0.68m)
OR
1 Double 6'6" x 6'0" (1.98m x 1.83m)
Side: 1 Single 6'0" x 2'4" (1.83m x 0.71m)
1 Bunk 6'0" x 2'2" (1.83m x 0.66m)
INTERNAL BODY LENGTH 17'5" (5.30m)
SHIPPING LENGTH 22'7" (6.88m)
UN-LADEN WEIGHT 20.42cwt (1040kg)
LOADING ALLOWANCE 5.10cwt (260kg)
TYRE SIZE 175 SR 13 SV

SE 500/5 Conisborough
4/5 Berth



BERTHS Front: 2 Singles 6'0" x 2'3" (1.83m x 0.68m)
OR
1 Double 6'6" x 6'0" (1.98m x 1.83m)
Rear: 1 Double 6'6" x 4'1" (1.98m x 1.24m)
1 Bunk 6'6" x 2'2" (1.98m x 0.66m)
INTERNAL BODY LENGTH 17'5" (5.30m)
SHIPPING LENGTH 22'7" (6.88m)
UN-LADEN WEIGHT 20.62cwt (1050kg)
LOADING ALLOWANCE 4.91cwt (250kg)
TYRE SIZE 175 SR 13 SV

1994 EQUIPMENT SPECIFICATIONS

	390 SLE	440 SL	440 SLE	470/2	520 GLE	550 GL	550 GLD	600 GL	600 GLX	Denaby	Wentworth	Conisborough
AL-KO Galvanised chassis	•	•	•	•	•	•	•	•	•	•	•	•
Euro Axle with sealed bearings	•	•	•	•	•	•	•	•	•	•	•	•
Octagon shock absorbers	•	•	•	•	•	•	•	•	•	•	•	•
Window and blind in exterior door	•	•	•	•	•	•	•	•	•	•	•	•
BV Swedish window system	•	•	•	•	•	•	•	•	•	•	•	•
Polyplastic slim profile glazing	•	•	•	•	•	•	•	•	•	•	•	•
Spring-assisted bottle box door	•	•	•	•	•	•	•	•	•	•	•	•
Full width bottle box	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel grab handles	•	•	•	•	•	•	•	•	•	•	•	•
Spare wheel carrier	•	•	•	•	•	•	•	•	•	•	•	•
Integral battery box & charger	•	•	•	•	•	•	•	•	•	•	•	•
Superpitch mains inlet	•	•	•	•	•	•	•	•	•	•	•	•
Superpitch waste disposal	•	•	•	•	•	•	•	•	•	•	•	•
Single key lock system	•	•	•	•	•	•	•	•	•	•	•	•
Remote control alarm system	•	•	•	•	•	•	•	•	•	•	•	•
Fog lights, reverse lights, side repeaters	•	•	•	•	•	•	•	•	•	•	•	•
Flyscreen/blinds all windows	•	•	•	•	•	•	•	•	•	•	•	•
Flyscreen/blinds side windows	•	•	•	•	•	•	•	•	•	•	•	•
Rooflights with screen/blind	•	•	•	•	•	•	•	•	•	•	•	•
Alde Heating 240V & Gas	•	•	•	•	•	•	•	•	•	•	•	•
Programmable timer/thermostat	•	•	•	•	•	•	•	•	•	•	•	•
Heated towel rail	•	•	•	•	•	•	•	•	•	•	•	•
Inboard water storage	•	•	•	•	•	•	•	•	•	•	•	•
Cascade GE water heater	•	•	•	•	•	•	•	•	•	•	•	•
Full Carver central heating	•	•	•	•	•	•	•	•	•	•	•	•
Carver 3000 fire	•	•	•	•	•	•	•	•	•	•	•	•
Electrolux RM4236	•	•	•	•	•	•	•	•	•	•	•	•
Electrolux RM2268	•	•	•	•	•	•	•	•	•	•	•	•
See-Thro' spinflo oven	•	•	•	•	•	•	•	•	•	•	•	•
4 burner hob & grill with ignition and FFD	•	•	•	•	•	•	•	•	•	•	•	•
Extractor fan	•	•	•	•	•	•	•	•	•	•	•	•
Shurflo water pump	•	•	•	•	•	•	•	•	•	•	•	•
Electric Porta-Potti with 12V filler	•	•	•	•	•	•	•	•	•	•	•	•
Fire Blanket	•	•	•	•	•	•	•	•	•	•	•	•
Sprung upholstery	•	•	•	•	•	•	•	•	•	•	•	•
Wire basket kitchen storage	•	•	•	•	•	•	•	•	•	•	•	•
Pull out kitchen extensions	•	•	•	•	•	•	•	•	•	•	•	•
Dedicated table storage	•	•	•	•	•	•	•	•	•	•	•	•
12V, 240V & T.V. points	•	•	•	•	•	•	•	•	•	•	•	•
Fully fitted shower	•	•	•	•	•	•	•	•	•	•	•	•
Domestic style taps	•	•	•	•	•	•	•	•	•	•	•	•
240V mains reading lights	•	•	•	•	•	•	•	•	•	•	•	•
Hardwood framed cabinet doors	•	•	•	•	•	•	•	•	•	•	•	•
Hardwood furniture edging	•	•	•	•	•	•	•	•	•	•	•	•
High resistance furniture board	•	•	•	•	•	•	•	•	•	•	•	•
Choice of upholstery	•	•	•	•	•	•	•	•	•	•	•	•
CMHR foam and fire resistant fabrics	•	•	•	•	•	•	•	•	•	•	•	•
40mm bonded styrofoam floor	•	•	•	•	•	•	•	•	•	•	•	•
25mm bonded styrofoam sides	•	•	•	•	•	•	•	•	•	•	•	•
38mm bonded one piece roof	•	•	•	•	•	•	•	•	•	•	•	•

OPTIONAL EXTRAS

Spare Wheel and Tyre.
Spare Wheel Carrier.
Inboard Water Storage
(390 SLE, 440 SL, 440 SLE, 470/2 and SE range).
5th Berth Cameo 600 GLX.
6th Berth Cameo 600 GL.
Additional Flyscreen Blinds - SE range.
Oven - SE range.

All Models:-
overall width of 7'2" (2.18m).
maximum headroom of 6'3" (1.90m).
overall height of 8'3" (2.51m).
Tyre Pressures:-
Cameo Single Axles - 42 p.s.i.
Cameo Twin Axles - 32 p.s.i.
SE range - 54 p.s.i.

Electrolux
Electrolux British Made
Refrigerators are used exclusively
in our products.
Only The Best
is Good Enough.

Bessacarr *Caravans '94*



Bessacarr Caravans Ltd.,

Rowms Lane, Swinton, Mexborough
South Yorkshire S64 8AD.

Telephone: Rotherham (0709) 582438.

One of the Arnold Leaver group of companies



Built in accordance with British Standard 4626. The information contained in this brochure is correct at the time of going to press. The manufacturers reserve the right, however, to make alterations to the specifications without prior notice. Please consult your dealer.


Your local dealer

Bessacarr *Caravans '94*




Bessacarr *Caravans*

Bessacarr Caravans
Rowms Lane, Swinton, Mexborough, South Yorkshire S64 8AD.
Telephone: Rotherham (0709) 582438.




Bessacarr Caravans '94


Cameo 390 SLE 2 Berth




Cameo 440 SLE 2 Berth




Cameo 440 SL 2 Berth




Cameo 470/2 GL 2 Berth




Cameo 520 GLE 4 Berth




Cameo 550 GL 4 Berth




Cameo 550 GLD 4/5 Berth




Cameo 600 GL 5/6 Berth




Cameo 600 GLX 4/5 Berth




SE 450/4 4 Berth Denaby



SE 500/4 4 Berth Wentworth



SE 500/5 5 Berth Conisbrough



Bessacarr *Caravans*

Bessacarr Caravans
 Rowms Lane, Swinton, Mexborough, South Yorkshire S64 8AD.
 Telephone: Rotherham (0709) 582438.

Bessacarr *Caravans '94*

Specifications

Model	Internal Body Length	Overall Body Length	Shipping Length	Tyre Size	No of Berths	MGW
CAMEO 390 SLE	13' 0"	14' 11"	17' 11"	175SR13RF	2	1100 KG
CAMEO 440 SL	14' 11"	16' 10"	19' 10"	175SR13RF	2	1150 KG
CAMEO 440 SLE	14' 11"	16' 10"	19' 10"	175SR13RF	2	1150 KG
CAMEO 470/2	16' 0"	17' 11"	20' 11"	145SR13	2	1200 KG
CAMEO 520 GLE	17' 1"	19' 0"	22' 3"	155SR13	4	1300 KG
CAMEO 550 GL	18' 1"	20' 0"	23' 0"	155SR13	4	1400 KG
CAMEO 550 GLD	18' 1"	20' 0"	23' 0"	155SR13	5	1400 KG
CAMEO 600 GLX	20' 4"	22' 3"	25' 3"	155SR13	4/5	1500 KG
CAMEO 600 GL	20' 4"	22' 3"	25' 3"	155SR13	5/6	1500 KG
DENABY SE	15' 0"	17' 1"	20' 4"	175SR13SV	4	1200 KG
WENTWORTH SE	17' 5"	19' 4"	22' 7"	175SR13SV	4	1300 KG
CONISBROUGH SE	17' 5"	19' 4"	22' 7"	175SR13SV	5	1300 KG

1. All models have an Overall Body Width of 7' 2"
2. All models have a Maximum Headroom of 6' 3"
3. All models have an Overall Height of 8' 3"
4. All models have Tyre Pressures of 36 PSI

Cameo Range

1994 Equipment Specifications

	390	440	440	470/2	520	550	550	600	600
	SLE	SL	SLE		GLE	GL	GLD	GL	GLX
AL-KO GALVANISED CHASSIS	*	*	*	*	*	*	*	*	*
EURO AXLE WITH SEALED BEARINGS	*	*	*	*	*	*	*	*	*
OCTAGON SHOCK ABSORBERS	*	*	*	*	*	*	*	*	*
WINDOW & BLIND IN EXTERIOR DOOR	*	*	*	*	*	*	*	*	*
B5 SWEDISH WINDOW SYSTEM	*	*	*	*	*	*	*	*	*
SPRING ASSISTED BOTTLE BOX DOOR	*	*	*	*	*	*	*	*	*
STAINLESS STEEL GRAB HANDLES	*	*	*	*	*	*	*	*	*
SPARE WHEEL CARRIER	*	*	*						
INTEGRAL BATTERY BOX & CHARGER	*	*	*	*	*	*	*	*	*
SUPERPITCH MAINS INLET	*	*	*	*	*	*	*	*	*
SUPERPITCH WASTE DISPOSAL	*	*	*	*	*	*	*	*	*
SINGLE KEY LOCK SYSTEM	*	*	*	*	*	*	*	*	*
REMOTE CONTROL ALARM SYSTEM	*	*	*	*	*	*	*	*	*
FOG LIGHTS, REVERSE LIGHTS, SIDE REPEATERS	*	*	*	*	*	*	*	*	*
FLYSCREEN/BLINDS ALL WINDOWS	*	*	*	*	*	*	*	*	*
ROOFLIGHTS WITH SCREEN/BLIND	*	*	*	*	*	*	*	*	*
ALDE HEATING 240V & GAS						*	*	*	*
PROGRAMMABLE TIMER/THERMOSTAT						*	*	*	*
HEATED TOWEL RAIL						*	*	*	*
INBOARD WATER STORAGE					*	*	*	*	*
CASCADE GE WATER HEATER	*	*	*	*	*				
FULL CARVER CENTRAL HEATING	*	*	*	*	*				
ELECTROLUX RM2262	*	*	*	*	*	*	*	*	
ELECTROLUX RM2268									*
SEE-THRO' SPINFLO OVEN/GRILL	*	*	*	*	*	*	*	*	*
4 BURNER HOB WITH IGN & FFD	*	*	*	*	*	*	*	*	*
EXTRACTOR FAN	*	*	*	*	*	*	*	*	*
SHURFLO WATER PUMP	*	*	*	*	*	*	*	*	*
ELECTRIC P/POTTI WITH 12V FILLER	*	*	*	*	*	*	*	*	*
FIRE BLANKET	*	*	*	*	*	*	*	*	*
SPRUNG UPHOLSTERY WITH LUMBAR SUPPORT	*	*	*	*	*	*	*	*	*
WIRE BASKET KITCHEN STORAGE	*	*	*	*	*	*	*	*	*
FULL OUT KITCHEN EXTENSIONS	*	*	*	*	*	*	*	*	*
DEDICATED TABLE STORAGE	*	*	*	*	*	*	*	*	*
12V, 240V & TV POINTS	*	*	*	*	*	*	*	*	*
FULLY FITTED SHOWER	*	*	*	*	*	*	*	*	*
DOMESTIC STYLE TAPS	*	*	*	*	*	*	*	*	*
240V MAINS READING LIGHTS	*	*	*	*	*	*	*	*	*
HARDWOOD FRAMED CABINET DOORS	*	*	*	*	*	*	*	*	*
HARDWOOD FURNITURE EDGING	*	*	*	*	*	*	*	*	*
HIGH RESISTANCE FURNITURE BOARD	*	*	*	*	*	*	*	*	*
CHOICE OF UPHOLSTERIES	*	*	*	*	*	*	*	*	*
CMHR FOAM & FR FABRICS	*	*	*	*	*	*	*	*	*
40MM BONDED STYROFOAM FLOOR	*	*	*	*	*	*	*	*	*
25MM BONDED STYROFOAM SIDES	*	*	*	*	*	*	*	*	*
38MM BONDED 1 PIECE ROOF	*	*	*	*	*	*	*	*	*

SE Range

1994 Equipment Specifications

	DENABY	WENTWORTH	CONISEROUGH
AL-KO GALVANISED CHASSIS	*	*	*
WINDOW AND BLIND IN EXT DOOR	*	*	*
POLYPLASTIC SLIM PROFILE GLAZING	*	*	*
FULL WIDTH BOTTLE BOX	*	*	*
STAINLESS STEEL GRAB HANDLES	*	*	*
INTEGRAL BATTERY BOX & CHARGER	*	*	*
FOG LIGHTS, REVERSE LIGHTS, REPEATERS	*	*	*
FLYSCREEN/BLINDS - SIDE WINDOWS	*	*	*
MAIN ROOFLIGHT WITH FLYSCREEN/BLIND	*	*	*
CASCADE GE WATER HEATER	*	*	*
CARVER 3000 FIRE	*	*	*
ELECTROLUX RM2262	*	*	*
SPINFLO 4 BURNER HOB & GRILL WITH IGN & FFD	*	*	*
EXTRACTOR FAN	*	*	*
SHURFLO WATER PUMP	*	*	*
ELECTRIC P/POTTI WITH 12V FILLER	*	*	*
12V, 240V & TV POINTS	*	*	*
FULLY FITTED SHOWER	*	*	*
DOMESTIC STYLE TAPS	*	*	*
240V MAINS READING LIGHTS	*	*	*
HARDWOOD FRAMED CABINET DOORS	*	*	*
HIGH RESISTANCE FURNITURE BOARD	*	*	*
CMHR FOAM & FR FABRICS	*	*	*
40MM BONDED STYROFOAM FLOOR	*	*	*
25MM BONDED STYROFOAM SIDES	*	*	*
37MM ONE PIECE BONDED ROOF	*	*	*