

The Manhattan. A touring caravan that really is the best of all worlds. It's been developed using our unparalleled ergonomic design experience and incorporates all your favourite features into one outstanding tourer.





Now there's simply no choice. Because you can have everything you've dreamed about in a caravan.

On the outside, the Manhattan has been traditionally styled from flat ribbed aluminium panels with a triple front window design. You'll find a lower rear ABS panel including wrap-round light clusters, and a single front ABS panel with a large gas bottle and spare wheel accessories door together with low level front marker reflectors and front indicator repeaters.

Inside, you get the same feel of quality that you would experience in ABI's other ranges.

There's a choice of 11 internal layouts and the furniture is constructed mainly from lightweight solid panels. There are stylish ash framed furniture doors, 77 litre fridges (including a full width freezer) and 'no cost' fabric options available in traditional floral or modern abstract design to suit your personal taste.

We think the Manhattan gives you everything you'd want in a caravan.

# INTERIOR INNOVATION

- 'No cost' traditional floral or modern geometric fabric options
- Wide range of internal layouts
- Head height of 1.9M/6'3"
- · Furniture constructed mainly from lightweight solid panels
- Stylish ash framed furniture doors
- 77 litre fridge, including a full width freezer compartment
- · Stoves 2200-2 oven & grill with glass doors
- Blinds/flyscreens to all opening windows
- Exterior door flyscreen
- Truma Ultra Store gas/electric water heating system
- Truma 3002 fire plus Ultraheat 230v heating & blown air system

- · Colour co-ordinated fire front, oven, bowl drainer & taps
- Heat resistant work surfaces
- · Grade 2 European Standard of thermal insulation
- · Semi-rigid in-board freshwater piping with push-fit joints
- 12 amp electrical transformer/charger
- Two 230v electrical sockets & two 230v electrical lights
- 12v fluorescent lights & 12v eyeball reading lights
- TV aerial socket & 12v socket
- 25M mains electrical inlet cable
- · Heki 2 roof light
- · Bolster and scatter cushions added to front bed

# EXTERIOR EXCELLENCE

- Traditionally styled from flat ribbed Omni-directional TV aerial aluminium panels
- Triple front window
- · Al-Ko chassis with Euro axle
- Lower rear ABS panel, including wrap-round light clusters
- Single front ABS panel with large door to gas bottle & spare wheel housing
- · Low-level front marker reflectors & front direction indicators

- · Detachable wheel trims
- Distinctive smart new graphics
- · Single key exterior door locking system
- All windows security etched with Vehicle Identification Number
- · Concealed data chip within caravan construction
- ID number stamped into caravan chassis



# And there's more.

The Manhattan is now available with the fresh contemporary 'Papillon' interior option – right across the range





If you're looking for an interior that's inspiring, the Manhattan Papillon is what you've been waiting for.














# TECHNICAL SPECIFICATIONS


Front 'L' option	Bunk	Side single	or single	Rear double	or single	BED SIZES Front double	Load speed index Tyre pressure (psi)	Awning length Tyre size	rersonal ellects bayload Optional equipment payload Maximum technical permissible laden mass	Essential Habitation Equipment	Overall width Overall height (Including aerial)	Berths Internal length Overall length	KEY TO PLANS  Living/sleeping area  Washroom area  Kitchen area  Locker/cabinet  Wardrobes/cupboards  Heater	MODELS
1	1	1	1	1	6'0" x 2'3"	6'8' x 6'0'	86S 33	7.85m / 25'9" 175 x 13 - 4 ply	52Kg /1.02cwt 1000Kg/19.68cwt	*775Kg/15,23cwt 80Kg /1.57cwt	2.18m / 7'2" 2.74m / 9'0"	2 3.75m / 12'4' 5.20m / 17'1'		370/2
1	Ę	Ĭ	ē	1	6'0" x 2'3"	6'8' x 6'0'	91R 48	8.75m / 28'9* 165 x 13 - 6 ply	51Kg / 1.00cwt 1100Kg/21.62cwt	*875Kg/17.19cwt 72Kg / 1.42cwt	2.18m / 7'2' 2.74m / 9'0'	2 4.65m / 15'3* 6 10m / 20'0*	1 280	460/2
1	T.	1	1	1 00000	2.03m x 1.83m 6'0" x 2'3"	6'8' × 6'0'	91R 48	8.75m / 28'9" 165 x 13 - 6 ply	43Kg / 0.85cwt 1100Kg/21.62cwt	*875Kg/17.19cwt 80Kg / 1.57cwt	2.18m/7'2" 2.74m/90"	2 4.65m / 15'3* 6.10m / 20'0*		470/2
ī	5'10" x 1'10" 1.80m x 0.56m	5'11" x 2'2"	T.	j	2.03m x 1.40m -	6'8" × 4'6"	91R 52	8.80m / 28'11" 165 x 13 - 6 ply	122Kg / 2.40cwt 56Kg / 1.10cwt 1150Kg/22.60cwt	*900Kg/17.69cwt 72Kg / 1.42cwt	2.18m / 7'2' 2.74m / 9'0'	4.70m / 15'5" 6.15m / 20'2"		470/4
-	5'10" x 1'10" 1.80m x 0.56m		511* x 2'2*	5'11" x 4'6"	2.03m x 1.40m	6'8" x 4'6"	91R 52	8.80m / 28'11* 165 x 13 - 6 ply	132Kg / 2.50cwt 38Kg / 0.75cwt 1150Kg/22.60cwt	*900Kg/17.69cwt 80Kg / 1.57cwt	2.18m / 7'2" 2.74m / 9'0"	4.70M / 15'5'		470/5
1	6'8" x 1'10" 2.03m x 0.56m	Ţ		6'8" × 4'0"	6'0" x 2'3"	6'8" x 6'0"	91R 54	9.05m / 29'8* 165 x 13 - 6 ply	135Kg / 2.55cwt 35Kg / 0.69cwt 1200Kg/23.62cwt	*950Kg/18.67cwt 80Kg / 1.57cwt	2.18m / 7'2' 2.74m / 9'0'	4.95M / 16'3*		490/5
1	5'10" x 1'10" 1.80m x 0.56m	5'11' x 2'2'	1		6'0° x 2'3°	6'8' x 6'0'	94N 50	9.25m / 30'4* 175 x 13 - 6 ply	12/kg / 2.50cwt 81Kg / 1.59cwt 1250Kg/24.56cwt	970Kg/19.06cwt 72Kg / 1.42cwt	2.18m / 7'2" 2.74m / 9'0"	5.15M / 16'11"	10 1088	510/4
Ľ	5'10' x 1'10" 1.80m x 0.56m	5'11' x 2'2'	)	1.00m × 0.00m	6'0" x 2'3"	6'8" x 6'0"	94N 50	9.25m / 30'4* 175 x 13 - 6 plv	12/Kg / 2.50cwt 73Kg / 1.44cwt 1250Kg/24.56cwt	*970Kg/19.06cwt 80Kg / 1.57cwt	2.18m / 7'2' 2.74m / 9'0'	5.15m / 16'11'		520/4
1	1		60° × 2'3'	203m x 183m	2.03m x 1.83m 6'0" x 2'3"	6'8" × 6'0"	78S 32	10.15m / 33'4* 155 x 13 - 4 ptv	156Kg / 3,07cwt 139Kg / 2,73cwt 1600Kg/31,44cwt	*1225Kg/24.07cwt 80Kg / 1.42cwt	2.18m / 7'2" 2.74m / 9'0"	6.05m / 1910*		600/4
	5'11" x 1'10" 1.81m x 0.56m	1.83m x 0.89m	60° x 2'3°	6'8" x 6'0"	2.03m x 1.83m 6'0" x 2'3"	6'8" x 6'0"	78S 32	10.15m / 33'4"	176Kg / 3.46cwt 119Kg / 2.34cwt 1600Kg/31.44cwt	*1275Kg/25.05cwt 80Kg / 1.42cwt	2.18m / 7'2' 2.74m / 9'0'	6.05m / 19'10"		600/6
1	5'11" x 1'10"	mea.u x mea.t	6'0" x 2'3"	ulearn x mear	2.03m × 1.83m 6'0" × 2'3"	6'8" x 6'0"	78S 32	10.15m / 33'4'	166Kg / 3.26cwt 129Kg / 2.54cwt 1600Kg/31,44cwt	*1275Kg/25.05cwt 80Kg / 1.42cwt	2.18m/7'2" 2.74m/9'0"	5 or 6 6.05m / 1910*		600/KZ

Notes: A build tolerance of 3% has been added to the mass in running order figure.

\* Denotes estimated. Additional berth personal effects payload has been allowed for in the optional equipment figures, increased payload margins may be available on certain models, contact your dealer for information. The content of this publication is as accurate as possible from information available at time of going to press. ABI UK Ltd reserves the right to alter specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for discrepancies between this information and subsequent models. All props are for photographic purposes only, illustrations do not reflect any individual caravan.


ABI (UK) LIMITED Swinemoor Lane Beverley East Yorkshire HU17 OLJ Tel: 01482 678000 Int: +44 1482 678000 Fax: 01482 871482 After Sales: 01482 678080 Email: info@abiuk.co.uk Website: www.abiuk.co.uk





# If you like wide open spaces, you'll love the new Brooklyn.

It's been designed to match your desire for greater interior comfort with our renowned build quality and design.





# If you're looking for space and light,

the Brooklyn is your answer.

On the outside the Brooklyn has traditional white aluminium panels with co-ordinated graphics and coachtapes. The front ABS panel of the Brooklyn has a large gas locker access door, with the rear covered in a one-piece GRP panel.

As you step inside the Brooklyn, you'll immediately notice the extra interior width and the Heki 2 rooflight, which combine to enhance the feeling of spaciousness and light within. The interior features aircraft style locker doors with soft, curved features, solid ash framed doors and warm beech coloured furniture. Stylish 'no cost' fabric options with co-ordinated curtains are complemented by matching floor coverings.

Each Brooklyn has a 77-litre fridge with full width freezer compartment, four burner hob, oven and grill. And luxury fittings in the well equipped bathroom add to your comfort (some models include a circular shower cubicle).

There is a choice of 11 different internal layouts. You might like to opt for a dedicated end bedroom, a central bathroom, or one of the more traditional layouts. Whatever your choice - we believe the Brooklyn has everything you've ever wanted in a tourer and more!

- · 'No cost' fabric options with co-ordinated curtains and floorcoverings
- · Aircraft style locker doors with soft curved features
- · Wide range of internal layouts
- · Furniture constructed mainly from lightweight solid panels
- · Stylish ash framed furniture doors
- 77 litre electronic ignition fridge, including a full width freezer compartment
- · Spinflow Caprice oven & grill with glass doors
- · Blinds/flyscreens to all opening windows
- Exterior door flyscreen
- Truma Ultra Store gas/electric water heating system

- · Colour co-ordinated fire front, oven, bowl drainer & taps
- Two dedicated end bedroom layouts
- Thick ash edge worktops
- · Heat resistant work surfaces
- · Grade 2 European Standard of thermal insulation
- · Semi-rigid in-board freshwater piping with push-fit joints
- 12 amp electrical Transformer/Charger
- Two 230v electrical sockets & two 230v electrical lights
- 12v fluorescent lights & 12v eyeball reading lights
- TV aerial socket & 12v socket
- · 25M mains electrical inlet cable
- · Heki 2 roof light
- Bolster cushions and scatter cushions

- Traditionally styled from flat ribbed Omni-directional TV aerial aluminium panels
- Triple front window
- Exterior colour in white with co-ordinated graphics and coachtapes
- · Al-Ko chassis with Euro axle
- Single front ABS panel with large door to gas bottle & spare wheel housing
- One piece GRP rear panel with curved rear light clusters
- · Low-level front marker reflectors & front direction indicators

- · High level brake light
- · Detachable wheel trims
- · Single key exterior door locking system
- All windows security etched with Vehicle Identification Number
- · Concealed data chip within caravan construction
- ID number stamped into caravan chassis



# TECHNICAL SPECIFICATIONS

KEY TO PLANS  Living/sleeping area  Washroom area  Washroom area  Washroom area  Washrobes/cupboards  Locker/cabinet  Wardrobes/cupboards  Heater  Berths Internal length Overall height (Including aerial) Internal length Overall height Overall height Overall height Tyre state (Incl. 3%) Essential Habitation Equipment Personal effects payload Optional equipment payload Maximum technical Dermissible laden mass Awning length Tyre size Load speed index Tyre pressure (psi) BED SIZES Front double or single Rear double or single Side single Side single Side single Side single	MODELS
2 4.25m / 13'11' 5.5m / 18'7' 2.30m / 76' 2.74m / 90' 1.90m / 63' '9.25kg / 1.15'cwt 93kg / 1.15'cwt 1150kg/22.60cwt 1150kg/22.60cwt 1150kg/22.60cwt 125m x 1.33m 60' x 2'3' 1.83m x 0.69m	400/2
2 4.65m / 15'3* 6.25m / 20'6* 2.30m / 70'6* 2.30m / 70'6* 2.74m / 90' 1.20m / 6'3' 975kg/19.16ewl 72kg / 1.10cwl 1020kg/23.62ewl 8.90m / 29'2* 165 x 13 - 6 ply 91R 50' 2.15m x 1.83m 60' x 2'3* 1.83m x 0.65m	460/2
2 4.65m / 153* 6.25m / 206* 2.30m / 76* 2.30m / 63* 975kg / 1.55cwt 1020kg / 2.01cwt 43kg / 0.85cwt 1200kg / 2.35cwt 8.90m / 292* 165 x 13 - 6 ply 91R 50 711* x 6'0* 2.15m x 1.83m 6'0* x 2'3* 1.83m x 0.69m	470/2
5.10m / 169* 6.70m / 220* 2.30m / 720* 2.30m / 720* 2.30m / 763* 2.74m / 90* 1.57owt 135/kg / 1.57owt 135/kg / 0.59owt 135/kg / 1.57owt 135/kg	490/5
4 5.00m / 16'5' 6.60m / 218' 2.30m / 76'5' 2.74m / 90' 1.90m / 63'* 1050kg/20.63ewt 135kg / 2.65ewt 135kg / 2.65ewt 135kg / 1.57ewt 135kg / 2.65ewt 135kg / 1.40m 9.4N 50 71'* x 446' 2.15m x 1.40m — 63'* x 4'6' 1.91m x 1.40m	500/4
4 5.15m / 1611* 6.75m / 222* 2.30m / 790* 2.74m / 90* 2.74m / 90* 2.74m / 90* 2.74m / 90* 2.74m / 90* 2.71x / 6.0-61xm 1300 kg/25.55cwt 9.40m / 30*10* 175 x 13 - 6 ply 94N 50 71* x 60* 2.15m x 1.83m 60* x 2*3* 1.83m x 0.65m - - 511* x 2*2* 1.83m x 0.65m 510* x 110* 1.80m x 0.56m	510/4
## O   ##	520/4
4 5.40m / 17'9* 7.00m / 23'0* 2.30m / 79'0* 2.30m / 79'0* 2.30m / 79'0* 2.30m / 53'0* 2.74m / 90' 1.130/kg/2.7.21ewt 180/kg / 1.57cwt 1.27/kg / 2.50cwt 1.27/kg / 2.50cwt 1.27/kg / 1.57cwt 1.36kg / 1.14cwt 1.27/kg / 2.50cwt 1.36kg / 1.44cwt 1.400/kg/27.51cwt 9.50m / 31'8* 185 x 13 · 6 ply 97N 97N 1.92m x 1.40m - 7'1' x 4'6* 2.15m x 1.40m	530/4
4 6.05m / 1910° 7.65m / 251° 2.30m / 751° 2.30m / 751° 2.30m / 751° 2.30m / 3310° 1.50m / 3310° 1.55m × 1.83m 60° × 23° 1.83m × 0.69m 71° × 60° 2.15m × 1.83m 60° × 23° 1.83m × 0.69m 71° × 60° 2.15m × 1.83m 60° × 23° 1.83m × 0.69m 71° × 60° 2.15m × 1.83m 60° × 23° 1.83m × 0.69m	600/4
6.05m / 1910° 7.65m / 25'1° 2.30m / 75'1° 2.30m / 75'1° 2.30m / 75'1° 2.30m / 33'10° 1.50m / 33'10° 1.50m × 1.83m 6'0° × 2'3° 1.83m × 0.65m 7'1' × 6'0° 2.15m × 1.83m 6'0° × 2'3° 1.83m × 0.65m 7'1 × 6'0° 2.15m × 1.83m 6'0° × 2'3° 1.83m × 0.65m 7'1 × 6'0° 2.15m × 1.83m 6'0° × 2'3° 1.83m × 0.65m 5'11 × 6'0° 2.15m × 1.83m 6'0° × 2'3° 1.83m × 0.65m	600/6
4 6.05m / 1910° 7.55m / 251° 2.30m / 76° 2.74m / 90° 1.50m / 63° 1.300 / 8/25.55ewt 80/8/ 1.42ewt 14/8/ 0.87ewt 1600/8/31.44ewt 176/8/ 3.45ewt 1600/8/31.44ewt 10.3m / 3910° 155 x 13 - 4 ply 78's 32 71' x 60° 2.15m x 1.83m 60° x 2'3' 1.83m x 0.69m 510° x 40° 1.80m x 1.20m	600EB

Notes: A build tolerance of 3% has been added to the mass in running order figure.

\* Denotes estimated. Additional borth personal effects payload has been allowed for in the optional equipment figures. Increased payload margins may be available on certain models, contact your dealer for information. The content of this publication is as accurate as possible from information available at time of going to press. ABI UK Ltd reserves the right to alter specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for ABI UK Ltd reserves the right to alter specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for ABI UK Ltd reserves the right to alter specifications, prices and models. All props are for photographic purposes only, illustrations do not reflect any individual caravan.

ABI (UK) LIMITED Swinemoor Lane Beverley East Yorkshire HU17 OLJ Tel: 01482 678000 Int: +44 1482 678000 Fax: 01482 871482 After Sales: 01482 678080 Email: info@abiuk.co.uk Website: www.abiuk.co.uk

DUALITY & STYLE

Looking for an affordable lightweight tourer with no compromise on interior fittings and comfort? Then the award-winning Sprinter is the one for you.





# Designed to be towed by a small family car

the Sprinter is a superb example of design quality in a lightweight, compact, narrow-bodied tourer.

The classical exterior has enhanced graphics and coachtapes, a stable-style entrance door and a contoured, stylish one-piece durable ABS plastic front. And just in case someone else singles out the Sprinter for its good looks, it comes complete with a hidden security chip and all windows are etched with a vehicle identification number for total peace of mind.

You'll be surprised at the comprehensive level of interior fittings. A 60 litre refrigerator, grill and four-burner hob with 'Almond' coloured heat resistant laminated surfaces are standard. Pleasurable surroundings are assured with co-ordinated upholstery chosen from our 'no-cost' fabric options, matching carpet, lined curtains and scatter cushions. Bathroom includes a washbasin along with an integral shower and a mirrored shelving unit.

The Sprinter range has a number of interior layout options, including the all new 450CT five berth with a double bed at each end. So whether it's just the two of you or the whole family, there is a Sprinter just right for you. The choice is yours.

## INTERIOR INNOVATION

- · 'No cost' fabric options
- Coordinated upholstery fabrics and colour schemes
- 60 litre Electrolux refrigerator (12v, 230v and gas)
- Matching carpets, lined curtains, pelmets and scatter cushions
- Integral vitreous enamel sink, drainer & 4 burner hob finished in beige colour with grill and flame failure device
- Microswitch mixer tap in beige colour
- Carver 2000 space heater
- Truma gas & electric operation water heater

- Grade 2 European Standard of thermal insulation
- Washroom complete with washbasin, showertray, shower and shower curtain
- 12 amp Transformer/Charger with ELCB
- 230v mains electrical system incorporating sockets
- 12v electrical system including overhead fluorescent lighting
- 25M mains electric inlet cable
- Mirrored shelving unit
- Semi-rigid in-board freshwater piping with push-fit joints

## EXTERIOR EXCELLENCE

- Narrow body width 1.99m
- Al-Ko galvanised steel chassis with Euro axle
- · Single key exterior door locks
- Tinted double glazed opening windows with night time vent latch
- Stable style entrance door with fixed window and blind
- Distinctive smart new graphics

- Stylish one piece durable ABS plastic front
- Concealed data chip within caravan construction
- ID number stamped into caravan chassis
- Rear light clusters with stop/tail, fog and indicator lights
- All windows security etched with Vehicle Identification Number



MODELS	400D	450 CT	460/2	OPTION	
KEY TO PLANS  Living/sleeping area  Washroom area  Kitchen area  Locker/cabinet  Wardrobes/cupboards  Heater				Rear bed option on 400 D	
Berths Internal length Overall length Overall width Overall height Mass in running order (Incl. 3%) Essential Habitation Equipment Personal effects payload Optional equipment payload Maximum technical permissible laden mass Awning length Tyre size Load speed index Tyre pressure (psi)	4 or 5 3.98m / 13'1" 5.20m / 17'1" 2.03m / 6'8" 2.50m / 8'2.5" 745Kg / 14.64cwt 72Kg / 1.42cwt 113Kg / 2.22cwt 70Kg / 1.38cwt 1000Kg / 19.65cwt 7.70m / 25'3" 175 x 13 - 4 ply 86S 33	5 4.50m / 14'9" 5.72m / 18'9" 2.03m / 6'8" 2.50m / 8'2.5" *850Kg / 16.70cwt 72Kg / 1.42cwt 129Kg / 2.54cwt 99Kg / 1.95cwt 1150Kg / 22.60cwt  8.22m / 27'0" 165 x 13 - 6 ply 91R 52	2 4.50m / 14'9* 5.72m / 18'9* 2.03m / 6'8* 2.50m / 8'2.5* 860Kg / 16.90cwt 72Kg / 1.42cwt 99Kg / 1.895cwt 119Kg / 2.34cwt 1150Kg / 22.60cwt 8.22m / 27'0* 165 x 13 - 6 ply 91R 52		
BED SIZES Front double or single	6'3" x 3'9" 1.91m x 1.15m	6'3" x 4'6" 1.91m x 1.40m -	6'3" x 6'0" 1.91m x 1.83m 6'0" x 2'0"		
Rear double	1.83m x 0.61m 6'0" x 3'10"	6'0" x 3'10"	1.83m x 0.61m -		
or single	1.83m x 1.17m -	1.83m x 1.17m –	_		
Side single.		.=:	_1		
Bunk (option)	5'7" x 1'10" 1.70m x 0.56m	5'10" x 1'10" 1.80m x 0.56m	_		
Front 'L' option	- 1.70m x 0.36m	- 1.60III X U.30III	-		

Notes: A build tolerance of 3% has been added to the mass in running order figure.


\* Denotes estimated. Additional berth personal effects payload has been allowed for in the optional equipment figures. Increased payload margins may be available on certain models, contact your dealer for information. The content of this publication is as accurate as possible from information available at time of going to press. ABI UK Ltd reserves the right to alter specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for discrepancies between this information and subsequent models. All props are for photographic purposes only, illustrations do not reflect any individual caravan.

AB1,
To age a caravar
01482/678080

# ABI (UK) LIMITED st Yorkshire HU17 OLJ

Swinemoor Lane Beverley East Yorkshire HU17 OLJ Tel: 01482 678000 Int: +44 1482 678000 Fax: 01482 871482 After Sales: 01482 678080 Email: info@abiuk.co.uk Website: www.abiuk.co.uk





The ABI Award. A combination of outstanding build quality and traditional elegance incorporating superb interior design.





# The Award's classical exterior

is reflected in the stylish looks given by its pitched roof and rear spoiler. The sleek appearance is enhanced by ABS plastic panels that cover the front and rear, with the back panel incorporating high-level brake light, rear light clusters with stop/tail, fog indicator and reversing lights. And to ensure its superior towing and road holding ability, the Award range has 'Delta' Euro axles and shock absorbers built in as standard.

You'll find the sophisticated interior has been designed to cater for your every requirement. 'No cost' fabric options to suit your own tastes sit comfortably with classic furniture, thick ash edge worktops and luxury upholstery with matching curtains and loose lay carpet. The built-in fittings include a glass fronted Caprice oven, an 86 litre capacity fridge, CD/Radio and cocktail cabinet, plus a new circular luxury shower cubicle (available on selected models).

And for your total peace of mind, every ABI Award is fitted with a concealed data chip and security etched with a vehicle identification number. Available in a variety of interior layouts, the Award range offers exceptional tourers for those who wish to travel in luxury and style.

# INTERIOR INNOVATION

- 'No cost' fabric options of luxury upholstery with matching curtains and loose lay carpets
- New style furniture doors and wallboard colour
- CD/Radio (RDS) with amplifier aerial and 2 speakers
- Electrolux 86ltr fridge with electronic ignition
- · Thick ash edge work surfaces
- Thetford C200 toilet with electronic flush (certain models only)
- · Cassette blinds and flyscreens to opening windows and doors
- Glass fronted Caprice oven in dark green colour with grill, 4 burner hob and flame failure device and electronic ignition
- · Matching vitreous enamel sink

- Extractor fan
- · Heat resistant laminates to work surfaces
- · Cocktail cabinet
- Truma 3002 Auto space heater with Ultraheat 230v heating and Truma blown air central heating
- Truma gas and electric powered water heating system
- 12amp Transformer/Charger
- 230v mains electrical system incorporating 3 sockets and mains electric lights
- Module control panel for electrical system with halogen rooflights and tungsten reading lights
- TV station with 12v, 230v & aerial
- 25M mains electric inlet cable

# EXTERIOR EXCELLENCE

- Traditional exterior design incorporating pitched roof and rear spoiler with high level braking light
- · Enhanced graphics and coachtapes
- · Al-Ko galvanised steel chassis with 'Delta' Euro axle and shock absorbers for superior towing stability
- One piece durable ABS plastic front
   Concealed data chip within caravan panel with lockable integral storage
- Tinted double glazed opening windows with night vent latches


- Omni-directional TV/FM aerial
- ABS plastic rear panel incorporating rear light clusters with stop/tail, fog, indicator and reversing lights
- · Single key exterior door locking system
- All windows security etched with Vehicle Identification Number
- construction
- Identification number stamped into caravan chassis



# And there's more...

The Award is now available with the fresh contemporary 'Papillon' interior option – right across the range.\*






Spaciousness and light, fixtures and

If you're looking for an interior that's inspiring, the Award Papillon is what you've been waiting for.

\*Some specifications, fixtures or fittings in the Award 2000 range may differ to, or be excluded from, the Award Papillon. This is to remain true to the 'clean line' design philosophy that has been applied to the Papillon interior.









# TECHNICAL SPECIFICATIONS

Bunk Front 'L' option	Side single	or single	Rear double	or single	BED SIZES Front double	Awring length Tyre size Load speed index Tyre pressure (psi)	Essential Habitation Equipment. Personal effects payload Optional equipment payload Maximum technical Deprinsella laden mass	Overall length Overall width Overall width Overall height (Including aerial) Mass in running order (Incl. 3%)	Berths Internal length	KEY TO PLANS  Living/sleeping area  Washroom area  Kitchen area  Locker/cabinet  Wardriobes/cupboards  Heater	MODELS
- 67* x 4'4' 2.01m x 1.32m		1	1	1.98m x 1.88m 6'2" x 2'3" 1.88m x 0.69m x 0.69m	6'6' x 6'2'	8.48m / 27'10" 175 x 13 - 6 ply. 94N 50	89Kg / 1.75cwt 102Kg / 2.01cwt 19Kg / 0.37cwt 1250Kg/24.56cwt	5.93m / 19'6" 2.18m / 7'2" 2.70m / 8'10.5" *1040Kg/20.44cwt	2 4.38m / 14'5'	For Pupilion Daystar see alternative layout	DAYSTAR
Std.	ı	ı	1	1.98m x 1.32m 6'7* & 6'0* x 2'3* 2.01m & 1.83m x 0.69m	6'6" x 4'4"	8.74m / 28'8" 175 × 13 - 6 ply. 94N 50	89Kg / 1.75cwt 104Kg / 2.05cwt 32Kg / 0.63cwt 1300Kg/25.55cwt	6.19m / 20'4" 2.18m / 7'2" 2.70m / 8'10.5* 1075Kg/21.12cwt	2 4.64m / 15'3"	For Papilion Brightstar the shower cubicle is square	BRIGHTSTAR
1 1		1	1	1.98m x 1.93m 6'4" x 2'3" 1.93m x 0.69m x 0.69m	6'6" x 6'4"	8,74m / 28'8* 175 x 13 - 6 ply. 94N 50	89Kg / 1.75cwt 104Kg / 2.05cwt 32Kg / 0.63cwt 1300Kg/25.55cwt	6.19m / 20'4" 2.18m / 7'2" 2.70m / 8'10.5" 1075Kg/21.12cwt	2 4.64m / 15'3"	For Papillon Itaristan the shower cable le is sequire	THANSTAH
1.83m x 0.65m 5'11* x 1'10* 1.81m x 0.56m Std.	6'0" x 2'1.5"	1	1	1.98m x 1.32m 6'7* & 6'0* x 2'3* 2.01m & 1.83m x 0.69m	6'6" x 4'4"	9.21m / 30'3' 185 x 13 - 6 ply. 97N 50	81Kg / 1.59cwt 129Kg / 2.54cwt 30Kg / 0.59cwt 1400Kg/27.51cwt	6.65m / 21'10* 2.18m / 7'2* 2.70m / 8'10.5* 1160Kg/22.80cwt	4 5.11m / 16'9'		MOHNINGSTAR
1.83m x 0.65m 511* x 1*10* 1.81m x 0.56m Std.	6'0" x 2'1.5"	1	1_	1.98m x 1.32m 6'7" & 6'0" x 2'3" 2.01m & 1.83m x 0.69m	6'6' x 4'4'	9.21m / 30'3* 155 x 13 - 4 ply, 78S 32	81Kg / 1.59cwt 129Kg / 2.54cwt 75Kg / 1.47cwt 1500Kg/29.48cwt	6.65m / 21'10" 2.18m / 7'2" 2.70m / 8'10.5" 1215Kg/23.88cwt	5.11m/169*		MORNINGSTAR MORNINGSTAR TA
6'0" x 1'10" 1.83m x 0.56m 6'7" x 4'4" 2.01m x 1.32m		6'7" or 6'0" x 2'0"	6'7" or 6'0" x 4'0"	1.98m × 1.83m 6'0" × 2'3" 1.83m × 0.69m	6'6" × 6'0"	9.21m / 30'3* 185 x 13 - 6 ply. 97N 50	89Kg / 1.75cwt 139Kg / 2.73cwt 22Kg / 0.43cwt 1450Kg/28.49cwt	6.65m / 21'10" 2.18m / 7'2" 2.70m / 8'10.5" 1200Kg/23.58cwt	5 5.11m / 16'9"		NIGHTSTAR
6'0" x 1'10" 1.83m x 0.56m 6'7" x 4'4" 2.01m x 1.32m		67" or 6'0" x 2'0"	67° or 6'0° x 4'0°	1.98m x 1.83m 6'0* x 2'3* 1.83m x 0.69m	6'6' x 6'0"	9.21m / 30'3" 155 x 13 - 4 ply. 78S 32	89Kg / 1.75cwt 139Kg / 2.73cwt 117Kg / 2.30cwt 1600Kg/31.44cwt	6.65m / 21*10* 2.18m / 7'2* 2.70m / 8'10.5* 1255Kg/24.66cwt	5 5.11m / 16'9"	**O#	NIGHTSTAR TA
1.83m x 0.65m 5'11" x 1'10" 1.81m x 0.56m 6'7" x 4'4" 2.01m x 1.32m	6'0" x 2'1.5"	1	ı	1.98m x 1.83m 6'0* x 2'3* 1.83m x 0.69m	6'6" x 6'0"	9.93m / 32'6" 155 × 13 - 4 ply. 78S 32	81Kg / 1.59cwt 136Kg / 2.67cwt 133Kg / 2.61cwt 1600Kg/31.44cwt	7.38m / 24'2' 2.18m / 7'2* 2.70m / 8'10.5* 1250Kg/24.56cwt	4 5.84m / 19'1"	For Procision Northstar see alternative layout.	NORTHSTAR
5'8" x 1'10" 1.75m x 0.56m 6'7" x 4'4" 2.01m x 1.32m		1.98m x 1.32m	6'6' x 4'4"	1.98m x 1.83m 6'0" x 2'3" 1.83m x 0.69m	6'6" x 6'0"	10.35m / 33'11* 155 x 13 - 4 ply. 78S 32	89Kg / 1.75cwt 140Kg / 2.75cwt 96Kg / 1.89cwt 1700Kg/33.41cwt	7.81m / 25'7* 2.18m / 7'2* 2.70m / 8'10.5* *1375Kg/27.02cwt	4 or 5 or 6 6.25m / 20'6*		SUPERSTAR
										L shape Front Option A Lehape Option B Option B Option B Option B Option C State State Shower Option C State Shower Option C	OPTIONS
67' x 4'4' 2.01m x 1.32m			1	1.98m x 1.88m 6'2* x 2'3* 1.88m x 0.69m x 0.69m	6'6' x 6'2"	8.25m / 27'0* 175 x 13 - 6 ply. 94N 50	89Kg / 1.75cwt 99Kg / 1.95cwt 32Kg / 0.63cwt 1250Kg/24.56cwt	5.70m / 18'8* 2.18m / 7'2* 2.70m / 8'10.5* *1030Kg/20.24cwt	4.15m /13'7'	DAYSIAN	PAPILLON
1.83m x 0.65m 511* x 110* 1.81m x 0.56m 67* x 44* 2.01m x 1.32m	6'0" x 2"1.5"	1		1.98m x 1.83m 6'0* x 2'3* 1.83m x 0.69m	6'6' x 6'0"	9,93m / 32'6* 155 x 13 - 4 ply. 79T 50	81Kg / 1.59cwt 136Kg / 2.67cwt 133Kg / 2.61cwt 1600Kg/31.44cwt	7.38m / 24'2" 2.18m / 7'2" 2.70m / 8'10.5" 1250Kg/24.56cwt	4 5.84m / 19/1*	NOTIFIED AND THE PARTY OF THE P	PAPILLON

Notes: A build tolerance of 3% has been added to the mass in running order figure.

\* Denotes estimated. Additional berth personal effects payload has been allowed for in the optional equipment figures, increased payload margins may be available on certain models, contact your dealer for information. The content of this publication is as accurate as possible from information available at time of going to press.

ABI UK Ltd reserves the right to after specifications, prices and model ranges as materials and conditions demand, and can accept no responsibility for discrepancies between this information and subsequent models. All props are for pholographic purposes only, illustrations do not reflect any individual caravan.

ABI (UK) LIMITED
Swinemoor Lane Beverley East Yorkshire HU17 OLJ
Tel: 01482 678000 Int: +44 1482 678000
Fax: 01482 871482 After Sales: 01482 678080
Email: info@abiuk.co.uk Website: www.abiuk.co.uk



