
# Sterling




# Sterling Caravans 2001





Sterling Caravans is the name behind a range of tourers whose history can be traced back over 80 years to the earliest days of British caravanning.

All Sterling tourers are the result of innovation and a careful blend of advanced technology and traditional build skills. This has resulted in an enviable collection of design awards.



For 2001, Sterling brings you a choice of 3 ranges that complement each other perfectly. The all new Europa, offering outstanding choice and value for a modern family on the move; Eccles, the celebrated tourer with 80 years of history; and Eccles Elite, the expanding range of definitive twin axle tourers.

Safety is an important issue. Sterling guarantees this through an ultra modern manufacturing plant that incorporates rigorous quality systems. These have gained the company ISO 9001 and ensure all models comply with European standards. Before even the first prototype is built, state-of-the-art computer-aided design allows three-dimensional models to be checked for weight distribution and aerodynamics, which are crucial for safe towing.

Quality is assured, with many components manufactured in our own factory, including the Glass Reinforced Plastic used for the tough and stylish front and rear panels. A massive investment in the latest manufacturing technology has enabled Sterling to produce engineering standards of accuracy in furniture construction. This unique system gives dual benefits of the finest quality finish and totally rigid construction. This affords Sterling high levels of quality control that is the envy of the competition.

Buying a Sterling buys you more that just a tourer. It also provides you with a market leading Supercare aftersales service and 3 year SuperSure manufacturer's warranty, designed to make the ownership of your tourer enjoyable and trouble-free.

The Eccles Elite is the expanding range of definitive twin axle tourers. Five different models offer the ultimate in touring space and luxury. The new Alpiner features spacious front parallel seating with a side double dinette and end kitchen for anyone requiring a greater area to relax and socialise. The new Explorer introduces an L-shaped front lounge together with rear parallel seats which convert into a separate bedroom, for total practicality.










Above: Eccles Elite Alpiner
Far left: Stylish one piece rear GRP panel
Middle: Passive infra red security alarm
Left: Multi-directional roof fan
Right: Eccles Elite Alpiner
Far right: Eccles Elite Trekker
(optional 6th berth shown)





Deluxe designer upholstery with terracotta matching curtains, flush fitting kitchen with new Electrolux 86 litre power fridge and stainless steel equipment, powerful Truma heating and hot water system - if you're looking for a twin axle with flexibility, high specification, style and space as standard the Elite is in a class above the rest.





Below: Electrolux 86 litre power fridge





Below: Exterior access locker with 230V socket

# Eccles

Eccles makes its celebrated range of tourers even better for 2001. The seven winning layouts all offer more improvements. The Moonstone layout creates better centre dinette curtain storage, the Onyx has a wider wardrobe with full width hanging space whilst the Jade features a stylish new rear end kitchen.









Above: Eccles Moonstone
Far left: Exterior access wet locker
Middle: Removable carpet
Left: Flush fitting cooker and sink
Right: Eccles Moonstone
Far right: Eccles Onyx





# Eccles

All models offer renowned style, with Italian designer furniture by Tecnoform in warm Locarno apple finish and sculptured upholstery in luxurious chenille fabric. New Electrolux 76 litre power fridge and Truma heating and hot water system combine with the luxurious washrooms and flush fitting kitchen to offer total comfort at a down to earth price.





# Europa

The all new Europa range has been transformed for 2001 to take it into a new era. Sweeping curves, bold graphics and alloy look wheel trims highlight the stylish new exterior design. The new sleek lines give an increase in width and height. Inside, the furniture makes optimum use of the additional space, with Italian designer locker doors by Tecnoform completing the transformation of this stylish modern tourer.










Above: Europa 490 Far left: Heki II rooflight Middle: Rear lower GRP panel Left: Exterior access locker Right: Europa 520 Far right: Europa 490





# Europa

All seven models, including the new 490 with the popular permanent double bed layout, feature modern fabrics, beech sprung bed slats with cantilever hinged action for easy access, flush fitting kitchen with Stoves integrated oven and recessed sink, and Truma gas/electric blown air heating. For style, specification, quality and value for money, you will not beat the all new Europa.









### Eccles

# Europa

#### New for 2001

Explorer and Alpiner

#### EXTERIOR New for 2001

External aerial socket in battery box

- Alloy look clip on wheel trims
- Heavy duty corner steadles
- Stylish Graphics
- All models comply with European standards Modified stylish GRP one piece front
- Stylish GRP one piece rear
- Large, tilting, panoramic roof window with flynet and blind
- Shaped rear light clusters
   External wet locker with integral 230v socket
- Al-Ko galvanised steel chassis with Euro-axle Lockable exterior battery box (excluding battery) and
- High level brake light
- Awning light above exterior door
- Reversing light
   Status TV/FM aerial and booster
- All windows opening and double glazed Window and cassette blind to exterior door
- Fixing points for rear mounted cycle rack
- (except Trekker) Stainless steel exterior fastenings
- Top hinged easy access door with gas stay for
- spare wheel and gas bottles External access door under fixed bed (Searcher)
- Polyplastic double glazed windows with concealed locks and stays
- Electrolux fridge vents for easy maintenance
- and inspection
- Awning channel on both sides of caravan
- Side repeater lights
- Cassette flyscreen blinds to all windows
- Silver screen printed windows
- Exterior quick release door retainer

### LOUNGE & DINING AREA

#### New for 2001

- Deluxe designer upholstery with terracotta matching curtains Island spice loose fit carpets
- Tecnoform upper aircraft style storage lockers Beech slated beds with lift up easy access
- Warm Apple furniture board
- Wood panel effect vinyl floor covering
- Omnivent 3 speed directional fan
- 12v multi-directional reading downlighters
- Embroidered heavy duty entrance mat
- Domestic style locker door hinges
- All cushions with interior springing (except bunks) • Free standing table with dedicated storage location
- Chest of drawers with pull-out table Cocktail cabinet with glass and bottle holders
- Deep ash edge worktops
- Lined curtains and matching pelmets
- Matching corner bolsters with 4 scatter cushions
- Quarry finish laminates to work tops
- Split base cushions for easy bed make-up

#### New for 2001

- Electrolux 86 litre electronic power fridge
- Laminated sink unit top
- Flush fitting stainless steel Stoves electronic ignition, thermostatic glass fronted, integrated oven with four burner enamelled hob with flame failure device, grill and pan storage
- Optional Champagne kitchen equipment

- Recessed co-ordinated sink with toughened worktop cover and concealed micro-switch tap
- Cutlery travs

#### WASHROOM

- New for 2001
- Reich chrome tap to vanity unit Reich chrome shower equipment
- Thetford electric swivel toilet with dedicated flush tank
- Washroom with unique one piece sealed cubicle with sliding door (Searcher)
- Fully fitted luxury washroom with vanity unit

#### HEATING & PLUMBING

- Truma 3002 3kw space heater complete with Ultraheat ducted blown air
- Truma Ultrastore water heater
- Grade 2 European standard of thermal insulation
- Micro switch tans
- Internal water tank with facility to draw water from an external agua roll for summer use and internal tank for winter use
- Portable wheeled waste tank
- In-board semi rigid fresh water piping with push-fit joints
- Large bore underslung rigid waste pipes
- Water level tank sensor

- New for 2001
- Modified electrical control panel over exterior door, featuring 12v isolation, interior entry light switch, alarm, battery and water level indicators
- Silver sand halogen lights
- Silver sand reading lights
- 12v radio supply12v reading lights with additional halogen downlighters
- 230v mains lights in lounge area
- Two halogen downlights under china locker
- ESM2000 power supply unit
- Full mains electric system with 4 mains sockets (one external)
- Full 12v electrical system with one 12v socket/plug (Two in Wayfarer, Trekker and Explorer)
- TV station with 230v/12v/aerial point
- 25 metre outside mains connector lead

#### FITTINGS & EQUIPMENT

- Caravan entrance step
- Bunk ladder (where bunks provided)
- Front lockers
- Pull-out roller slatted bed
- Ventilation boards behind seat backrests
- Exterior door flyscreen
- Al-Ko side mounted scissor jack
- Brushed stainless steel handles to lockers Wooden partition doors to rear bedroom (Wayfarer Trekker and Explorer)
- Concealed metal wall plates for secure furniture fixing
- Removable garment rail in SB models
- Smoke alarm
- O Clock

- IDM 2000 alarm system with passive infra red tilt sensor and car to caravan detection
- Single key operation to exterior door locks Identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction

#### EXTERIOR

#### New for 2001

- 14" wheels and tyres
- Alloy look clip-on wheel trims
- 14" wheel fairings
- External aerial socket in battery box
- Stylish graphics
- All models comply with European Standards
- Stylish one piece GRP rear panel with integral spoiler
- Shaped rear light clusters
- Al-Ko galvanised steel chassis with Euro-axle
- Lockable exterior battery box (excluding battery) and mains inlet socket
- Reversing light
- High level brake light
- Status TV/FM aerial and booster
- All windows opening and double glazed
- Window and cassette blind to exterior door
- Fixing points for rear mounted cycle rack
- Top hinged easy access door with gas stay for spare wheel and gas bottles
- External access door under fixed bed (Onyx only)
- Heated external access locker (Amber, Topaz and Moonstone) Polyplastic double glazed windows with concealed
- locks and stavs • Fully sealed wet locker with integral 230v mains socket
- Silver screen printed windows
- Awning channel on both sides of caravan
- Large, tilting, panoramic roof window with flynet and blind
- Exterior quick release door retainer
- Electrolux fridge vents for easy maintenance and inspection

#### LOUNGE & DINING AREA

#### New for 2001

- Improved centre dinette curtain storage (Moonstone)
- Wider wardrobe with improved hanging space (Onvx)
- Tecnoform upper aircraft style lockers
- Beech slatted beds with lift up easy access
- Solid furniture construction
- 'Damask' loose fit carpets
- Ramona chenille designer upholsterv
- Complementary curtains and pelmets
- Wooden panel effect vinvl floor covering
- Warm Locarno Apple furniture board colour Coraline wallboard
- 12v directional reading downlighters Embroidered entrance mat
- Domestic style locker door hinges
- Interior sprung cushions (expect bunks)
- Chest of drawers with pull-out table (not Onyx, Amber or Amethyst)
- Free standing table with dedicated storage Cocktail cabinet with glass and bottle holders
- Sculptured corner armrests and two scatter cushions Split base cushions for easy bed make-up
- Deep ash edge worktops Front roof lockers

#### KITCHEN

#### New for 2001

- Electrolux 77 litre electric power fridge
- Improved worktop space (Moonstone)
- Flush fitting Champagne Stoves electronic ignition. thermostatic glass fronted, integrated oven with four burner enamelled hob with flame failure device, grill and pan storage

  Champagne kitchen equipment
- Optional stainless steel kitchen equipment • Recessed co-ordinated sink and drainer with toughened worktop cover and concealed
- micro-switch tap Quarry finished work surfaces

### Cutlery trays

#### WAS,...JOM New for 2001

(SB models)

- Chrome Reich shower fittings
- OChrome Reich tap to vanity units
- Thetford electric swivel toilet complete with dedicated flush tank SB circular fully sealed shower cubicle
- (Amber, Topaz and Moonstone) Illuminated additional vanity storage unit

### HEATING & PLUMBING

- New for 2001
- Truma 3002 3kw space heater complete with Ultraheat ducted blown air
- Truma Ultrastore water heater
- Reich recessed kitchen tap
- Micro switched plumbing system • Grade 2 European standard of thermal insulation
- In-board rigid fresh water piping with push-fit joints

### • Large bore underslung rigid waste pipes

- 12v halogen silver sand effect ceiling lights
- 230 mains silver sand effect reading lights
- R ed 12v downlighters under lockers • Flubrescent light under china locker
- Full mains electric with 3 mains sockets • Full 12v electrical system with one 12v socket/plug
- TV station with 230v/12v/aerial point • ESM 2000 power supply unit
- 25 metre outside mains connector lead
- Mains lights in lounge area • 12v isolator switch in entrance doorway

• 12v radio feed

- FITTINGS & EQUIPMENT
- Caravan entrance step
- Bunk ladder (where bunks provided)
- Pull-out roller slatted bed Ventilation boards behind seat backrests
- Clock Embroidered doormat with brush out tray
- Exterior door flyscreen Silver sand handles with wood effect inlay
- Wooden partition doors to rear bedroom (Sapphire and Amethyst) Cassette flyscreen blinds to all windows

Concealed metal wall plates for secure furniture

- fixing Removable garment rail in SB layouts
- Smoke alarm SECURITY

#### Single key operation to exterior door locks Identity number etched to windows and chassis

Concealed security data chip within caravan

#### New for 2001 • 490 model

#### EXTERIOR

- New for 2001
- All new bodyshell
- New overall width 2.16m /7'1"
- New overall height 2.76m/9'1"
- One piece full GRP front panel
- Lower ABS rear panel New wheel arch fairings
- 14" wheels and tyres Alloy look wheel trims
- High level brake light
- Distinctive graphics • All models comply with European standards
- 2 piece side panel construction • Hinged access door with gas stay for spare wheel
- and gas bottles Exterior door with window, blind and quick release door retainer
- Lockable exterior battery box (excluding battery) and mains inlet socket
- External access locker door Status TV/FM aerial with booster
- Electrolux fridge vents for easy maintenance and inspection
- Large tilting panoramic roof window with flynet and blind
- Al-Ko galvanised steel chassis with Euro-axle
- Reversing lights
- Awning light
- High level side repeater lights
- All windows opening and double glazed Window and cassette blind to exterior door

#### • Fixing points for rear mounted cycle rack

- LOUNGE & DINING AREA New for 2001
- New geometric designer bed fabric
- Chenille curtains in matching colour Island spice fitted carpet Tecnoform Italian designed upper aircraft style
- locker doors Beech sprung bed slats to bed tops with
- cantilever hinged action for easy access • Storage for side dinette curtain (520) • Improved cocktail cabinet with glass and bottle
- Chest of drawers with pull-out table in some models • Free standing table with dedicated storage location
- Warm Apple furniture board Shaped backrests and corner bolsters • All cushions with interior springing (except bunks
- and side dinettes) • Split front base cushions for easy bed make-up

#### KITCHEN

- New for 2001
- Champagne kitchen equipment
- Flush fitting enamelled sink and drainer with glass worktop cover and concealed micro switch Reich
- Matching flush fitting Stoves Oven with flush glass worktop
- Deep ash edge to worktops

#### Quarry finish designer laminate

#### • 77 litre Electrolux fridge with full width freezer

#### WASHROOMS

- New for 2001 • Improved end washroom layout with stylish vanity
- shelf and mirror

#### • One piece sealed shower cubicle with curved sliding door in selected models

- New for 2001
- Ultraheat ducted blown air Truma Ultrastore water heater
- Large bore underslung rigid waste pipes

- FLECTRICAL.
- Vanity light and mirror to end washroom
- ESM charger
- Full 12v electrical system with one 12v socket/plug Adjustable 12v lighting to front lockers
- Fluorescent light under china locker
- Mains reading lights with lamp shades
- transformer with ELCB
- FITTINGS & EQUIPMENT
- New for 2001
- Caravan entrance step
- Pull-out roller slatted bed Exterior door flyscreen

Designer locker handles in brushed stainless

- Cassette flyscreen blinds to all windows
- Fitted doormat Concealed metal wall plates for secure

Smoke alarm

steel effect

- Single key operated exterior door locks • Identity number etched to windows and chassis
- Concealed data chip within caravan construction

- Thetford cassette toilet
- Large window in centre washrooms

#### **HEATING & PLUMBING**

- Truma 3002 3kw space heater complete with
- Micro switch taps and plumbing system In-board semi rigid fresh water piping with
- push-fit joints • Grade 2 European standard of thermal insulation
- New for 2001 • 12v distribution panel by door
- compartment shelves
- Full mains electric with 2 x 230v sockets
- TV station with 230v/12v/aerial point
- 25 metre outside mains connector lead Silver sand halogen lights
- Silver sand reading lights • Integrated mains consumer unit and 12 amp

### Mains lights in lounge area

- Designer stainless steel handles to lockers Domestic style cabinet hinges
- Bunk ladder (where bunk provided)
- Wooden partition doors to rear bedroom models (excluding 490)
- furniture fixing

Technical Specification.

Charification	LECTION COMMITTEE COMMITTE	THE PARTY OF THE P	SCHOOL STATE		LECTION COMMUNICATION CONTINUES CONT
Specification	EXPLORER	ALPINER	WAYFARER	SEARCHER	TREKKER
Berths	5	4	5	4	5 opt 6
Number of Axles	2	2	2	2	2
Internal Length (at bed box height)	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"
Overall Width	2.23m/7°4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including Status aerial**)	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
Overall Length	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"
Mass in Running Order (inc. 3% tolerance)	1425kg/28.0cwt <sup>†</sup>	1424kg/28.0cwt <sup>1</sup>	1426kg/28.1cwt	1451kg/28.6cwt	1415kg/27.9cwt
Essential Habitation Equipment Payload	123kg/2.4cwt	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	123kg/2.4cwt
Personal Effects Payload	150kg/3.0cwt	140kg/2.8cwt	150kg/3.0cwt	140kg/2.8cwt	160kg/3.2cwt
Optional Equipment Payload	52kg/1.0cwt	51kg/1.0cwt	49kg/1.0cwt	44kg/0.9cwt	52kg/I.0cwt
Maximum Technical Permissible Laden Mass	1750kg/34.4cwt	1730kg/34.1cwt	1740kg/34.3cwt	1750kg/34.4cwt	1750kg/34.4cwt
Awning A/A Dimension	10.48m/34'5"	10.48m/34'5"	10.48m/34'5"	10.48m/34'5"	10.48m/34'5"

### **Bed Sizes**

Tyre size

Front Double*	205cm x 137cm/6'9" x 4'6"	205cm x 192cm/6'9" x 6'4"	205cm x 192cm/6'9" x 6'4"	205cm x 183cm/6'9" x 6'0"	205cm x 192cm/6'9" x 6'4"
or One Single		192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"	183cm x 68cm/6'0" x 2'3"	192cm x 68cm/6'4" x 2'3"
and One Single		192cm x 68cm/6'4" x 2'3"			
Rear Double	205cm x 137cm/6'9" x 4'6"		193cm x 137cm/6'4" x 4'6"	190cm x 137cm/6'3" x 4'6"	205cm x 137cm/6'9" x 4'6"
Rear Bunk	205cm x 58cm/6'9" x 1'11"		193cm x 58cm/6'4" x 1'11"		
Side Single (o/s)					177cm x 68cm/ 5'10" x 2'3"
Side single (n/s)					177cm x 68cm/ 5'10" x 2'3"
Side Bunk					172cm x 58cm/5'8" x 1'11"
Optional Bunk					172cm x 58cm/5'8" x 1'11"
Side Double		175cm x 122cm/5'9" x 4'0"	VI		

165R13 83T

165R13 83T

165R13 83T

165R13 83T

165R13 83T


†Estimated weight.

<sup>\*</sup>Double bed sizes are quoted with wrap round seating. Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins.

<sup>\*\*</sup>Height with aerial removed 2.55m/

### Eccles

Technical Specification.














	TABLE STORAGE
--	---------------

Berth	ns
Inter	nal Length (at bed box height)
Over	all Width
Over	all Height (including Status aeria
Over	all Length
Mass	in Running Order (inc. 3% tolera
Esse	ntial Habitation Equipment Paylo
Perso	onal Effects Payload



11001	I LIGHT DE LEGIS DE L	DESCRIPTION OF THE PROPERTY OF		
ONYX	SAPPHIRE	AMETHYST	MOONSTONE	
4	5	5	4	
5.09m/16'8"	5.30m/17'5"	5.30m/17'5"	5.23m/17'2"	
2.23m/7'4"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	
2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	
6.67m/21'11"	6.89m/22'7"	6.89m/22'7"	6.81m/22'4"	
1120kg/22.0cwt	1179kg/23.2cwt	1179kg/23.2cwt	1152kg/22.7cwt	
82kg/1.6cwt	90kg/1.8cwt	90kg/1.8cwt	82kg/1.6cwt	
128kg/2.5cwt	140kg/2.7cwt	140kg/2.7cwt	129kg/2.5cwt	
20kg/0.4cwt	46kg/0.9cwt	46kg/0.9cwt	47kg/0.9cwt	
1350kg/26.6cwt	1455kg/28.6cwt	1455kg/28.6cwt	1410kg/27.8cwt	***************************************
9.30m/30'6"	9.51m/31'2"	9.51m/31'2"	9.44m/31'0"	
)5/70R14 95	175R14 99	175R14 99	175R14 99	

### **Bed Sizes**

Front Double*	201cm x 183cm/6'7" x 6'0"	201cm x 137cm/6'7" x 4'6"	201cm x 192cm/6'7" x 6'4"	205cm x 154cm/6'9" x 5'1"	201cm x 192cm/6'7" x 6'4"	201cm x 137cm/6'7" x 4'6"	201cm x 183cm/6'7" x 6'0"
or One Single	183cm x 66cm/6'0" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"		183cm x 66cm/6'0" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"
Rear Double				190cm x 137cm/6'3" x 4'6"	188cm x 137cm/6'2" x 4'6"	201cm x 137cm/6'7" x 4'6"	
Rear Bunk		5000			188cm x 58cm/6'2" x 1'11"	201cm x 58cm/6'7" x 1'11"	
Side Single							180cm x 66cm/5'11" x 2'2"
Side Bunk							172cm x 58cm/5' 8" x 1' 11"

†Estimated weight.

<sup>\*</sup>Double bed sizes are quoted with wrap round seating. Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins.

<sup>\*\*</sup>Height with aerial removed 2.55m/8'4"


# Europa

Technical Specification.










51kg/1.0cwt 1340kg/26.4cwt 9.30m/30'6" 5/70R14 95

NEW







Specification
Berths
Internal Length (at bed
Overall Width

	CHINA LDCS S	SHELF	1 Service Serv
Specification	390	460	480
Berths	2	2	2
Internal Length (at bed box height)	3.94m/12'11"	4.61m/15'2"	4.70m/15'5"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"
Overall Height (including Status aerial**)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.53m/18'2"	6.21m/20'4"	6.30m/20'8"
Mass in Running Order (inc. 3% tolerance)	911kg/17.9cwt	987kg/19.4cwt	986kg/19.4cwt <sup>†</sup>
Essential Habitation Equipment Payload	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt
Personal Effects Payload	96kg/1.9cwt	103kg/2.0cwt	104kg/2.0cwt
Optional Equipment Payload	23kg/0.5cwt	48kg/0.9cwt	48kg/0.9cwt
Maximum Technical Permissible Laden Mass	1120kg/22.0cwt	1220kg/24.0cwt	1220kg/24.0cwt
Awning A/A Dimension	8.15m/26'9"	8.82m/28'11"	8.91m/29'3"
Tyre size	195/70R14 91	195/70R14 91	195/70R14 91

-	B32301
	490
	4
	5.09m/16'8"
	2.23m/7'4"
	2.76m/9'1"
	6.68m/21'11"
-	1079kg/21.2cwt <sup>†</sup>
	82kg/1.6cwt
	128kg/2.5cwt

LOCKER	LOCKER	INC.	
500	510	520	
5	5	4	
5.03m/16'6"	5.03m/16'6"	5.23m/17'2"	
2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	
2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	
6.62m/21'9"	6.62m/21'9"	6.83m/22'5"	
1070kg/21.1cwt <sup>1</sup>	1068kg/21.0cwt <sup>†</sup>	1104kg/21.7cwt	
90kg/1.8cwt	90kg/1.8cwt	82kg/1.6cwt	
137kg/2.7cwt	137kg/2.7cwt	129kg/2.5cwt	
48kg/0.9cwt	50kg/1.0cwt	50kg/1.0cwt	
1345kg/26.5cwt	1345kg/26.5cwt	1365kg/26.9cwt	
9.24m/30'4"	9.24m/30'4"	9.44m/31'0"	
195/70R14 95	195/70R14 95	175R14 99	

### **Bed Sizes**

Front Double*	204cm x 192cm/6'8" x 6'4"	204cm x 183cm/6'8" x 6'0"	204cm x 137cm/6'8" x 4'6"	208cm x 154cm/6'10" x 5'1"	204cm x 192cm/6'8" x 6'4"	204cm x 192cm/6'8" x 6'4"	204cm x 183cm/6'8" x 6'0"
or One Single	192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"		192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"
and One Single	192cm x 69cm/6'4" x 2'3"	183cm x 69cm/6'0" x 2'3"	192cm x 69cm/6'4" x 2'3"		192cm x 69cm/6'4" x 2'3"	192cm x 69cm/6'4" x 2'3"	183cm x 69cm/6'0" x 2'3"
Rear Double				190cm x 137cm/6'3" x 4'6"	201cm x 119cm/6'7" x 3'11"	201cm x 119cm/6'7" x 3'11"	
Rear Bunk					201cm x 56cm/6'7" x 1'10"	201cm x 56cm/6'7" x 1'10"	4 2 2 2 2
Side Single				v.			180cm x 66cm/5'11" x 2'2"
Side Bunk							172cm x 58cm/5'8" x 1'11"

†Estimated weight.

<sup>\*</sup>Double bed sizes are quoted with wrap round seating. Note. A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins.

<sup>\*\*</sup>Height with aerial removed 2.55m/8'4"

#### DEALER STAMP



The Hallmark of Excellence







Sterling Caravans,
Dunswell Road, Cottingham, East Yorkshire HU16 4JX.
Tel: 01482 847332 Fax: 01482 841042
e-mail: enquiry@swiftleisure.co.uk
web site: www.sterlingcaravans.co.uk

#### A MEMBER OF THE SWIFT GROUP

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Sterling products on their own account and not as agents of Swift. Accordingly they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this prochure are designated by their model year.

The model year runs from 1 September to 31 August and the despatch of 2001 models will have commenced on or after 1 September 2000 Issued September 2000

Cars courtesy of Volvo Cars UK Limited and Vauxhall Motors

To reserve your place on a factory tour to see Sterling products being produced in one of Europe's most sophisticated factories, simply call the number above and ask for 'Factory Tours'.