




**Bailey of Bristol**  
2003 Technical Specification



**Discovery • Ranger • Pageant • Senator**

# Technical Specification

	Berths	Internal Length	Shipping Length	Overall Width	Overall Height	Internal H'room	Awning Size	Tyre Sizes	MTPLM	MRO	Payload Allowance for Essential Habitation Eqp.	Payload Allowance for Personal Effects	Payload Allowance for Optional Equipment	Total User Payload
<b>100</b>	<b>4</b>	<b>4.547m</b> 14'11"	<b>6.050m</b> 19'10"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>864cm</b>	<b>185/65</b> R14 U90	<b>1104kg</b> 21.7cwt	<b>857kg</b> 16.9cwt	<b>75kg</b> 1.5cwt	<b>122kg</b> 2.4cwt	<b>50kg</b> 1.0cwt	<b>247kg</b> 4.9cwt
<b>200</b>	<b>4</b>	<b>4.731m</b> 15'6"	<b>6.200m</b> 20'4"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>882cm</b>	<b>185/65</b> R14 U90	<b>1122kg</b> 22.1cwt	<b>874kg</b> 17.2cwt	<b>75kg</b> 1.5cwt	<b>123kg</b> 2.4cwt	<b>50kg</b> 1.0cwt	<b>248kg</b> 4.9cwt
<b>300</b>	<b>5</b>	<b>4.731m</b> 15'6"	<b>6.200m</b> 20'4"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>882cm</b>	<b>185/65</b> R14 U90	<b>1171kg</b> 23.1cwt	<b>913kg</b> 18.0cwt	<b>75kg</b> 1.5cwt	<b>133kg</b> 2.6cwt	<b>50kg</b> 1.0cwt	<b>258kg</b> 5.1cwt
<b>400</b>	<b>5</b>	<b>5.159m</b> 16'11"	<b>6.610m</b> 21'9"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>925cm</b>	<b>195/70</b> R14 U96	<b>1203kg</b> 23.7cwt	<b>920kg</b> 18.1cwt	<b>75kg</b> 1.5cwt	<b>148kg</b> 2.9cwt	<b>60kg</b> 1.2cwt	<b>283kg</b> 5.6cwt

**EXTERIOR** • Al-ko galvanised chassis with Euro-axle • 14" wheels with low profile tyres • Fully insulated walls, floor and roof to grade II classification of EN1645-1 (Panel thickness : Sides 28mm, Ceiling 28mm & Floor 44mm) • Polyplastic double glazed windows throughout • Full height ABS front panel with integral grab handles • Reinforced gas bottle locker swing up lid • Dedicated gas bottle storage compartment • Full height ABS rear panel with integral light cluster • Reinforced plastic rear grab handles • Awning light

**NEW FOR 2003** • **NEW** Gas strut assisted handbrake • **NEW** Heavy duty front corner steadies

**ELECTRICAL SYSTEM** • Mains electric with two 230v sockets • Circular halogen ceiling lighting • Switch mode battery charger with 12 amps output • RCD/MCB protection for mains electric system • 25 metre mains connecting lead

**HEATING & WATER SYSTEM** • Truma 3002 3kw heater • Truma Ultrastore water heater (gas/electric operation) • Whale Watermaster water inlet and submersible pump • Inboard pressurised hot and cold fresh water system with reinforced hosing • Large bore rigid waste plumbing routed to side of tourer • Shower unit with ceramic ball mixer tap • Washroom hand basin with ceramic ball mixer tap • Fully fitted vanity unit, wall mirrors and integral storage

**NEW FOR 2003** • **NEW** Swivel unit Thetford cassette toilet with integrated header tank in all models

**KITCHEN EQUIPMENT** • Dometic 77 litre refrigerator with full width freezer compartment • Spinflo recessed 3-burner hob and grill unit incorporating flush fitting glass hinged lid • Spinflo recessed enamel sink and drainer with ceramic ball mixer tap • L-shaped kitchen units with dedicated cutlery and pull out basket storage

**NEW FOR 2003** • **NEW** Extended worktop surfaces (model specific)

**FURNITURE & SOFT FURNISHINGS** • Full size dinette table with dedicated storage • Side dinette occasional table • Pull out roller slatted bed • Sculptured wooden bunk fall out rails • Interior sprung upholstery • Standard 'Coral' soft furnishings with co-ordinating curtains • Wood effect laminate floor covering

**NEW FOR 2003** • **NEW** design 'Butterscotch' wall covering • **NEW** Style locker doors with domestic style metal hinges • **NEW** Hinged bed box slatted tops for easy access

**GENERAL EQUIPMENT** • Flyscreen and sunblind to kitchen window • Flyscreen and sunblind to 4 way roof light in saloon • Optional Remi Top 'slide and tilt' sun roof with integral ceiling lighting located over front saloon

**SECURITY** • Selectamark electronic tagging • Single key operation on all exterior doors • Vin no. etched to all exterior windows • Vin no. scribed in chassis member

### LUX PACK CONTENTS (COST OPTION)

- Remis Flyscreens and sunblinds to all principal windows
- Remis Upper half exterior door flyscreen • Loose fit drop-in carpet

### BED SIZES

**100** Front Saloon 6'8" x 5'11" or 2 @ 5'11" x 2'3", Rear 6'8" x 2'2" & Q/Head 6'6" x 1'11"

**200** Front Saloon 6'8" x 4'6", Side Single 5'7" x 2'0" & Q/Head 5'5" x 1'11"

**300** Front Saloon 6'8" x 5'5", Rear Double 6'0" x 3'5" & Q/Head 5'5" x 1'11"

**400** Front Saloon 6'8" x 4'4", Rear Side Single 5'11" x 2'0" & Q/Side Q/Head 5'9" x 1'11"

Whilst every attempt is made within this brochure to accurately reflect and describe our 2003 range of home market tourers (purchased and stored on the mainland and used for leisure purposes) our policy of continued improvement and changes in market and supply conditions mean that we reserve the right to alter specifications without further notice. In this brochure some of the photographs may feature items which are not included in the tourer specification - your Bailey retailer will confirm these and all specification details prior to you making your purchasing decision. Bailey retailers sell our products of their own choice and not as agents of Bailey. They are therefore unable to bind Bailey or make any representation or undertaking whatsoever on behalf of Bailey Caravans Ltd. Colour reproduction is subject to the limitations of the production process. Some materials used in the production of our tourers can result in a variation to the figures quoted in respect of measurements and weights. All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof. The tourers in this brochure conform to the European norms EN1645-1, EN1645-2, EN1648-1 & EN721 and to the British Standards for Touring Homes BS5482 (Part II) & BS6765 (Part IV). E & O.E. The touring homes detailed in this brochure are designated by their model year. The model year runs from 1st September to the 31st August. 2003 models are despatched by Bailey to approved retailers from 1st September 2002.

**BAILEY**

**Ranger**

**2003**

# Technical Specification

	Berths	Internal Length	Shipping Length	Overall Width	Overall Height	Internal H'room	Awning Size	Tyre Sizes	MTPLM	MRO	Payload Allowance for Essential Habitation Eqp.	Payload Allowance for Personal Effects	Payload Allowance for Optional Equipment	Total User Payload
<b>380/2</b>	<b>2</b>	<b>3.759m</b> 12'4"	<b>5.240m</b> 17'3"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>785cm</b>	<b>185/65</b> R14 U90	<b>1034kg</b> 20.4cwt	<b>843kg</b> 16.6cwt	<b>75kg</b> 1.5cwt	<b>94kg</b> 1.9cwt	<b>22kg</b> 0.4cwt	<b>191kg</b> 3.8cwt
<b>460/2</b>	<b>2</b>	<b>4.547m</b> 14'11"	<b>6.050m</b> 19'11"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>864cm</b>	<b>185/65</b> R14 U90	<b>1118kg</b> 22.0cwt	<b>919kg</b> 18.1cwt	<b>75kg</b> 1.5cwt	<b>102kg</b> 2.0cwt	<b>22kg</b> 0.4cwt	<b>199kg</b> 3.9cwt
<b>460/2 L</b>	<b>2</b>	<b>4.547m</b> 14'11"	<b>6.050m</b> 19'11"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>864cm</b>	<b>185/65</b> R14 U90	<b>1134kg</b> 22.3cwt	<b>935kg</b> 18.4cwt	<b>75kg</b> 1.5cwt	<b>102kg</b> 2.0cwt	<b>22kg</b> 0.4cwt	<b>199kg</b> 3.9cwt
<b>470/4</b>	<b>4</b>	<b>4.731m</b> 15'6"	<b>6.200m</b> 20'4"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>885cm</b>	<b>185/65</b> R14 U90	<b>1172kg</b> 23.1cwt	<b>952kg</b> 18.7cwt	<b>75kg</b> 1.5cwt	<b>123kg</b> 2.4cwt	<b>22kg</b> 0.4cwt	<b>220kg</b> 4.3cwt
<b>500/5</b>	<b>5</b>	<b>5.159m</b> 16'11"	<b>6.610m</b> 21'9"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>928cm</b>	<b>195/70</b> R14 U96	<b>1272kg</b> 25.0cwt	<b>1037kg</b> 20.4cwt	<b>75kg</b> 1.5cwt	<b>138kg</b> 2.7cwt	<b>22kg</b> 0.4cwt	<b>235kg</b> 4.6cwt
<b>510/4</b>	<b>4</b>	<b>5.159m</b> 16'11"	<b>6.610m</b> 21'9"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>928cm</b>	<b>195/70</b> R14 U96	<b>1239kg</b> 24.4cwt	<b>1014kg</b> 20.0cwt	<b>75kg</b> 1.5cwt	<b>128kg</b> 2.5cwt	<b>22kg</b> 0.4cwt	<b>225kg</b> 4.4cwt
<b>550/6</b>	<b>6</b>	<b>5.508m</b> 18'1"	<b>6.990m</b> 22'11"	<b>2.19m</b> 7'2"	<b>2.71m</b> 8'10"	<b>1.90m</b> 6'3"	<b>963cm</b>	<b>195/70</b> R14 U96	<b>1300kg</b> 25.6cwt	<b>1052kg</b> 20.7cwt	<b>75kg</b> 1.5cwt	<b>151kg</b> 3.0cwt	<b>22kg</b> 0.4cwt	<b>248kg</b> 4.9cwt

**EXTERIOR** • Al-ko galvanised chassis with Euro-axle  
 • 14" wheels with low profile tyres • Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness: Sides 28mm, Ceiling 28mm & Floor 44mm)  
 • Exterior door with double glazed window and window blind  
 • Polyplastic double glazed windows throughout • Full height ABS front panel with integral grab handles • Reinforced gas bottle locker swing up lid • Dedicated gas bottle storage compartment • Full height ABS rear panel with integral light cluster • Reinforced plastic rear grab handles  
 • Awning light • Status TV aerial and booster

**NEW FOR 2003** • **NEW** Gas strut assisted handbrake  
 • **NEW** Heavy duty front corner steadies • **NEW** Ranger design graphics

**ELECTRICAL SYSTEM** • Mains electric with two 230v sockets • TV station with 230v/12v aerial sockets  
 • 12v and 230v reading lights • Circular halogen ceiling lighting • Switch mode battery charger with 12 amps output • RCD/MCB protection for mains electric system  
 • 25 metre mains connecting lead

**HEATING & WATER SYSTEM** • Truma 3002 3kw heater with Ultraheat system and silent running night setting  
 • Truma Ultratherm and blown air distribution system  
 • Truma Ultrastore water heater (gas/electric operation)  
 • Whale Watermaster water inlet and submersible pump  
 • Inboard pressurised hot and cold fresh water system with reinforced hoses • Large bore rigid waste plumbing routed to side of tourer • Shower unit with ceramic ball mixer tap  
 • Washroom hand basin with ceramic ball mixer tap • Fully fitted vanity unit, wall mirrors and integral storage

**NEW FOR 2003** • **NEW** Single piece plastic shower unit (model specific) • **NEW** Swivel unit Thetford cassette toilet with integrated header tank in all models

**KITCHEN EQUIPMENT** • Dometic 77 litre refrigerator with full width freezer compartment • Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid  
 • Spinflo combined grill and domestic style glass fronted oven plus flame failure device • Spinflo recessed enamel sink and drainer incorporating flush fitting glass hinged lid with ceramic ball mixer tap • L-shaped kitchen units with dedicated cutlery and pull out basket storage

**NEW FOR 2003** • **NEW** Extended worktop surfaces (model specific)

**FURNITURE & SOFT FURNISHINGS** • Free standing table with dedicated storage • Side dinette occasional table (model specific) • Chest of drawers with fold over coffee table (model specific) • Pull out roller slatted bed  
 • Sculpted wooden bunk fall out rails • Interior sprung upholstery • Fully fitted deep pile co-ordinated carpet

**NEW FOR 2003** • **NEW** Standard 'Blenheim' soft furnishings with co-ordinating lined curtains and scatter cushions • **NEW** design 'Butterscotch' wall covering  
 • **NEW** Aircraft style overhead storage lockers with real wood locker doors and domestic style metal hinges  
 • **NEW** Hinged bed box slatted tops for easy access

**GENERAL EQUIPMENT** • Remis flyscreen and sunblind to all principal windows • Remis flyscreen and sunblind to 4 way roof light in saloon • Remis upper half exterior door flyscreen • Fitted doorwell mat • Analogue clock

**NEW FOR 2003** • **NEW** Remi Top 'slide and tilt' sun roof with integral ceiling lighting located over front saloon

**SECURITY** • Selectamark electronic tagging • Single key operation on all exterior doors • Vin no. etched to all exterior windows • Vin no. scribed in chassis member

## BED SIZES

**380/2** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"

**460/2** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"

**460/2L** Front Saloon 6'8" x 4'4"

**470/4** Front Saloon 6'8" x 4'6", Side Single 5'7" x 2'0" & O/Head 5'5" x 1'11"

**500/5** Front Saloon 6'8" x 4'4" or 2 @ 5'11" x 2'3", Rear Double 6'8" x 4'2" & Rear O/Head 5'9" x 1'11"

**510/4** Front Saloon 6'8" x 4'7" or 2 @ 6'0" x 2'3", Side Single 5'11" x 2'0" & O/Head Single 5'9" x 1'11"

**550/6** Front Saloon 6'8" x 4'4" or 1 @ 5'9" x 2'3" & 1 @ 6'2" x 2'3", N/Side Single 5'7" x 2'0", N/S O/Head Single 5'5" x 1'11", Rear Single 6'8" x 2'0", Rear O/Head 6'8" x 1'11"

# Technical Specification

	Berths	Internal Length	Shipping Length	Overall Width	Overall Height	Internal H'room	Awning Size	Tyre Sizes	MTPLM	MRO	Payload Allowance for Essential Habitation Eqp.	Payload Allowance for Personal Effects	Payload Allowance for Optional Equipment	Total User Payload
<b>MAJESTIC</b>	2	4.115m 13'6"	5.810m 19' 1"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	828cm	185/65 R14 U90	1135kg 22.3cwt	960kg 18.9cwt	75kg 1.5cwt	97kg 1.9cwt	3kg 0.1cwt	175kg 3.4cwt
<b>IMPERIAL</b>	2	4.731m 15'6"	6.390m 21' 0"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	889cm	195/70 R14 U96	1191kg 23.4cwt	1010kg 19.9cwt	75kg 1.5cwt	103kg 2.0cwt	3kg 0.1cwt	181kg 3.6cwt
<b>MONARCH</b>	2	4.731m 15'6"	6.390m 21' 0"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	889cm	195/70 R14 U96	1208kg 23.8cwt	1027kg 20.2cwt	75kg 1.5cwt	103kg 2.0cwt	3kg 0.1cwt	181kg 3.6cwt
<b>AUVERGNE</b>	5	5.258m 17'3"	6.920m 22' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	942cm	195/70 R14 U96	1338kg 26.3cwt	1121kg 22.1cwt	75kg 1.5cwt	139kg 2.7cwt	3kg 0.1cwt	217kg 4.3cwt
<b>CHAMPAGNE</b>	4	5.258m 17'3"	6.920m 22' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	942cm	195/70 R14 U96	1302kg 25.6cwt	1095kg 21.6cwt	75kg 1.5cwt	129kg 2.5cwt	3kg 0.1cwt	207kg 4.1cwt
<b>LOIRE</b>	4	5.258m 17'3"	6.920m 22' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	942cm	195/70 R14 U96	1313kg 25.8cwt	1106kg 21.8cwt	75kg 1.5cwt	129kg 2.5cwt	3kg 0.1cwt	207kg 4.1cwt
<b>MOSELLE</b>	4	5.258m 17'3"	6.920m 22' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	942cm	195/70 R14 U96	1285kg 25.3cwt	1078kg 21.2cwt	75kg 1.5cwt	129kg 2.5cwt	3kg 0.1cwt	207kg 4.1cwt
<b>BORDEAUX</b>	4	5.258m 17'3"	6.920m 22' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	942cm	195/70 R14 U96	1345kg 26.5cwt	1123kg 22.1cwt	75kg 1.5cwt	129kg 2.5cwt	18kg 0.4cwt	222kg 4.4cwt
<b>VENDEE</b>	4	5.508m 18'1"	7.210m 23' 9"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	967cm	195/70 R14 U96	1319kg 26.0cwt	1112kg 21.9cwt	75kg 1.5cwt	129kg 2.5cwt	3kg 0.1cwt	207kg 4.1cwt

**EXTERIOR** • Al-ko galvanised chassis with Euro-axle • 14" wheels with low profile tyres • Al-ko chassis mounted spare wheel carrier and spare wheel • Fully insulated walls, floor and roof to grade II classification of EN1645-1 (Panel thickness: Sides 28mm, Ceiling 28mm & Floor 44mm) • Exterior door with double glazed window and window blind • Polyplastic double glazed windows to side and rear • Full height ABS rear panel with twin high level brake lights • Wrap around rear light clusters with integral warning triangle • Reinforced plastic rear grab handles • Awning light • Status TV aerial and booster

**NEW FOR 2003** • **NEW** Gas strut assisted handbrake • **NEW** Heavy duty front corner steadies • **NEW** Full height ABS front panel with high line profile and integral grab handles • **NEW** Flush fit Polyplastic front windows • **NEW** Re engineered gas bottle locker with improved access and storage • **NEW** ABS A-Frame fairing • **NEW** Pageant design graphics

**ELECTRICAL SYSTEM** • Mains electric with three 230v sockets • TV station with 230v/12v/aeal sockets • 12v and 230v reading lights • 230v light dimmer switch • Circular halogen ceiling lighting • Flush fit halogen downlighters • Switch mode battery charger with 12 amps output • RCD/MCB protection for mains electric system • 25 metre mains connecting lead

**HEATING & WATER SYSTEM** • Truma 3002 3kw heater with Ultraheat system, automatic ignition and silent running night setting • Truma Ultratherm and blown air distribution system • Truma Ultrastore water heater (gas/electric operation) • Whale Watermaster water inlet with in-line filter and submersible pump • Inboard pressurised hot and cold fresh water system with reinforced hoses • Large bore rigid waste plumbing routed to side of tourer • Shower unit with ceramic ball mixer tap • Single piece plastic shower unit (model specific) • Washroom hand basin with ceramic ball mixer tap • Fully fitted vanity unit, wall mirrors and integral storage

**NEW FOR 2003** • **NEW** Swivel Thetford cassette toilet with integrated header tank in all models

**KITCHEN EQUIPMENT** • Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid • Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device • Spinflo recessed enamel sink and drainer incorporating flush fitting glass hinged lid with ceramic ball mixer tap • L-shaped kitchen units with dedicated cutlery and pull out basket storage

**NEW FOR 2003** • **NEW** Thetford 86 litre refrigerator with electronic ignition and full width freezer compartment • **NEW** extended worktop surfaces covered in a co-ordinating laminate (model specific)

**FURNITURE & SOFT FURNISHINGS** • Free standing table with dedicated storage • Side dinette occasional table (model specific) • Chest of drawers with fold over coffee table (model specific) • Aircraft style overhead storage lockers with real wood locker doors and domestic style metal hinges • Pull out roller slated bed • Drop down flaps on large bed box fronts • Sculpted wooden bunk fall out rails • Interior sprung upholstery • Standard 'Ascot' soft furnishings with co-ordinating lined curtains, pelmet covers, bolster and scatter cushions • Fully fitted deep pile co-ordinated carpet

**NEW FOR 2003** • **NEW** Optional 'Newbury' soft furnishings with co-ordinating lined curtains, pelmet covers, bolster and scatter cushions • **NEW** Hinge sprung slated bed box tops for easy access • **NEW** Pull out drawer beneath front Chest (model specific)

**GENERAL EQUIPMENT** • Omnivent dual action rooflight mounted extractor fan • Remis flyscreen and sunblinds to all principal windows • Remis flyscreen and sunblind to 4 way rooflight in saloon • Remis full length flyscreen to exterior door • Fitted doorwell mat • Analogue clock

**NEW FOR 2003** • **NEW** Remi Top 'slide and tilt' sun roof with integral ceiling lighting located over front saloon

**SECURITY** • Selectamark electronic tagging • Single key operation on all exterior doors • Vin no. etched to all exterior windows • Vin no. scribed in chassis member

### BED SIZES

**MAJESTIC** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"

**IMPERIAL** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"

**MONARCH** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"

**AUVERGNE** Front Saloon 6'8" x 4'7" or 2 @ 6'2" x 2'3"  
Rear Double 6'8" x 4'4", & Rear O/Head 5'9" x 1'11"

**CHAMPAGNE** Front Saloon 6'8" x 4'7" or 1 @ 6'2" x 2'3"  
& 1 @ 5'10" x 2'3", O/Side Single 5'11" x 2'0",  
& O/Head Single 5'9" x 1'11"

**LOIRE** Front Saloon 6'8" x 4'7" or 1 @ 6'2" x 2'3"  
& 1 @ 5'10" x 2'3", O/Side Single 5'11" x 2'0",  
& O/Head Single 5'9" x 1'11"

**MOSELLE** Front Saloon 6'8" x 4'4", O/Side Single 5'11" x 2'0"  
& O/Head Single 5'9" x 1'11"

**BORDEAUX** Front Saloon 6'8" x 5'4", Rear Double 6'4" x 4'6"

**VENDEE** Front Saloon 6'8" x 4'4", Rear Double 6'3" x 4'6"

# Technical Specification

	Berths	Internal Length	Shipping Length	Overall Width	Overall Height	Internal H'room	Awning Size	Tyre Sizes	MTPLM	MRO	Payload Allowance for Essential Habitation Eqp.	Payload Allowance for Personal Effects	Payload Allowance for Optional Equipment	Total User Payload
<b>VERMONT</b>	2	4.842m 15'9"	6.520m 21' 5"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	895cm	195/70 R14 U96	1333kg 26.2cwt	1080kg 21.3cwt	113kg 2.2cwt	115kg 2.3cwt	25kg 0.5cwt	253kg 5.0cwt
<b>ARIZONA</b>	4	5.508m 18'1"	7.250m 23' 10"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	967cm	185 R14 U104	1472kg 29.0cwt	1203kg 23.7cwt	113kg 2.2cwt	131kg 2.6cwt	25kg 0.5cwt	269kg 5.3cwt
<b>OKLAHOMA</b>	4	5.508m 18'1"	7.250m 23' 10"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	967cm	185 R14 U104	1491kg 29.3cwt	1222kg 24.1cwt	113kg 2.2cwt	131kg 2.6cwt	25kg 0.5cwt	269kg 5.3cwt
<b>WYOMING</b>	4	6.320m 20'7"	8.060m 26' 5"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	1042cm	185/65 R14 U90	1657kg 32.6cwt	1359kg 26.8cwt	113kg 2.2cwt	140kg 2.8cwt	45kg 0.9cwt	298kg 5.9cwt
<b>MONTANA</b>	5	6.320m 20'7"	8.060m 26' 5"	2.19m 7'2"	2.71m 8'10"	1.90m 6'3"	1042cm	185/65 R14 U90	1705kg 33.6cwt	1388kg 27.3cwt	113kg 2.2cwt	159kg 3.1cwt	45kg 0.9cwt	317kg 6.2cwt

**EXTERIOR** • Al-ko galvanised chassis with Euro-axle • Al-ko chassis mounted spare wheel carrier and spare wheel • Gas strut assisted handbrake • Fully insulated walls, floor and roof to grade II classification of EN1645-1 (Panel thickness : Sides 28mm, Ceiling 28mm & Floor 44mm) • Exterior door with double glazed window and window blind • Full height ABS rear panel with integral roof spoiler and twin high level brake lights • Reinforced plastic rear grab handles • Awning light • Status TV aerial and booster • External gas barbecue point • Triomatic automatic gas regulator change-over system

**NEW FOR 2003** • **NEW** 14" Alloy wheels with low profile tyres • **NEW** Al-ko AKS Euro hitch • **NEW** Heavy duty front corner steadies • **NEW** Gas locker courtesy light • **NEW** Full height ABS front panel with high line profile and integral grab handles • **NEW** Flush fit Polyplastic windows throughout • **NEW** Re-engineered gas bottle locker with improved access and storage • **NEW** ABS A-Frame fairing • **NEW** Hella rear light cluster including fog and reversing light • **NEW** Senator design graphics

**ELECTRICAL SYSTEM** • Mains electric with three 230v sockets • TV station with 230v/12v/aerial sockets • 12v and 230v reading lights • 230v light dimmer switch • Circular halogen ceiling lighting • Flush fit halogen down lighters • Switch mode battery charger with 12 amps output • RCD/MCB protection for mains electric system • 25 metre mains connecting lead • 230v exterior mains socket

**HEATING & WATER SYSTEM** • Truma 3002 3kw heater with Ultraheat system, automatic ignition and silent running night setting • Truma Ultratherm and blown air distribution system • Truma Ultrastore water heater (gas/electric operation) • Onboard water tank (Capacity 42 litres) • Whale Watermaster water inlet with in-line filter and submersible pump • Inboard pressurised hot and cold fresh water system with reinforced hoses • Large bore rigid waste plumbing routed to side of tourer • Shower unit with ceramic ball mixer tap • Single piece plastic shower unit (model specific) • Whale external shower unit • Fully fitted vanity unit, wall mirrors and integral storage

**NEW FOR 2003** • **NEW** Swivel electric flush Thetford cassette toilet with integrated header tank in all models

**KITCHEN EQUIPMENT** • Dometic 66 litre Power fridge with electronic ignition and full width freezer compartment • Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid • Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device • Spinflo recessed stainless steel sink and drainer incorporating flush fitting glass hinged lid with ceramic ball mixer tap • Fitted waste bin (model specific) • L-shaped kitchen units with dedicated cutlery and pull out basket storage

**NEW FOR 2003** • **NEW** extended worktop surfaces covered in a co-ordinating laminate (model specific)

**FURNITURE & SOFT FURNISHINGS** • Free standing table with dedicated storage • Side dinette occasional table (model specific) • Chest of drawers with fold over coffee table • Aircraft style overhead storage lockers with real wood locker doors and domestic style metal hinges • Pull out roller slatted bed • Drop down flaps on large bed box fronts • Sculpted wooden bunk fall out rails • Interior sprung upholstery • Standard 'Clifton' soft furnishings with co-ordinating lined curtains, pelmet covers, bolster and scatter cushions

**NEW FOR 2003** • **NEW** Optional 'Raleigh' soft furnishings with co-ordinating lined curtains, pelmet covers, bolster and scatter cushions • **NEW** Optional 'Matisse' soft furnishings with co-ordinating lined curtains, pelmet covers, bolster and scatter cushions • **NEW** Domestic standard fully fitted deep pile co-ordinated carpet • **NEW** Hinge sprung slatted bed box tops for easy access

**GENERAL EQUIPMENT** • Omnivent dual action rooflight mounted extractor fan • Remis integral cassette flyscreen and sunblind to all principal windows • Remis flyscreen and sunblind to 4 way rooflight in saloon • Remis full length flyscreen to exterior door • Stereo CD/Radio with removable security face • Branded doorwell mat • Analogue clock

**NEW FOR 2003** • **NEW** Remi Top 'slide and tilt' sun roof with integral ceiling lighting located over front saloon • **NEW** Mini-Heki sun-roof located over rear bedroom (model specific) • **NEW** Preformed moulded interior door liner with integral storage

**SECURITY** • Selectamark electronic tagging • Single key operation on all exterior doors • Vin no. etched to all exterior windows • Vin no. scribed in chassis member

**NEW FOR 2003** • **NEW** IDM-3 infra-red security alarm

## BED SIZES

**VERMONT** Front Saloon 6'8" x 5'5" or 1 @ 6'2" x 2'3" & 1 @ 6'1" x 2'3"

**ARIZONA** Front Saloon 6'8" x 5'5" or 2 @ 6'2" x 2'3", O/Side Single 5'11" x 2'0" & O/Head Single 5'9" x 1'11"

**OKLAHOMA** Front Saloon 6'8" x 4'7" or 1 @ 6'2" x 2'3" & 1 @ 5'11" x 2'3", Rear Double 6'4" x 4'6"

**WYOMING** Front Saloon 6'8" x 5'4", Rear Double 6'4" x 4'6"

**MONTANA** Front Saloon 6'8" x 5'5" or 2 @ 6'2" x 2'3", Rear O/S Single 5'11" x 2'3", Rear N/S Single 5'11" x 2'0" & N/Side O/Head 5'7" x 1'11"



# Ten Reasons To Buy Bailey

- **Bailey is over 50 years old, 50 years of expertise in caravan manufacturing - you can be sure of Bailey**
- **Bailey is investing in the future, developing a state of the art production facility on our Bristol site - showing our confidence in our products and the market**
- **Bailey are known for award winning engineering, giving unrivalled towing stability and a product that won't let you down**
- **Bailey offer a three year factory backed warranty on all new Bailey caravans - showing our confidence in our standards**
- **Bailey leads the market in terms of value for money - Bailey understands what consumers expect**
- **Bailey caravans have low depreciation, the market understands the true value of a Bailey - your new purchase will be welcomed as a future part exchange**
- **Bailey offer a comprehensive range of 25 models - the right layout, the right specification, at the right price for you**
- **Bailey's aftersales and spare parts service is second to none - giving you peace of mind with your purchase**
- **Bailey has the largest and most professional retailer network in the U.K. giving the local service and support you require**
- **Bailey owners run a large and active club - giving you the chance to enjoy your Bailey with other enthusiasts**

## Bailey Three Year Warranty

When you are making key purchasing decisions do you look for products backed up by a comprehensive package of After Sales support and a history of reliability? Bailey of Bristol believe you do and that is why we offer a package of warranty cover which is the envy of the touring home industry.

The additional cover that is available is provided at no extra cost to you the customer. It is a factory backed scheme which has been created to give you additional re-assurance in the structure and integrity of the tourer bodyshell, running gear and equipment.

Should you experience the unusual event of something going wrong then your first 'port of call' should be the Bailey Retailer from whom you purchased the tourer. There you should find all the help you need to correct any faults or problems that exist, backed up by the 'down the line' support we give to all approved Bailey Retailers. Remember, always contact your supplying Retailer first. They will welcome the opportunity to resolve any problems you may encounter.

During the first year of ownership every Bailey Tourer is covered by one of the most complete and comprehensive Warranty schemes available. For a period of 12 months from the date of purchase Bailey of Bristol offer a comprehensive warranty on all parts and components, as well as full coverage for any manufacturing faults. Many components used by Bailey are manufactured by well known brands (e.g. Al-ko, Truma etc) and these suppliers in turn offer packages of cover in conjunction with your supplying Retailer.

The 2nd & 3rd year of cover extends to these items: **Chassis**; all chassis members including outriggers. **Suspension**; springs, hangers, shackle pins, bushes, shock absorbers and mountings. **Running Gear**; axles, hubs, hub bearings, hub oil seals, road wheels (excluding tyres and tubes). **Braking Systems**; all mechanical linkage, backing plates, actuators, drums and shoes. (Exclusions: this warranty does not cover damage to brake drums, shoes or any faults caused through misuse of the braking system or normal wear and tear). **Towing Mechanism**; all mechanical components fitted to tourers (excluding electrics). **Body Leaks & Delamination**; water ingress through any permanently sealed seam or joints or delamination of panels and floor, being part of the original manufacturer's construction. **Cooker**; the cooker unit including burners, grill, oven and flame failure device and igniter. **Fridge**; door seal, condenser, gas control valve, gas igniter, flame failure device, 12 and 230v heater elements, gas thermostat, 230v thermostat, 230v temperature control switch. **Water System**; water heater (gas or electric), fresh water tank, water pump, water gauges, taps and shower head. **Auxiliary Electrics**; mains hook-up input connector, ELCB, battery charger and distributor unit, interior lighting units (excluding bulbs). **Cassette Toilet**; the cassette toilet is covered (excluding seals, valves and glands). **Heating System**; thermostat, motor, switches, control unit, gas heater, flame failure device, igniter (excluding ducting and fittings).

**The above offer is subject to the conditions below. The warranty offer does not affect your statutory rights. Warranty extension - an additional 4 & 5 year warranty package is also available.**

The Bailey 3 Year Warranty is offered subject to the following simple conditions: **1.** The duration of this warranty is 36 months from the date of purchase. **2.** That the seams, joints and panels requiring repair are part of the original construction of the tourer and have not been tampered with or repaired otherwise than by Bailey Caravans Limited or an authorised Bailey retailer. **3.** That an authorised Bailey retailer has inspected the tourer annually from the date of purchase as new (or within 6 weeks of each anniversary of purchase). **4.** That original VAT invoices be retained as proof those annual inspections have been carried out. **5.** That in the event of any repairs being identified as being necessary during the course of an annual inspection the tourer is made available to an authorised Bailey retailer or Bailey Caravans Limited within 6 weeks for the purpose of carrying out the repair work. **6.** No repairs, including the fitting of any replacement unit, may be undertaken or commenced under the terms of the agreement unless authorisation is obtained by an authorised Bailey retailer from Bailey Caravans Limited. No liability will exist with regard to any claims not authorised in this way. **7.** Bailey Caravans Limited reserve the right to examine the tourer before any repairs commence or any replacement part fitted. **8.** No liability will be accepted for damage caused by neglect, corrosion, intrusion of foreign or deleterious matter, lack of servicing, over-heating, freezing or abuse or the continued use of the tourer after a fault has become evident or for the consequential loss or damage to parts not covered by this agreement. **9.** That tourers covered by this agreement shall not be put out to hire, reward or any other commercial use in any timed competition race. **10.** That the tourer shall be used only for its ordinary and intended purpose and shall not be subjected to any treatment or conditions which could reasonably be foreseen to cause or result in damage to the tourer or excessive wear and tear. **11.** That the tourer registration card shall have been sent to Bailey Caravans Limited within 6 weeks of its purchase as new. **12.** That private cars, or 4x4 type vehicles substituting as private cars, shall have only towed the tourer. **13.** This agreement is personal to the purchaser of the tourer as new from an authorised Bailey retailer or their authorised representative and shall not be transferable by way of assignment, novation or otherwise. **14.** Bailey Caravans Limited's liability under this agreement shall be limited to supplying labour and materials of a value not exceeding £2,500 including VAT in respect of each claim or series of claims. No liability arises out of this agreement for consequential costs or damage or for repair costs (other than labour materials). **15.** No liability will be accepted for any accidental or fire damage or any losses incurred by accident or fire. **16.** No liability will be accepted for transport costs to and from point of repair or consequential cost relating to transportation. **17.** No liability of any kind exists in respect of third parties or bodily injury. This agreement does not affect the purchaser's statutory rights.

JNB

[www.bailey-caravans.co.uk](http://www.bailey-caravans.co.uk)

South Liberty Lane, Bristol BS3 2SS, England