

2006 Swift Caravans

Charisma
Challenger
Conqueror

**YOUR 1ST CHOICE FOR
MORE CHOICE**

- ✓ OVER 300 CARAVANS ON SHOW
- ✓ INDOOR & SEASONAL OUTDOOR CAMPING DISPLAY
- ✓ AWNING DISCOUNT CENTRE
- ✓ ACCESSORIES SUPERMARKET
- ✓ 5 STAR SERVICE CENTRE & REPAIR WORKSHOPS
- ✓ FINANCE & INSURANCE (SUBJECT TO STATUS)

**GUARANTEED A
WARM WELCOME**

HIGHBRIDGE

Caravan and Camping Centre

**OPEN 7 DAYS
A WEEK**

01278 782725

A38, BRISTOL RD, HIGHBRIDGE, SOMERSET, TA9 4EX
www.highbridgecaravans.co.uk



Quality with Style

Quality with style



Charisma

Offering a winning combination of style, comfort and value for money, the popular Charisma goes from strength to strength. Striking graphics give a contemporary look and add to the modern appeal.



Challenger

This all-new flagship range offers eight superb models to choose from and its solid, detailed design and outstanding level of finish make it a tourer everyone will aspire to.



Conqueror

This ultimate twin axle tourer has all the luxuries couples or large families will need. The increased level of specification in this all-new range puts it head and shoulders above its competitors.

Swift Caravans are the result of four decades of quality and innovation that has earned Swift the distinction of being revered as the thoroughbred of the touring caravan world.

The Swift ethos is about combining quality build with pure luxury and functional layouts to produce models that suit every need.

2006 sees the introduction of all-new Challenger and Conqueror ranges, which are packed with desirable new features, whilst the Charisma's winning appeal continues.

All Swift models have benefited from new technology to make lockers and bed frames lighter and stronger with easier access to storage space underneath seats, and all washrooms now have separated showering areas to provide a dry area for the washbasin and toilet.

Quality with style has been Swift's motto for many years, and with constant investment in their ultra-modern manufacturing facility and advanced computer technology, all models are produced to the same high standards.

Each product goes through a careful checking process before leaving the factory and all models comply with the latest European legislation.

Customer satisfaction is another top priority at Swift. The caring ethos extends to the SuperCare aftersales service, and SuperSure's manufacturer's 3 year warranty that comes with every new Swift tourer. Everything is provided to ensure you have a relaxing holiday – the Swift way.

Swift's active owners' club is open to all purchasers of Swift Tourers. Full details can be found by logging onto www.swift-owners-club.co.uk



Charisma 590

Charisma 230



Alloy wheels enhance the 7'4" wide glacier white bodyshell, which has a smart rear panel with attractive light clusters and high-level brake light.



Charisma

The latest AL-KO 3004 stabiliser has been fitted for added towing confidence as well as an AL-KO 'Euro' hitch with two-way assisted handbrake for ease of use.

The jockey wheel stores neatly away inside the A-frame moulding to give more clearance for manoeuvring, and a wet locker is ideal for wet and muddy items.





Charisma

Fidji terracotta soft furnishings with two bolster cushions and two scatter cushions create a stylish, comfortable interior, while co-ordinating loose-fit carpets over wood block effect vinyl flooring

are easily removed for cleaning. A full height door flyscreen provides added ventilation on hot days.



Charisma 230



Charisma 550



Charisma 590



Charisma

Kitchens offer an impressive range of features including a new 107-litre fridge, which has plenty of room inside including a salad drawer and full-width freezer compartment.

The dual fuel hob has three gas rings and one electric hotplate, as well as a gas grill and full size oven for cooking convenience.



Charisma 555



Charisma 565



Charisma 550



Charisma

Full front access flaps to underseat areas and cantilever hinged aluminium frames to fixed beds ensure all storage space is easy to access.

New washrooms in some models feature a washbasin and mirror on a wall, which pivots so all models now have a dry area for the washbasin and toilet and a wet area for showering.



Charisma features

Body and Exterior Equipment

- Overall body width 2.23m / 7'4"
- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 Stabiliser
- Hitch and A-frame cover with plug tidies
- 14" Alloy wheels
- Spare wheel (steel) and underslung carrier
- Moulded front panel with three opening windows and door with gas struts
- Moulded rear panel with rear light clusters and high-level brake light
- Heki large tilting panoramic roof window with flynet and blind. Two in the 550
- Double-glazed opening windows with night ventilation position
- Exterior two-part door with window and blind and quick-release retainer
- Exterior access battery box with mains electric inlet (battery not included)
- Lined external access locker or access door to base of wardrobe (model specific)
- Flush fitting awning light
- Fixing points for rear-mounted cycle rack
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

Living Area

- Large upper lockers with spaceframe construction
- Seat bases with spaceframe construction, full front access and space for larger items
- Fixed beds with aluminium frames to maximise strength and storage space
- Hinged seat and bed tops supported in open position for easy access
- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, seat and backrest cushions
- **NEW** seat and backrest ventilation boards
- Long front beds 1900mm (6'3") (model specific)
- Chest of drawers with occasional table (model specific)
- Free-standing table with dedicated storage location
- 2 x scatter cushions
- 2 x bolster cushions
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring

Kitchen

- **NEW** 107 litre fridge with curved door, electronic ignition and single energy and temperature controls
- Recessed stainless steel bowl
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Stoves thermostatic oven and separate grill
- Stoves dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Moulded cutlery drawer on smooth steel runners
- Analogue clock

Washroom

- **NEW** washbasin and mirror-wall pivot to create dry area for toilet, washbasin, mirror, towels etc and wet area for showering in 540 & 570
- Shower cubicles in 230, 560, 565 & 590
- Shower area separated by bi-fold doors in 220, 535 & 550
- Thetford cassette toilet with independent tank and manual flush
- Chrome finish mixer taps and shower equipment
- Multi-directional rooflight with flyscreen

Fittings and Equipment

- Cassette flyscreens and blinds on all windows
- Full height door flyscreen
- Multi-directional rooflight with flyscreen and blind
- Gas regulator for Propane and Butane mounted on front bulkhead
- Isolation taps for gas appliances
- Smoke alarm
- Entrance step
- Removable entrance mat
- Domestic style cabinet hinges

Heating and Plumbing

- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater
- Blown air system ducted to living, sleeping and washroom areas
- **NEW** areas under seats and beds warmed by blown air system
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh water pipes
- Submersible water pump with external connection point
- Large bore underslung rigid waste pipes

Electrical

- Fully protected mains electric system with two 230V sockets
- Switchmode charger/transformer
- 12V control panel with battery state meter, car/caravan battery switch and water pump switch
- Solar panel connection provision
- Omni-directional TV/FM aerial and booster
- TV station with 230V, 12V and coax aerial sockets
- Halogen ceiling lights in living and washroom areas
- Halogen adjustable downlights in lounge/sleeping areas and kitchen
- 25 metre mains hook-up cable

Safety and Security

- CRIS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Single key for all locks
- All models comply with British and European safety standards



Large upper lockers with spaceframe construction



Seat bases with spaceframe construction and full front access



107 litre fridge with curved door, electronic ignition, single energy and temperature controls



Hitch and A-frame cover with AKS 3004 stabiliser





Spare wheel (steel) and underslung carrier



Fully lined external access locker

Charisma specification



Model	220	230	535	540	550	560	565	570	590
Berths	2	2	4	5	4	4	4	6	6
Number of Axles	1	1	1	1	1	1	1	1	2
Internal Length (at bed box height)	4.20m/13'9"	4.67m/15'4"	4.74m/15'7"	5.13m/16'10"	5.39m/17'8"	5.23m/17'2"	5.23m/17'2"	5.50m/18'1"	6.27m/20'7"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including TV aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Overall Length	5.88m/19'3"	6.35m/20'10"	6.42m/21'11"	6.81m/22'4"	7.07m/23'2"	6.91m/22'8"	6.91m/22'8"	7.18m/23'7"	7.95m/26'11"
Mass in Running Order (including tolerance)	1017kg/20.0cwt	1074kg/21.1cwt	1090kg/21.5cwt	1185kg/23.3cwt	1199kg/23.6cwt	1183kg/23.3cwt	1163kg/22.9cwt	1216kg/23.9cwt	1363kg/26.8cwt
Essential Habitation Equipment Payload	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt
Personal Effects Payload	100kg/2.0cwt	105kg/2.1cwt	125kg/2.5cwt	139kg/2.7cwt	132kg/2.6cwt	130kg/2.6cwt	130kg/2.6cwt	153kg/3.0cwt	160kg/3.1cwt
Optional Equipment Payload	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt	4kg/0.1cwt
Maximum Technical Permissible Laden Mass	1189kg/23.4cwt	1251kg/24.6cwt	1287kg/25.4cwt	1396kg/27.4cwt	1403kg/27.6cwt	1385kg/27.3cwt	1365kg/26.9cwt	1441kg/28.3cwt	1595kg/31.3cwt
Awning A/A Dimension†	8.41m/27'7"	8.88m/29'2"	8.95m/29'4"	9.34m/30'8"	9.60m/31'6"	9.44m/31'0"	9.44m/31'0"	9.71m/31'10"	10.48m/34'5"
Tyre Size	195/70 r14	195/70 r14	195/70 r14	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175 r14 99	175/65 r14 82

Bed sizes	220	230	535	540	550	560	565	570	590
Front Double [†]	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"	208cm x 134cm/6'10" x 4'5"	208cm x 180cm/6'10" x 5'11"	208cm x 167cm/6'10" x 5'6"	208cm x 180cm/6'10" x 5'11"	209cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"
or One Single	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"		190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"
and One Single	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"		180cm x 72cm/5'11" x 2'4"	167cm x 72cm/5'6" x 2'4"	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"
Rear Double			188cm x 138cm/6'2" x 4'6"	209cm x 133cm/6'10" x 4'4"	198cm x 138cm/6'6" x 4'6"				
Rear Bunk				194cm x 56cm/6'4" x 1'10"					
Side Single (offside)						180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"		
Side Single (nearside)								180cm x 70cm/5'11" x 2'4"	180cm x 70cm/5'11" x 2'4"
Side Bunk						178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"	178cm x 59cm/5'10" x 1'11"
Rear Fixed Lower Bunk								180cm x 62cm/5'11" x 2'1"	
Rear Fixed Upper Bunk								184cm x 60cm/6'0" x 2'0"	
Side Fixed Lower Bunk									180cm x 56cm/5'11" x 1'10"
Side Fixed Upper Bunk									180cm x 58cm/5'11" x 1'11"

† Double bed size is quoted with wrap round seating.
 †† Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

Challenger 550L



A brand new exterior boasts a new smooth, aerodynamic GRP front panel and a distinctive new Swift badge along with silver and burgundy graphics and attractive rear light clusters.



Challenger

All new for 2006 the Challenger is a simple statement of style and desirability.

Exclusive new features including stylish 15" alloy wheels, Status 530 directional aerial for the best signal and an AL-KO Secure portable wheel lock heighten the exterior specification.

There is also an AKS 3004 stabiliser to help prevent "snaking" and a wet locker for wet and muddy items.





Challenger

A subtle new soft furnishing scheme in Bolero beige combines with the new furniture in Tanganica walnut to create a welcoming interior. Enhancements include a ceiling light feature,

radio/CD/MP3 player with the option to upgrade to a pre-wired DVD player, and a larger free-standing table with plenty of room for four place settings.



Challenger 520



Challenger 470



Challenger 500



Challenger

Kitchens are upgraded with more worktop space and larger centre cupboards with pull-out chrome wire baskets and wide cutlery tray. A large 107-litre fridge has digital controls, a salad drawer and

full-width freezer compartment and a built-in microwave comes as standard.



Challenger 520



Challenger 510



Challenger 510



Challenger

The new Challenger 510 has fixed rear single beds.

New spaceframe technology for seats and roof lockers, and aluminium framed cantilever hinged bed tops, ensure all storage space is easily accessible and provides strong, light construction.

Washrooms have a new Pescara pastel blue wall colour and new fittings, with all models offering circular shower cubicles or separated showering areas.



Challenger features

Body and Exterior Equipment

- Overall body width 2.23m / 7'4"
- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 Stabiliser
- Heavy duty corner steadies
- Hitch and A-frame cover with gas compartment light and plug tidies
- **NEW** 15" Alloy wheels
- Spare wheel (steel) and underslung carrier
- **NEW** moulded front panel with three opening windows and door with gas struts
- Moulded rear panel incorporating spoiler, high-level brake light and rear light clusters
- Heki large tilting panoramic roof window with flynet and blind. Two in the 500
- Flush fitting, aluminium framed double-glazed opening windows with night ventilation position
- Exterior two-part door with moulded interior liner, window, blind and quick-release retainer
- Exterior access battery box with aerial inlet and mains electric inlet (battery not included)
- Lined external access locker with 230V external socket
- External access door (model specific)
- Gas barbecue point with isolation valve
- Flush fitting awning light
- Fixing points for rear-mounted cycle rack
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

Living Area

- **NEW** large upper lockers with spaceframe construction and curved doors
- Rolled edged hardwood mouldings to worktops and tables
- **NEW** seat bases with spaceframe construction, full front access and space for larger items
- Fixed beds with aluminium frames to maximise strength and storage space
- Hinged seat and bed tops supported in open position for easy access
- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, seat and backrest cushions
- Seat and backrest ventilation boards
- Long front beds 1900mm (6'3") (model specific)
- Chest of drawers with occasional table (model specific)

- Free-standing table with dedicated storage location
- 2 x scatter cushions
- **NEW** 2 x pillow size cushions in fixed bed models
- Bolster cushions or armrests
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Analogue clock

Kitchen

- **NEW** 107 litre fridge with curved door, electronic ignition and digital controls for energy selection and temperature
- **NEW** built-in microwave oven
- Recessed stainless steel bowl
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Stoves thermostatic oven and separate grill
- Stoves dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- **NEW** slide-out storage rack
- Moulded cutlery drawer on smooth steel runners

Washroom

- Fully fitted luxury washroom with separate shower areas or cubicles
- Thetford cassette toilet with independent tank and electric flush
- Chrome finish mixer taps and shower equipment
- Multi-directional rooflight with flyscreen
- Opening window
- Removable hanging rail in shower cubicle (model specific)

Fittings and Equipment

- Cassette flyscreens and blinds on all windows (Concertina on sides and rear)
- Full height door flyscreen
- Omnivent 3-speed fan and skylight
- Multi-position 'Mini-Heki' clear rooflight with flyscreen and blind (model specific)
- Gas regulator for Propane and Butane mounted on front bulkhead
- Isolation taps for gas appliances
- Smoke alarm
- Entrance step
- Entrance mat with embroidered logo in tray
- Domestic style cabinet hinges

Heating and Plumbing

- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater
- Blown air system ducted to living, sleeping and washroom areas
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh water pipes
- Submersible water pump with external connection point
- Large bore underslung rigid waste pipes

Electrical

- Fully protected mains electric system with three 230V sockets
- 18 amp switchmode charger/transformer
- 12V control panel with battery state meter, awning light and water pump switches
- Solar panel connection provision
- **NEW** radio/CD/MP3 player
- **NEW** DVD socket and wiring for optional DVD player
- TV station with 230V, 12V and coax aerial sockets
- **NEW** directional TV/FM aerial and booster
- Mains lights on front locker corner panels
- Halogen ceiling lights in living and washroom areas
- Halogen downlight in kitchen
- Halogen adjustable spotlights in lounge and sleeping areas
- 25 metre mains hook-up cable

Safety and Security

- **NEW** AL-KO Secure portable wheel lock
- **NEW** passive infra-red alarm system with tilt sensor and key fob operation
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Single key for all locks
- All models comply with British and European safety standards



Directional TV/FM aerial and booster



Built-in microwave oven



Passive infra-red alarm system with tilt sensor and key fob operation



107 litre fridge with digital control/display











Seat bases with spaceframe construction and full front access



AL-KO Secure portable wheel lock

Challenger specification



Model	470	480	490	500	510	520	530	550
Berths	2	2	5	4	4	4	4	4
Number of Axles	1	1	1	1	1	1	1	1
Internal Length (at bed box height)	4.74m/15'7"	4.74m/15'7"	5.43m/17'10"	5.43m/17'10"	5.50m/18'1"	5.43m/17'10"	5.43m/17'10"	5.43m/17'10"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including TV aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Overall Length	6.43m/21'1"	6.43m/21'1"	7.11m/23'4"	7.11m/23'4"	7.19m/23'7"	7.11m/23'4"	7.11m/23'4"	7.11m/23'4"
Mass in Running Order (including tolerance)	1230kg/24.2cwt	1229kg/24.2cwt	1349kg/26.6cwt	1328kg/26.1cwt	1359kg/26.8cwt	1345kg/26.5cwt	1360kg/26.8cwt	1301kg/25.6cwt
Essential Habitation Equipment Payload	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt
Personal Effects Payload	105kg/2.1cwt	105kg/2.1cwt	142kg/2.8cwt	132kg/2.6cwt	133kg/2.6cwt	132kg/2.6cwt	132kg/2.6cwt	132kg/2.6cwt
Optional Equipment Payload	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt
Maximum Technical Permissible Laden Mass	1408kg/27.7cwt	1407kg/27.7cwt	1564kg/30.8cwt	1533kg/30.1cwt	1565kg/30.8cwt	1550kg/30.5cwt	1565kg/30.8cwt	1506kg/29.6cwt
Awning A/A Dimension†	8.95m/29'4"	8.95m/29'4"	9.63m/31'7"	9.63m/31'7"	9.71m/31'10"	9.63m/31'7"	9.63m/31'7"	9.63m/31'7"
Tyre Size	205/65 r15 102	205/65 r15 102	205/65 r15 102	205/65 r15 102	205/65 r15 102	205/65 r15 102	205/65 r15 102	205/65 r15 102

Bed sizes	470	480	490	500	510	520	530	550
Front Double†	208cm x 190cm/6'10" x 6'3"	208cm x 180cm/6'10" x 5'11"	208cm x 180cm/6'10" x 5'11"	208cm x 167cm/6'10" x 5'6"	209cm x 139cm/6'10" x 4'7"	209cm x 139cm/6'10" x 4'7"	208cm x 180cm/6'10" x 5'11"	209cm x 139cm/6'10" x 4'7"
or One Single	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/6'3" x 2'4"
and One Single	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	167cm x 72cm/5'6" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"
Rear Double			208cm x 138cm/6'10" x 4'6"	196cm x 138cm/6'5" x 4'6"				197cm x 133cm/6'5" x 4'4"
Rear Bunk			190cm x 56cm/6'3" x 1'10"					
Side Single (offside)					187cm x 78cm/6'2" x 2'6"	180cm x 66cm/5'11" x 2'2"	180cm x 66cm/5'11" x 2'2"	
Side Single (nearside)					190cm x 78cm/6'3" x 2'6"			
Side Bunk						178cm x 56cm/5'10" x 1'10"	178cm x 56cm/5'10" x 1'10"	

† Double bed size is quoted with wrap round seating.

†† Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

Conqueror 645



With its distinctive new front, designer graphics, flush-fitting windows, and smart rear light clusters, the new Conqueror sets new standards in touring style.



Conqueror

With the same heightened exterior specification as the Challenger, the Conqueror twin-axles provide towing stability and come with two AL-KO Secure portable wheel locks for nearside wheels.

There is also an AL-KO side-mountable jack to lift the wheels clear of the ground and lockable rear corner steadies.





Conqueror

The Conqueror boasts a whole new look, enhanced specification, an attractive new soft furnishings scheme in warm Foz Plum, sleek, designer curved lockers in Tanganica walnut and four exciting

model layouts offering a wide range of accommodation.



Conqueror 650



Conqueror 650



Conqueror 645



Conqueror

Cooking and dining in a Conqueror is sheer pleasure. A new large free-standing table has plenty of room for four place settings and kitchens have all the space and storage details you could want.

Also standard in this range is a built-in microwave, dual fuel hob, stylish and functional Stoves oven and a large curved-front fridge with digital controls.



Conqueror 650



Conqueror 630 (curtains not included)




Conqueror 630



Conqueror

The vast interior space allows for some of the best washroom designs with spacious arrangements offering separate sealed shower cubicles and dry areas for the washbasin and cassette toilet.

Bunk beds have a secure aluminium ladder and bed tops are sprung hinged for easy access to underneath storage.



Conqueror features

Body and Exterior Equipment

- Overall body width 2.23m / 7'4"
- AL-KO galvanised steel chassis with Euro-Axles
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 Stabiliser
- **NEW** AL-KO side mountable jack
- Heavy duty corner steadies, lockable at the rear
- Hitch and A-frame cover with gas compartment light and plug ties
- 14" Alloy wheels
- Spare wheel (steel) and underslung carrier
- **NEW** moulded front panel with three opening windows and door with gas struts
- Moulded rear panel incorporating spoiler, high-level brake light and rear light clusters
- Heki large tilting panoramic roof window with flynet and blind. (Two in 630, 645 & 655)
- Flush fitting, aluminium framed double-glazed opening windows with night ventilation position
- Exterior two-part door with moulded interior liner, window, blind and quick-release retainer
- Exterior access battery box with aerial inlet and mains electric inlet (battery not included)
- Lined external access locker with 230V external socket
- External access door (model specific)
- Gas barbecue point with isolation valve
- Flush fitting awning light
- Fixing points for rear-mounted cycle rack
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

Living Area

- **NEW** large upper lockers with spaceframe construction and curved doors
- Rolled edged hardwood mouldings to worktops and tables
- **NEW** seat bases with spaceframe construction, full front access and space for larger items
- Fixed beds with aluminium frames to maximise strength and storage space
- Hinged seat and bed tops supported in open position for easy access
- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, seat and backrest cushions
- Seat and backrest ventilation boards
- Chest of drawers with occasional table (model specific)

- Free-standing table with dedicated storage location
- 2 x scatter cushions
- **NEW** 2 x pillow size cushions in fixed bed models
- Bolster cushions or armrests
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Analogue clock

Kitchen

- **NEW** 107 litre fridge with curved door, electronic ignition and digital controls for energy selection and temperature (except 630)
- **NEW** 147 litre fridge/freezer with curved door, electronic ignition and digital controls for energy selection and temperature (630 only)
- Recessed stainless steel bowl
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Stoves thermostatic oven and separate grill
- Stoves dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Built-in microwave oven
- **NEW** slide-out storage rack
- Moulded cutlery drawer on smooth steel runners

Washroom

- Fully fitted luxury washroom with shower cubicle
- Thetford cassette toilet with independent tank and electric flush
- Chrome finish mixer taps and shower equipment
- Multi-directional rooflight with flyscreen
- Opening window

Fittings and Equipment

- Cassette flyscreens and blinds on all windows (Concertina on sides and rear)
- Full height door flyscreen
- Omnivent 3-speed fan and skylight
- Multi-position 'Mini-Heki' clear rooflight with flyscreen and blind (model specific)
- Gas regulator for Propane and Butane mounted on front bulkhead
- Isolation taps for gas appliances
- Smoke alarm
- Entrance step
- Entrance mat with embroidered logo in tray
- Domestic style cabinet hinges

Heating and Plumbing

- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater
- Blown air system ducted to living, sleeping and washroom areas
- Grade 2 classification for heating and thermal insulation
- Internal fresh water tank (40 litres)
- Wheeled waste water tank (22 litres)
- Inboard semi-rigid fresh water pipes
- Submersible water pump with external connection point
- Large bore underslung rigid waste pipes

Electrical

- Fully protected mains electric system with three 230V sockets
- 18 amp switchmode charger/transformer
- 12V control panel with battery state meter, awning light and water pump switches
- Key-fob operated entry light and 12V isolation
- Solar panel connection provision
- **NEW** radio/CD/MP3 player
- **NEW** DVD socket and wiring for optional DVD player
- TV station with 230V, 12V and coax aerial sockets
- **NEW** directional TV/FM aerial and booster
- Mains lights on front locker corner panels
- Halogen ceiling lights in living and washroom areas
- Halogen downlight in kitchen
- Halogen adjustable spotlights in lounge and sleeping areas
- 25 metre mains hook-up cable

Safety and Security


- **NEW** two AL-KO Secure portable wheel locks
- Passive infra-red alarm system with tilt sensor and key fob operation
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Single key for all locks
- All models comply with British and European safety standards



Fridge freezer with curved door, electronic ignition and digital controls (630)



Radio/CD/MP3 player



Heavy duty corner steadies



AL-KO side-mountable jack






Wheeled waste water tank



AL-KO Secure portable wheel lock

Conqueror specification



Model	630	645	650	655
Berths	4	4	5 opt 6	4
Number of Axles	2	2	2	2
Internal Length (at bed box height)	6.27m/20'7"	6.27m/20'7"	6.27m/20'7"	6.27m/20'7"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (including TV aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Overall Length	7.96m/26'1"	7.96m/26'1"	7.96m/26'1"	7.96m/26'1"
Mass in Running Order (including tolerance)	1546kg/30.4cwt	1484kg/29.2cwt	1541kg/30.3cwt	1500kg/29.5cwt
Essential Habitation Equipment Payload	105kg/2.1cwt	105kg/2.1cwt	105kg/2.1cwt	105kg/2.1cwt
Personal Effects Payload	140kg/2.8cwt	140kg/2.8cwt	160kg/3.1cwt	140kg/2.8cwt
Optional Equipment Payload	33kg/0.6cwt	33kg/0.6cwt	53kg/1.0cwt	33kg/0.6cwt
Maximum Technical Permissible Laden Mass	1824kg/35.9cwt	1762kg/34.7cwt	1859kg/36.5cwt*	1778kg/35.0cwt
Awning A/A Dimension†	10.48m/34'5"	10.48m/34'5"	10.48m/34'5"	10.48m/34'5"
Tyre Size	175/65 r14 86	175/65 r14 86	175/65 r14 86	175/65 r14 86

Bed sizes	630	645	650	655
Front Double†	209cm x 139cm/6'10" x 4'7"	208cm x 167cm/6'10" x 5'6"	208cm x 190cm/6'10" x 6'3"	209cm x 139cm/6'10" x 4'7"
or One Single		190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	
and One Single		167cm x 72cm/5'6" x 2'4"	190cm x 72cm/6'3" x 2'4"	
Rear Double	192cm x 138cm/6'4" x 4'6"	186cm x 134cm/6'1" x 4'5"		
Side Single (offside)				187cm x 78cm/6'2" x 2'6"
Side Single (nearside)			177cm x 68cm/5'10" x 2'3"	190cm x 78cm/6'3" x 2'6"
Rear Fixed Lower Bunk			182cm x 66cm/6'0" x 2'2"	
Rear Fixed Upper Bunk			184cm x 68cm/6'0" x 2'2"	
Optional Bunk			172cm x 56cm/5'8" x 1'10"	

* Estimated weight.

† Double bed size is quoted with wrap round seating.

‡ Note on awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

Your Local Dealer



All Swift Group models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Swift caravan carries the "NCC Approved Caravan" badge. The NCC also conduct unannounced inspections at the Swift Group factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

CRIS

For added security all Swift caravans come registered with the Caravan Registration and Identification Scheme (CRIS), the UK's official database of caravans and their keepers. Swift caravans not only carry the unique 17 digit CRIS Vehicle Identification Number (VIN) die stamped into the chassis, but windows are also etched with the VIN and an electronic tag embedded within the bodywork for extra security. Specialist insurance companies increasingly require registration with CRIS before granting cover and when you come to sell your caravan your CRIS registration will prove invaluable.

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2006 models will have commenced on or after 1 September 2005.

All props are for photographic purposes only and are not included in the specification

Issued September 2005

Cars courtesy of Volvo Cars UK Limited



Swift Caravans
Dunswell Road, Cottingham,
East Yorkshire HU16 4JX.
Tel: 01482 847332 Fax: 01482 841042
email: enquiry@swiftleisure.co.uk
web site: www.swiftcaravans.co.uk
A MEMBER OF THE SWIFT GROUP

Quality with Style