

**ON THE ROAD
TO HAPPINESS**



CHAUSSON

HAPPY IN OUR CHAUSSON!



- 1 - Digital machining workshop producing bodywork panels.
- 2 - Before delivery of each motorhome, Chausson proceeds with all roadworthiness operations: verification of parallelism, empty weight and complete cleaning.
- 3 - Simulator recreating rolling or parking conditions in the rain allowing intensive waterproofing tests.
- 4 - A customer relations department is specially dedicated to welcoming and advising users and relations with Chausson distributors. You may be received by appointment.
- 5 - Chausson network of 130 distributors in Europe.

The road will always be a happy one in a Chausson motorhome. Since the first vehicle in the 80's, we have travelled far together and shared so many things! Miles have rolled past, opening up new horizons onto a vast range of innovative features, Chausson has become a recognised leader on the European market. The pleasure of travel can only be real when accessible to as many people as possible: clever features at affordable prices, absolute comfort especially in bedding and competent after-sales service everywhere in Europe, are the secrets of a successful journey... And for you, when you choose a major brand, you are guaranteed a reliable investment with an appreciable resell value.

So start the engine and head towards happiness!



LEAKTIGHTNESS GUARANTEED FOR 5 YEARS

The waterproof exterior of your Chausson motorhome is covered by a 5-year water ingress (with an annual maintenance check by one of the Chausson network's certified members).

INTERIOR GUARANTEED FOR 2 YEARS

In addition to the 5-year leaktightness guarantee, Chausson also guarantees the interior decor for 2 years.



INTERNET

Find out all about our models, their features, and our distributor network, and take a virtual tour of a Chausson motorhome,



PRIMAGAZ
Click on propane pour Primagaz, c'est vous

Chausson recommends PRIMAGAZ.

Primagaz gives each new Chausson owner the deposit on your first two tanks of propane gas free.



Chausson has chosen LOISIRS FINANCE,


a financial partner specializing in financing recreational vehicles. Find out about its services and offers, and calculate financing on its internet site www.loisirs-finance.com. (For the French market only).



Hertz, the world's leading rental company has chosen Chausson... Solid proof of our reliability!



CHAUSSON
www.chausson.tm.fr



FLASH SMALL PRICES, BIG IDEAS



The Flash range offers the best equipment at the best prices. All Chausson values are designed to offer motorhome access to as many people as



possible, without compromising on design quality, habitability and all the features indispensable for life on board. Flash, a genuine motorhome at Chausson prices!



WELCOME COMFORT/EQUIPMENT/PRICING EXCELLENCE

For years now, the Welcome range has been a reference in the motorhome world... Often copied, never equalled, Welcome means "welcome to the world of multi-feature motorhomes at very accessible prices". All the know-how of Chausson illustrated in caps and profiles with an exhaustive list of features. All for a very accessible price. In short: happiness!



WELCOME TOP BETWEEN COMFORT AND LUXURY

A luxury mobile home without paying the price... that is the elegance of the Chausson Welcome Top! Because we are entitled to ask for the best, without necessarily blowing the budget... Welcome Top offers all of Chausson's expertise in a new motorhome concept for the most demanding enthusiasts. Fans will definitely appreciate it.



ALLEGRO ABSOLUTE JOY



Exclusive design, top-of-the-range upgraded features, 4 star comfort, high quality production and absolute safety... Allegro attracts superlatives with a



disconcerting originality: compare... and compare everything! Especially at such affordable prices! Allegro is concentrated Chausson know-how designed for the most demanding customers.



Flash 03 - Flash 08



FLASH
**— SMALL PRICES,
BIG IDEAS**

Flash 04



- 1 - Electric windows. (1)
- 2 - Double Air Bag Ford / Fiat. (1)

The Flash range is already the reference in its category! One has to admit that it is a generous and high quality model in this price bracket. For example, take the large fridge-freezer, usually found in upscale models over 6.50 m, without an extra charge... What more can you want? (1)




Flash 01 - Flash 07

CHAUSSON


(1) Country dependent / See features table.



- 1 - Flash 08
Atlanța decor. (1)
- 2 - Flash 04
Equator decor. (1)



(1) Country dependent / See features table.



- 1 - Flash 03
Equator décor. (1)
- 2 - Flash 07
Atlanta décor. (1)
- 3 - Flash 01
Karaya décor. (1)



(1) Country dependent /
See features table.



7 - Dual-wheel drive for better handling and a large load capacity for FLASH 07 and FLASH 09. (1)

8 - All our models are fitted with road heating**. (1)

9 - Large sleeping area in the cap. (1)

10 - Bunk beds, lower bunk that may be lifted up for garage transformation*. (1)

* Depending on models, see technical insert in the centre of the catalogue.

** On certain models, this function is offered by heating using the vehicle's fuel.



1 - 175L SES refrigerator*. (1)

2 - Room temperature is maintained by hot air heating using the vehicle's fuel or gas*. (1)

3 - Halogen lighting. (1)

4 - Functional designer furniture with ergonomic handle. (1)

5 - Large rear garage throughout width of vehicle with access gate on right-hand side. (1)

6 - Functional, designer bedroom with opaque window. (1)





ON THE
ROADS
OF FRANCE

WELCOME
COMFORT / EQUIPMENT /
PRICING EXCELLENCE



All the features sought after by the most demanding motorhomers! Welcome is an ideal compromise which has built up its success in the world of comfortable travel. In caps, for example, to take maximum advantage of the height of the vehicles, Chausson offers a standard electric panoramic skylight...

To sum up, the right choice! (1)



Welcome 28
Welcome 75

(1) Country dependent / See features table.



Welcome TOP 58 - Welcome TOP 57

WELCOME TOP BETWEEN COMFORT AND LUXURY

- 1 - 3rd built-in brake-light. (1)
- 2 - Polyester angle cornice for enhanced waterproofing. Double layer completely polyester cap. (1)
- 3 - Painted bumpers and/or grille matching the bodywork. (1)

It is possible to enjoy the comfort of major luxury hotels without having to dig you're your savings... Welcome manages to achieve both for the comfort of travellers. What would you say to a motorhome cruise? (1)




(1) Country dependent / See features table.



- 1 - Welcome 76 Karaya decor. (1)
- 2 - L-shaped kitchen, Welcome 75. (1)
- 3 - Welcome 75 Atlanta decor. (1)

(1) Country dependent / See features table.





Flash 02 - 08
LOW PROFILES

LAY OUTPage 2
 BASE VEHICLE CHARACTERISTICSPage 3
 LIVING UNITPage 8 / 11
 ENGINEPage 12

Flash S3 - 03 - 09
OVERCABS

LAY OUTPage 2
 BASE VEHICLE CHARACTERISTICSPage 3
 LIVING UNITPage 8 / 11
 ENGINEPage 12

Welcome 75 - 85
LOW PROFILES

LAY OUTPage 4
 BASE VEHICLE CHARACTERISTICSPage 5
 LIVING UNITPage 8 / 11
 ENGINEPage 12

Welcome 28
OVERCABS

LAY OUTPage 4
 BASE VEHICLE CHARACTERISTICSPage 5
 LIVING UNITPage 8 / 11
 ENGINEPage 12

Welcome Top TOP 57 - TOP 58
OVERCABS

LAY OUTPage 4
 BASE VEHICLE CHARACTERISTICSPage 5
 LIVING UNITPage 8 / 11
 ENGINEPage 12

Allegro 93 - 94 - 96 - 97
LOW PROFILES

LAY OUTPage 6
 BASE VEHICLE CHARACTERISTICSPage 7
 LIVING UNITPage 8 / 11
 ENGINEPage 12





Flash



LOW PROFILES MODELS



Flash 02





O V E R C A B S





Flash S3





Flash 08



Flash 03



Flash 09



BASE VEHICLE CHARACTERISTICS

| CHARACTERISTICS | LOW PROFILES MODELS | | OVERCABS | | |
|---|------------------------------------|---|------------------------------------|------------------------------------|--|
| | FLASH 02 | FLASH 08 | FLASH S3 | FLASH 03 | FLASH 09 |
| BASE VEHICLE (Standard base) | FORD TRANSIT PLATFORM 350 M | FIAT DUCATO SPECIAL CHASSIS 35 L | FORD TRANSIT PLATFORM 350 L | FORD TRANSIT PLATFORM 350 L | FORD TRANSIT CHASSIS 350 L TWIN REAR WHEELS |
| Standard engine | 2.2 L | 2.3 L | 2.2 L | 2.2 L | 2.4 L |
| Engine power | 130 CH | 130 CH | 130 CH | 130 CH | 140 CH |
| Cylinders ⁽¹⁾ | 2198 cm ³ | 2287 cm ³ | 2198 cm ³ | 2198 cm ³ | 2402 cm ³ |
| Fuel tank capacity ⁽¹⁾ | 80 L | 90 L | 80 L | 80 L | 80 L |
| Max. torque m. ND/RPM ⁽¹⁾ | 310 à 1570 | 320 à 2000 | 310 à 1570 | 310 à 1570 | 375 à 2000 |
| Manual gear box 6 position | | S | | | S |
| ABS | S | S | S | S | S |
| Power steering | S | S | S | S | S |
| Electric rearview mirrors | S | S | S | S | S |
| Electric windows | S | S | S | S | S |
| Cab doors central locking | S | S | S | S | S |
| Ignition interlock system | S | S | S | S | S |
| Driver seat adjustable for height | S | S | S | S | S |
| Passenger seat adjustable for height | | | | | |
| Cab seat covers with matching cushions | S | S | S | S | S |
| Driver air bag | S | S | S | S | S |
| Passenger air bag | S | S | S | S | S |
| Pre-wired radio (cabin) | S | S | S | S | S |
| Auto radio/CD player | O | O | O | O | O |
| Cab shaded by insulating curtains | O | O | O | O | O |
| cab carpet | O | O | O | O | O |
| Cab air conditioning | O | O | O | O | O |
| Radar of reverse with beeper in cab | | | | | |
| cruise control | S | O | S | S | S |
| WEIGHT (Standard base vehicle without options) | | | | | |
| Vehicule bodycoach weight in running order (+/- 5%) | 2688 | 2915 | 2798 | 2888 | 3231 |
| Max technically permissible laden mass | 3500 | 3500 | 3500 | 3500 | 3850 |
| DIMENSIONS | | | | | |
| Overall length (excl. ladder) | 5.67 | 6.69 | 5.99 | 6.42 | 7.07 |
| Overall width | 2.30 | 2.30 | 2.30 | 2.30 | 2.25 |
| Overall height (excl. roof rack) | 2.71 | 2.71 | 2.93 | 2.93 | 3.08 |
| Interior height | 1.95 | 1.95 | 2.06/2.14 | 2.06/2.14 | 2.03/2.11 |
| Wheelbase | 3.30 | 3.80 | 3.75 | 3.75 | 3.95 |
| CAPACITY (Standard base vehicle without options) | | | | | |
| Seats authorised for road use without motorbike carrier | 4 | 4 | 6 | 6 | 6 |
| Dining seats | 4 | 5 | 4 | 5 | 6 |
| Sleeping berths | 2/3 | 4 | 6 | 6 | 6/7 |


■ : Can't be fitted on S : Standard equipment O : Option ⁽¹⁾ Conform to chassis provider. *According homologation.

Welcome




LOW PROFILES MODELS

Welcome 75



6.79 m

Welcome 85




6.89 m



OVERCABS

Welcome 28



7.07 m




Welcome Top




OVERCABS

Welcome TOP 57



6.69 m

Welcome TOP 58



7.23 m

BASE VEHICLE CHARACTERISTICS

LOW PROFILES MODELS

OVERCABS

| CHARACTERISTICS | LOW PROFILES MODELS | | OVERCABS | | |
|--|---|---|--|---|---|
| | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 |
| BASE VEHICLE (Standard base) | FIAT DUCATO SPECIAL CHASSIS 35 L | FIAT DUCATO SPECIAL CHASSIS 35 L | FORD TRANSIT CHASSIS 350 L TWIN REAR WHEELS | FIAT DUCATO SPECIAL CHASSIS 40 H | FIAT DUCATO SPECIAL CHASSIS 40 H |
| Standard engine | 2.3 L | 2.3 L | 2.4 L | 2.3 L | 2.3 L |
| Engine power | 130 CH | 130 CH | 140 CH | 130 CH | 130 CH |
| Cylinders ⁽¹⁾ | 2287 cm ³ | 2287 cm ³ | 2402 cm ³ | 2287 cm ³ | 2287 cm ³ |
| Fuel tank capacity ⁽¹⁾ | 90 L | 90 L | 80 L | 90 L | 90 L |
| Max. torque m. ND/RPM ⁽¹⁾ | 320 à 2000 | 320 à 2000 | 375 à 2000 | 320 à 2000 | 320 à 2000 |
| Manual gear box 6 position | S | S | S | S | S |
| ABS | S | S | S | S | S |
| Power steering | S | S | S | S | S |
| Electric rearview mirrors | S | S | S | S | S |
| Electric windows | S | S | S | S | S |
| Cab doors central locking | S | S | S | S | S |
| Ignition interlock system | S | S | S | S | S |
| Driver seat adjustable for height | S | S | S | S | S |
| Passenger seat adjustable for height | S | S | S | S | S |
| Cab seat covers with matching cushions | S | S | S | S | S |
| Driver air bag | S | S | S | S | S |
| Passenger air bag | S | S | S | S | S |
| Pre-wired radio (cabin) | S | S | S | S | S |
| Auto radio/CD player | O | O | O | O | O |
| Cab shaded by insulating curtains | S | S | S | S | S |
| cab carpet | S | S | S | S | S |
| Cab air conditioning | O | O | O | S | S |
| Radar of reverse with beeper in cab | | | | | |
| cruise control | O | O | S | O | O |

WEIGHT (Standard base vehicle without options)

| | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 |
|--|------------|------------|------------|----------------|----------------|
| Vehicle bodycoach weight in running order (+/- 5%) | 3015 | 3055 | 3246 | 3180 | 3280 |
| Max technically permissible laden mass | 3500 | 3500 | 3850 | 4000 | 4000 |

DIMENSIONS

| | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 |
|----------------------------------|------------|------------|------------|----------------|----------------|
| Overall length (excl. ladder) | 6.79 | 6.89 | 7.07 | 6.69 | 7.23 |
| Overall width | 2.30 | 2.30 | 2.25 | 2.30 | 2.30 |
| Overall height (excl. roof rack) | 2.71 | 2.71 | 3.08 | 3.10 | 3.10 |
| Interior height | 1.95 | 1.95 | 2.03/2.11 | 2.05/2.10 | 2.05/2.10 |
| Wheelbase | 3.80 | 4.03 | 3.95 | 3.80 | 4.03 |

CAPACITY (Standard base vehicle without options)


| | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 |
|---|------------|------------|------------|----------------|----------------|
| Seats authorised for road use without motorbike carrier | 4 | 4 | 5 | 5 | 5 |
| Dining seats | 4/5 | 4/5 | 5 | 4/5 | 4/5 |
| Sleeping berths | 4 | 4 | 6 | 5 | 6 |

(1) Can't be fitted on S: Standard equipment O: Option (1) Conform to chassis provider. *According homologation.


LOW PROFILES MODELS




Allegro 93




Allegro 94



Allegro 96



Allegro 97



BASE VEHICLE CHARACTERISTICS

LOW PROFILES MODELS

| CHARACTERISTICS | ALLEGRO 93 | ALLEGRO 94 | ALLEGRO 96 | ALLEGRO 97 |
|---|---|---|---|---|
| BASE VEHICLE (Standard base) | FIAT DUCATO SPECIAL CHASSIS 35 L | FIAT DUCATO SPECIAL CHASSIS 35 L | FIAT DUCATO SPECIAL CHASSIS 35 L | FIAT DUCATO SPECIAL CHASSIS 35 L |
| Standard engine | 2.3 L | 2.3 L | 2.3 L | 2.3 L |
| Engine power | 130 CH | 130 CH | 130 CH | 130 CH |
| Cylinders ⁽¹⁾ | 2287 cm ³ | 2287 cm ³ | 2287 cm ³ | 2287 cm ³ |
| Fuel tank capacity ⁽¹⁾ | 90 L | 90 L | 90 L | 90 L |
| Max. torque m. ND/RPM ⁽¹⁾ | 320 à 2000 | 320 à 2000 | 320 à 2000 | 320 à 2000 |
| Manual gear box 6 position | S | S | S | S |
| ABS | S | S | S | S |
| Power steering | S | S | S | S |
| Electric rearview mirrors | S | S | S | S |
| Electric windows | S | S | S | S |
| Cab doors central locking | S | S | S | S |
| Ignition interlock system | S | S | S | S |
| Driver seat adjustable for height | S | S | S | S |
| Passenger seat adjustable for height | S | S | S | S |
| Cab seat covers with matching cushions | S | S | S | S |
| Driver air bag | S | S | S | S |
| Passenger air bag | S | S | S | S |
| Pre-wired radio (cabin) | S | S | S | S |
| Auto radio/CD player | O | O | O | O |
| Cab shaded by insulating curtains | S | S | S | S |
| cab carpet | S | S | S | S |
| Cab air conditioning | S | S | S | S |
| Radar of reverse with beeper in cab | S | S | S | S |
| cruise control | O | O | O | O |
| WEIGHT (Standard base vehicle without options) | | | | |
| Vehicle bodycoach weight in running order (+/- 5%) | 3152 | 3152 | 3150 | 3150 |
| Max technically permissible laden mass | 3500 | 3500 | 3500 | 3500 |
| DIMENSIONS | | | | |
| Overall length (excl. ladder) | 7.03 | 7.03 | 7.30 | 7.30 |
| Overall width | 2.30 | 2.30 | 2.30 | 2.30 |
| Overall height (excl. roof rack) | 2.75 | 2.75 | 2.75 | 2.75 |
| Interior height | 1.95 | 1.95 | 1.95 | 1.95 |
| Wheelbase | 4.03 | 4.03 | 4.03 | 4.03 |
| CAPACITY (Standard base vehicle without options) | | | | |
| Seats authorised for road use without motorbike carrier | 4 | 4 | 4 | 4 |
| Dining seats | 5 | 4/5 | 4/5 | 4/5 |
| Sleeping berths | 4 | 3 | 3 | 3 |

■ : Can't be fitted on S : Standard equipment O : Option




(1) Conform to chassis provider. *According homologation.

LIVING UNIT

| CHARACTERISTICS | FLASH | | | | | WELCOME | | | | | WELCOME TOP | | | | | ALLEGRO | | | |
|---|---------------------|-----------|-----------|-----------|-----------|---------------------|------------|------------|----------------|----------------|---------------------|------------|------------|------------|-----------|----------|--|--|--|
| | LOW PROFILES MODELS | | OVERCABS | | | LOW PROFILES MODELS | | OVERCABS | | | LOW PROFILES MODELS | | OVERCABS | | | OVERCABS | | | |
| | FLASH 02 | FLASH 08 | FLASH S3 | FLASH 03 | FLASH 09 | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 | ALLEGRO 93 | ALLEGRO 94 | ALLEGRO 96 | ALLEGRO 97 | | | | | |
| EXTERIOR | | | | | | | | | | | | | | | | | | | |
| Polyester coachwork | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Single block polyester front section | S | S | | | | S | S | | S | S | S | S | S | S | S | | | | |
| Rear and side protections in ABS | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Wide track rear axle | | S | | | | S | S | | S | S | S | S | S | S | S | | | | |
| Rear corner steabies | O | O | O | O | O | O | O | O | O | O | S | S | S | S | S | | | | |
| Manual step | ■ | ■ | ■ | ■ | S | ■ | ■ | S | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | |
| Electric step | ■ | ■ | ■ | ■ | O | ■ | ■ | O | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | |
| Storage locker with exterior access | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| 2 x 13 kg propane gas bottle locker | 1 x 13 Kg | S | 1 x 13 Kg | 1 x 13 Kg | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Anchor clips for bike-rack | S | S | S | S | S | ■ | S | ■ | S | ■ | S | ■ | S | ■ | S | | | | |
| INTERIOR | | | | | | | | | | | | | | | | | | | |
| Dividing curtain cab/living unit | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Entrance door with flyscreen | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Double-locking windows with combined blinds/screens (total number including Shower) | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| HECKI 2 panoramic skylight | ■ | ■ | ■ | ■ | ■ | S | S | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | |
| HECKI 3 panoramic skylight | O | O | ■ | ■ | ■ | O | O | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | |
| REMISTAR electric panoramic skylight | ■ | ■ | O | O | O | ■ | ■ | S | S | S | ■ | ■ | ■ | ■ | ■ | | | | |
| REMIS panoramic skylight with sun roof | | | | | | | | | | | S | S | S | S | S | | | | |
| 12V fan skylight galley/living area / | ■ | ■ | ■ | ■ | ■ | S | S | S | S | S | S | S | S | S | S | | | | |
| Headrests on seats facing road and away from road according to configuration | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| 2 x 3 point seat belts on seats facing direction of travel | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| 2 x 2 point seat belts on seats facing away from direction of travel | | | S | S | S | | | 1PI | 1PI | 1PI | | | | | | | | | |
| Removable cushion covers | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| TV cabinet/point | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| TV Sliding plate | O | O | O | O | O | S | S | S | S | S | S | S | S | S | S | | | | |
| Dividing sleeping area | ■ | ■ | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| KITCHEN | | | | | | | | | | | | | | | | | | | |
| Sink and 3 element inset hob | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Gas refrigerator 12V/220V | 88 L | | 97 L | 97 L | | 97 L | | | | | | | | | | | | | |
| Gas fridge/freezer 12V/220V automatic energie selection | | 175 L SES | | | 175 L SES | | 175 L SES | 175 L SES | 175 L AES | 175 L AES | 175 L AES | 175 L AES | 175 L AES | 175 L AES | 175 L AES | | | | |
| Cooker hood | | | | | | | | | | | S | S | S | S | S | | | | |
| Grill + Gas oven | ■ | ■ | ■ | ■ | ■ | ■ | S | S | S | S | S | S | S | S | S | | | | |
| Grill | S | S | S | S | S | S | | | | | | | | | | | | | |
| BATHROOM | | | | | | | | | | | | | | | | | | | |
| WC cassette removable from exterior | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Separate shower | | S | | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Fixed basin - medicine cabinet | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Opaque window | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Skylight with screen | | | | | | S | S | S | S | S | S | S | S | S | S | | | | |
| WATER EQUIPMENT | | | | | | | | | | | | | | | | | | | |
| Water circulated by electric pump | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| fresh water capacity | 130 L | 140 L | 130 L | 130 L | 128 L | 140 L | 140 L | 128 L | 140 L | 140 L | 100 L | 100 L | 100 L | 100 L | 100 L | | | | |
| Waste water capacity | 145 L | 109 L | 103 L | 100 L | 104 L | 100 L | 109 L | 104 L | 109 L | 100 L | 100 L | 100 L | 109 L | 100L | 100L | | | | |
| Isolated waste water tank | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | S | S | S | S | S | S | S | | | | |
| Storage water heater with electronic ignition | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| HEATING | | | | | | | | | | | | | | | | | | | |
| Combined heater/water heater with pulsed air | | Combi6EH | | | C6002EH | C6002EH | Combi6EH | C6002EH | C6002EH | C6002EH | Combi6EH | C6002EH | C6002EH | C6002EH | C6002EH | | | | |
| Boiler for the heating with pulsed air using vehicle fuel | S | | S | S | | S | | S | S | S | S | S | S | S | S | | | | |
| Heating whilst driving living unit | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | | | | |
| Over-the-cab hot air outlet | | | | | | | | | | | | | | | | | | | |

■ : Can't be fitted on S : Standard equipment O : Option

LIVING UNIT



| CHARACTERISTICS | FLASH 02 | FLASH 08 | FLASH S3 | FLASH 03 | FLASH 09 | WELCOME 75 | WELCOME 85 | WELCOME 28 | WELCOME TOP 57 | WELCOME TOP 58 | ALLEGRO 93 | ALLEGRO 94 | ALLEGRO 96 | ALLEGRO 97 |
|-----------------|----------|----------|----------|----------|----------|------------|------------|------------|----------------|----------------|------------|------------|------------|------------|
|-----------------|----------|----------|----------|----------|----------|------------|------------|------------|----------------|----------------|------------|------------|------------|------------|

ELECTRICAL EQUIPMENT

| | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Halogen spotlights | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Wardrobe lighting | | | | | | | | | | | S | S | S | S |
| Lighting in locker | | | | | | S | S | S | S | S | S | S | S | S |
| Exterior lighting | | | | | | S | S | S | S | S | S | S | S | S |
| 220V/12V transformer with charger | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| 2 nd battery (leisure) | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Electronic control panel | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| fresh water level | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Waste water level | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Battery charge level indicator | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Low battery voltage alarm living unit | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| 220V socket | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| 12V socket | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TV preparation 12V/220V | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Audio/video preparation (pre-wired) | | | | | | | | | | | S | S | S | S |
| radio preparation with 2 loudspeakers living units | | | | | | S | S | S | S | S | S | S | S | S |
| Interior/exterior thermometer | | | | | | | | | | | S | S | S | S |

SLEEPING BERTH DIMENSIONS

| | | | | | | | | | | | | | | |
|---|-----------|-----------|-------------|-------------|-------------|--------------------|-----------|---------------|--------------|--------------------|---------------|--------------------|---------------------|--------------|
| Over-the-cab berth | | | 155 x 217 | 155 x 217 | 155 x 212 | | | 155 x 198 | 170 x 200 | 170 x 200 | | | | |
| Berth in central or forward dining area | 65 x 176 | 120 x 215 | 130 x 176 | 130 x 176 | 130 x 176 | 120/87 x 215 | 120 x 215 | 120 x 210 | 120/86 x 215 | 110/105 x 215 | 140/100 x 210 | 120/74 x 210 | 110/61 x 210 | 110/56 x 210 |
| Lower berth | | | 82/67 x 215 | 82/66 x 215 | 82/66 x 210 | | | | 82 x 215 | | | | | |
| Upper berth | | | 82/67 x 215 | 82/66 x 215 | 82/66 x 210 | | | | 82 x 215 | | | | | |
| Rear fixed bed | 135 x 196 | 135 x 190 | | | | 146/134 x 206 | 135 x 195 | 135/126 x 210 | | 146/126 x 210 | 131 x 200 | 132/120 x 206 | 78 x 188 / 82 x 197 | 140 x 190 |
| Berth in small forward dining area | | | | | 60 x 147 | | | | | | | | | |
| Over-the-cab height mattress/ceiling | | | | | | mini 71 / maxi 106 | | 89/86 | | mini 80 / maxi 113 | | mini 71 / maxi 106 | | |
| Overcab height mattress/ceiling | | | 60/63 | 60/63 | 71/74 | | | 71/74 | 64 | 64 | | | | |
| Adjustable rake setting feet and upper body | | | | | | | | | | S (mechanics) | S | S | S | S |
| Rise and fall electric bed | | | | | | S | | | | S | | S | | |

STORAGE DIMENSIONS : . Volumes and storage doors dimension . Locker capacities (dm³)

| | | | | | | | | | | | | | | |
|--|-----------|-----------|------------|------------|-------------------------|-----------------------|-----------|------------|------------|-----------------------|-----------|-----------------------|------------|-----------|
| Side on right | | | 1145 x 590 | 1145 x 590 | 1145 x 590 / 265 x 1345 | 1145 x 845 | 265 x 795 | 1145 x 845 | 1145 x 590 | 1145 x 845 | | 1145 x 845 | | |
| Side on left | | | | | | 1145 x 845 | | 1145 x 845 | 1145 x 590 | 1145 x 845 | | 1145 x 590 | 445 x 1445 | 590 x 725 |
| Facing rear | 385 x 795 | 385 x 795 | | | | | 385 x 795 | | | | 345 x 795 | | | |
| Gross capacity main locker dm ³ | 850 | 600 | 600 | 600 | 870 | 3100 maxi / 2200 mini | 750 | 2900 | 800 | 3400 maxi / 2400 mini | 750 | 2750 maxi / 1900 mini | 600 | 700 |

ANOTHERS OPTIONS⁽¹⁾

| | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cab shaded by REMIS blinds | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| Foldable alu roof rack and ladder | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| Exterior shower socket with hose | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| Preparation for solar panel | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| Removable fitted carpet in living unit | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| Tow Hitch | O | O | O | O | O | O | O | O | O | O | O | O | O | O |
| Motorbike carrier* | O | O | O | O | O | O | O | O | O | O | O | O | O | O |

*The "motorbike carrier" optional equipment can in some cases modify the number of seats authorised for road use. Consult your dealer for further information.
 (1) Certain heavy accessories, such as large blinds or electric generators may be on offer to you on the market. The weight of these accessories will be deducted from the payload and may require a reduction in the actual number of passengers. Thus, the maximum permitted loads on the axles and the PTAC (maximum permitted weight) must be adhered to during full loading of the vehicle.

■ : Can't be fitted on S : Standard equipment O : Option

ENGINE

| CHARACTERISTICS | FLASH | | | | |
|---|-------------------------|------------------------|----------------------|-------------------------|-------------------------|
| | FLASH 02 | FLASH 08 | | FLASH S3 | FLASH 03 |
| BASE VEHICLE | | | | | |
| Engine | 2.2 L / 110 CH / 130 CH | 2.2 L 100 CH / 35 L | 3 L 157 CH / 35 L | 2.2 L / 110 CH / 130 CH | 2.2 L / 110 CH / 130 CH |
| Seats authorised for road use without motorbike carrier | 4 | 4 | 4 | 6 | 6 |
| Vehicule bodycoach weight in running order (+/- 5%) | 2688 | 2900 | 2975 | 2798 | 2888 |
| Max technically permissible laden mass | 3500 | 3500 | 3500 | 3500 | 3500 |

| CHARACTERISTICS | WELCOME | | | |
|---|--------------------|--------------------|--------------------|--------------------|
| | WELCOME 75 | WELCOME 85 | WELCOME TOP 57 | WELCOME TOP 58 |
| BASE VEHICLE | | | | |
| Engine | 3L / 157 CH / 35 L | 3L / 157 CH / 35 L | 3L / 157 CH / 40 H | 3L / 157 CH / 40 H |
| Seats authorised for road use without motorbike carrier | 4 | 4 | 5 | 5 |
| Vehicule bodycoach weight in running order (+/- 5%) | 3075 | 3115 | 3240 | 3340 |
| Max technically permissible laden mass | 3500 | 3500 | 4000 | 4000 |

| MODELES | ALLEGRO | | | | | | | | | | | |
|---|--------------------|----------------------|--------------------|--------------------|----------------------|--------------------|--------------------|----------------------|----------------------|--------------------|----------------------|--------------------|
| | ALLEGRO 93 | | | ALLEGRO 94 | | | ALLEGRO 96 | | | ALLEGRO 97 | | |
| PORTEURS | | | | | | | | | | | | |
| Motorisations optionnelles | 3L / 157 CH / 35 L | 23 L / 130 CH / 40 H | 3L / 157 CH / 40 H | 3L / 157 CH / 35 L | 23 L / 130 CH / 40 H | 3L / 157 CH / 40 H | 3L / 157 CH / 35 L | 23 L / 130 CH / 40 H | 23 L / 130 CH / 40 H | 3L / 157 CH / 35 L | 23 L / 130 CH / 40 H | 3L / 157 CH / 40 H |
| Places assises carte grise sans porte moto | 3 | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 4 |
| Masse à vide en ordre de marche (+/- 5%) | 3237 | 3300 | 3360 | 3237 | 3355 | 3415 | 3235 | 3355 | 3415 | 3235 | 3355 | 3415 |
| Masse maximale en charge techniquement admissible | 3500 | 4000 | 4000 | 3500 | 4000 | 4000 | 3500 | 4000 | 4000 | 3500 | 4000 | 4000 |

Weight empty in running order: the weight empty in running order includes the weight of the driver (75 kg) and 90% of the water, fuel and gas tanks. Tolerance +/- 5%. The indicated weights empty in running order only take account of series equipment (+/-5%). The manufacturer reserves the right to alter this equipment list at any time.

- Accessories fitted as an option are not included when determining the weight empty. Their weight should therefore be deducted from the available payload.
- You may be able to find certain heavy accessories like large blinds or generators in the marketplace. The weight of these accessories should be deducted from the payload and could possibly lead to a reduction in the actual passenger numbers. It is therefore important not to exceed the maximum loads on axles and the technically acceptable loaded weight when the vehicle is fully loaded.
- Some models photographed in this catalogue may be shown with equipment supplied as an option. The characteristics of photographed models may vary from one country to the next. Despite the care taken in producing this catalogue, this cannot be viewed as a contractual document. CHAUSSON reserves the right to modify its models without prior notice. CHAUSSON cannot be held liable for any modifications made by its suppliers nor typographical errors when printing these documents. It is forbidden to reproduce, even partially, text or document. Do not litter the public highway.
- Your retailer is at your disposal to advise you and provide you with any additional information.

THE FABRIC



FORMOSA



ATLANTA



KARAYA



AZZARO

NB: All the technical characteristics for Chausson valid at the time of printing (August 2007) are provided for information only. They may be subject to modifications, often as a result of technical improvements. The certificate of approval (issued by the vehicles inspection authorities) meets legal requirements, in particular with respect to weights and dimensions.



BP 109 - 07302 TOURNON CEDEX
Tel. (33) 04 75 07 55 00 - Fax (33) 04 75 07 55 58
Internet : www.chausson.tm.fr - E. mail : contact@chausson.tm.fr



- 1 - Welcome 29 Equator decor. (1)
- 2 - Welcome 28 Atlanta decor. (1)
- 3 - Large sleeping area in cap with spotlights and storage units. (1)



(1) Country dependent / See features table.



- 1 - Welcome TOP 58
Azzaro decor. (1)
- 2 - Large sleeping area
with storage units
and spotlights. (1)
- 3 - Shaped kitchen,
Welcome TOP 58. (1)
- 4 - Welcome TOP 57
Equator decor. (1)

(1) Country dependent / See features table.






WELCOME

- 1 - Clever storage areas. (1)
- 2 - Storage unit access from the outside. (1)
- 3 - Mosquito screen door. (1)
- 4 - Halogen spotlights. (1)
- 5 - Wardrobe/ linen cupboard. (1)

(1) Country dependent / See features table.



WELCOME TOP

- 1 - Original bathroom for Welcome TOP. (1)
- 2 - 175 L SES refrigerator*. (1)
- 3 - Large width 62 cm door unit. (1)

* Depending on models, see technical insert in the centre of the catalogue.


(1) Country dependent / See features table.



- 4 - Electric adjustment of the garage height. Optimisation of garage storage or space or maximum inner sleeping area. (1)

* Depending on models, see technical insert in the centre of the catalogue.

(1) Country dependent / See features table.





Allegro 97



**-ALLEGRO-
ABSOLUTE
HAPPINESS**

- 1 - Front double-skin roof. (1)
- 2 - Built-in panoramic skylight and roof. (1)
- 3 - Rear polyester strut. (1)

(1) Country dependent / See features table.

You will never go as far down the road to happiness...
 The Allegro range is designed to satisfy the travel experience expectations of the most demanding motorhome aficionados. For example: independent beds with electrically adjusted headboards...
 Do you have that at home? (1)



Allegro 94


ALLEGRO



- 1 - Allegro 97
Azzaro decor. (1)
- 2 - Real room with central
bed on Allegro 97. (1)
- 3 - Allegro 94
Alvina decor. (1)

MAISONS

(1) Country dependent / See features table.



- 1 - 175 L AES refrigerator*. (1)
- 2 - Kitchen with built-in extractor hood. (1)
- 3 - Electric adjustment of the garage height. Optimisation of garage storage or space or maximum inner sleeping area. Gate with jacks. (1)
- 4 - Panoramic front roof with double-glazed window and Remis skylight. Built-in blind system. (1)

(1) Country dependent / See features table.



- 5 - Slatted bed base, remote control headboard angle, mechanically adjusted angle for foot of beds. (1)
- 6 - Wide 62 cm door unit. (1)
- 7 - Spotlights. Functional designer furniture. (1)
- 8 - Original bathroom on Allegro*. (1)

* Depending on models, see technical insert in the centre of the catalogue.

(1) Country dependent / See features table.



FABRICS

FLASH / WELCOME / WELCOME TOP DECOR (1)

- 1 - Karaya
- 2 - Atlanta
- 3 - Equator

Fabric options on Welcome TOP : Azzaro / Alvinna

ALLEGRO DECOR (1)


- 4 - Azzaro
- 5 - Formosa
- 6 - Alvina



(1) Country dependent / See features table.



3 hob kitchen. (1)



Stainless steel tap. (1)



Halogen spotlights. (1)



Skylight 12V ventilator / extractor. (1)



Seitz window (except on Flash models). (1)



Road heating. (1)



Heating using the vehicle's fuel or gas combination. (1)



Pull-down emptying valve. (1)



Slatted bed base. (1)



Exterior lighting is provided on all models in the Welcome /Allegro series. (1)

Spare wheel on Ford / fix and go kit on Fiat / Citroen. (1)



Table with built-in extension. (1)




Seat covers (except on Flash models). (1)



Unit with pre-cable TV. (1)

(1) Country dependent / See features table.



Safety and comfort have always been absolute priorities at Chausson, regardless of the range and price. That is why Chausson has chosen to fit all its vehicles with double-airbag technology, ABS, electric pack, all its Fiat / Citroen base vehicles with an extended rear track width, its Ford base vehicles with speed regulators, etc, etc...

The list is too long! (1)



Power steering.
Double air bag, ABS.
Cab doors central locking. (1)



For maximum comfort, the driver's seat can be adjusted forward or backward and up and down. Passenger seat back can be adjusted. (1)

Exterior, defrosting mirrors that can be adjusted electronically.
+ Antenna. (1)



Wide track rear axle. (1) Electric windows. (1)



* For French market only.

Adjustable seats for height. (1)



Exterior, defrosting mirrors that can be adjusted electronically. (1)



Cruise control. (1)



Gear stick on the dashboard. (1)



Electric windows. (1)



Double air bag. Power steering
Navigation computer.
Leather and brushed aluminium steering wheel. (1)

Cab doors central locking. (1)

OPTIONS



Panoramic moon roof. (1)



Hitch. (1)



External shower hook-up. (1)



Mosquito screen doors as an option on Flash. (1)



Electric step*. (1)



Moped stand. (1)



Ladder to upper level*. (1)



Interior carpeting*. (1)



Oven. (1)

*Based on model and country.





Your Chausson distributor

CHAUSSON
www.chausson.tm.fr

BP 109 - 07302 TOURNON CEDEX - FRANCE
Tel.: (33) 04 75 07 55 00 - Fax: (33) 04 75 07 55 58
Internet: www.chausson.tm.fr - E. mail: contact@chausson.tm.fr

GOOD IDEAS - UK REC & REC 2007



Photos : Alain Basset, Didier Michalet. All the technical characteristics (texts/photographs) for Chausson valid at the time of printing [August 2007] are provided for information only. They may be subject to modifications, often as a result of technical improvements. The certificate of approval (issued by the vehicles inspection authorities) meets legal requirements, in particular with respect to weights and dimensions.