

The Hallmark of Excellence

Complete customer satisfaction is always a top priority at Sterling and the quality ethos extends to the after sales service and market-leading manufacturer's warranty package that comes with every new Sterling caravan. This is designed to give owners confidence in the latest generation of touring caravans.

### Six-year bodyshell integrity guarantee

The guarantee extends to the following items: Body leaks and delamination: water ingress through any permanently sealed seam joints or delamination of panels and floor, being part of the original manufacturer's construction. The manufacturer will honour the guarantee for 72 months from the date of purchase, provided that the caravan has had an Annual Service including a damp meter test, within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The sixth Annual Service must, however, be carried out before the expiry of the 72 month period from the original date of purchase (or hire purchase).

# Three-year SuperSure manufacturer's warranty

The manufacturer will honour the warranty for 36 months from the date of purchase (or hire purchase), provided that the caravan has had an Annual Service within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The third Annual Service must, however, be carried out before the expiry of the 36 month period from the original date of purchase (or hire purchase).

# In the first 12 months the warranty will cover:

Faults arising from a manufacturing defect but not those which are a result of normal wear and tear or those which relate to replacement light bulbs. Also not covered under the first year are faults resulting from accidental damage or damage caused by misuse of any component part of the caravan.

## In the years two and three the warranty will cover:

- Original components of the caravan including permanently fitted equipment forming part of the manufacturer's original specification.\*
- 2. Water ingress and body delamination.
- \* There are certain exclusions. For the full terms and conditions of these warranties please refer to the warranty section in the Owner's, Service and Warranty Handbook, or check the details on our website.

Details of your nearest authorised Sterling Service Centre can be obtained by contacting the Swift Group Customer Care Department on 01482 875740 or enquiring on our website: www.sterlingcaravans.co.uk



All Sterling models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues.

The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Sterling caravan carries the 'NCC Approved Caravan' badge.

The NCC also conducts unannounced inspections at the Swift Group factory to ensure continued compliance.

NCC Approval gives you peace of mind that your caravan is legal and safe.

### Sterling Caravans,

Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042

email: enquiry@swiftgroup.co.uk vebsite: www.sterlingcaravans.co.uk

A MEMBER OF THE SWIFT GROUP

### Your local dealer

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Sterling products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification
Issued September 2008

# Sterling Eccles

Topaz Moonstone Jewel Opal Coral Amethyst





### More mains sockets

five 230V sockets to meet modern power demands

### Front locker and light feature

Fully integrated design includes recessed 12V LED downlighter and digital clock

# Over-locker ambient lighting

Concealed soft white fluorescent tubes subtle interior light

### **Positive door** catches

Positive catches on











The new system, which uses mainly high output soft white LEDs, saves 50% of full lighting power consumption. This makes your battery last longer, giving greater independence and making solar power a real option





The contemporary styling of the Eccles range appeals to couples and families. New features including the introduction of two fixed bed twin axle layouts and energy efficient LED lighting are at the top of a list of reasons to buy a new Eccles tourer. The range maintains its popular Scandinavian appeal with bold new graphics and new 'Oregon pine' furniture with ebony accents.



### Pleated Heki blind

Easy action pleated blind provides shade for day or night

# 'Ultra comfort' mattress

A high quality interior sprung mattress in fixed bed models for a really comfortable nights sleep

### Microwave oven

Microwave oven built in to ventilated compartment

### Radio/CD

Radio/CD/MP3 player with iPod/MP3 player connection











### The 2.3m wide bodyshell with its one-piece, thick

gauge aluminium sidewalls and 1.95m headroom provides class leading interior space. End washroom layouts feature luxury walk in showers while all models have separate lined shower cubicles and the latest Thetford toilet with wheeled waste tank. High specification features come as standard and are protected by an alarm system.







Tyre rating
Higher tyre rating
allows a greater safety
margin for sustained
higher speeds





Alloy wheels Stylish alloy wheels with receiver for AL-KO secure portable wheel lock




Shock absorbers
Shock absorbers
give more stable,
smooth towing










# **Specifications**














| Model                                    | Topaz          | Moonstone                | Jewel          | Opal           | Coral            | Amethyst         |
|--|----------------|--------------------------|----------------|----------------|------------------|------------------|
| Berths                                   | 2              | 4                        | 4              | 4              | 4                | 6                |
| Number of Axles                          | 1              | 1                        | 1              | 1              | 2                | 2                |
| Internal Length (at bed box height)      | 4.74m/15'7"    | 5.50m/18 <sup>1</sup> 1" | 5.50m/18'1"    | 5.60m/18'4"    | 6.27m/20'7"      | 6.27m/20'7"      |
| Overall Width                            | 2.29m/7'6"     | 2.29m/7'6"               | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"       | 2.29m/7'6"       |
| Maximum Internal Headroom                | 1.95m/6'5"     | 1.95m/6'5"               | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"       | 1.95m/6'5"       |
| Overall Height (inc. TV Aerial)          | 2.61m/8'7"     | 2.61m/8'7"               | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"       | 2.61m/8'7"       |
| Overall Length                           | 6.42m/21'1"    | 7.18m/23'7"              | 7.18m/23'7"    | 7.28m/23'11"   | 7.95m/26'1"      | 7.95m/26'1"      |
| Mass in Running Order (inc. tolerance)   | 1200kg/23.6cwt | 1365kg/26.9cwt           | 1294kg/25.5cwt | 1293kg/25.5cwt | 1479kg/29.1cwt * | 1489kg/29.3cwt * |
| Essential Habitation Equipment Payload   | 69kg/1.4cwt    | 69kg/1.4cwt              | 69kg/1.4cwt    | 69kg/1.4cwt    | 105kg/2.1cwt     | 105kg/2.1cwt     |
| Personal Effects Payload                 | 105kg/2.1cwt   | 133kg/2.6cwt             | 133kg/2.6cwt   | 134kg/2.6cwt   | 141kg/2.8cwt     | 161kg/3.2cwt     |
| Optional Equipment Payload               | 10kg/0.2cwt    | 10kg/0.2cwt              | 4kg/0.1cwt     | 4kg/0.1cwt     | 40kg/0.8cwt      | 40kg/0.8cwt      |
| Maximum Technical Permissible Laden Mass | 1384kg/27.2cwt | 1577kg/31.0cwt           | 1500kg/29.5cwt | 1500kg/29.5cwt | 1765kg/34.7cwt * | 1795kg/35.3cwt * |
| Awning A/A Dimension                     | 9.11m/29'11"   | 9.87m/32'5"              | 9.87m/32'5"    | 9.97m/32'9"    | 10.64m/34'11"    | 10.64m/34'11"    |
| Tyre Size                                | 185 R14 102    | 195/70 R15 104           | 185 R14 102    | 185 R14 102    | 175/65 R14 86    | 175/65 R14 86    |

### **Bed Sizes**

| Front Double          | 2.13m x 1.90m/7'0" x 6'3" | 2.13m x 1.80m/7'0" x 5'11" | 2.13m x 1.59m/7'0" x 5'3" | 2.13m x 1.43m/7'0" x 4'8" | 2.13m x 1.67m/7'0" x 5'6" | 2.13m x 1.43m/7'0" x 4'8"  |
|-----------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|
| Front Nearside Single | 1.90m x 0.72m/6'3" x 2'4" | 1.80m x 0.72m/5'11" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" |                           | 1.67m x 0.72m/5'6" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  |
| Front Offside Single  | 1.90m x 0.72m/6'3" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  | 1.59m x 0.72m/5'3" x 2'4" |                           | 1.90m x 0.72m/6'3" x 2'4" | 1.75m x 0.72m/5'9" x 2'4"  |
| Rear Double           |                           |                            | 1.92m x 1.38m/6'4" x 4'6" | 1.87m x 1.33m/6'2" x 4'4" | 1.93m x 1.37m/6'4" x 4'6" | 1.92m x 1.38m/6'4" x 4'6"  |
| Offside Single        |                           | 1.80m x 0.70m/5'11" x 2'4" |                           |                           |                           | 1.80m x 0.70m/5'11" x 2'4" |
| Side Bunk             |                           | 1.76m x 0.59m/5'9" x 1'11" |                           |                           |                           | 1.76m x 0.59m/5'9" x 1'11" |

Bed sizes: Please note that double bed sizes are quoted with wrap round seating

Awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

\* Estimated

# **Key features**

- 2.29m (7'6") wide bodyshell
- 1.95m (6'5") headroom
- One-piece, thick gauge, high gloss aluminium sidewalls
- NEW shock absorbers for a smoother more stable ride
- NEW higher tyre ratings for greater safety margin
- 45mm (2") wider and 80mm (3") taller entrance door
- Lined external locker with 230V socket
- NEW LED spot lighting giving 50% reduction in total
- Over-locker fluorescent ambient lighting

lighting power consumption

- NEW positive overhead locker catches for secure loading
- NEW Heki Deluxe pleated rooflight blind
- 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models
- NEW carpet with 45oz pile weight (70% increase)
- NEW 40 litre underfloor insulated fresh water tank in twin-axle models
- Fully lined shower in all models
- Thetford C250 toilet with 18 litre wheeled holding tank
- 700W built-in microwave oven
- Radio/CD/MP3 player with iPod/MP3 player connection

- NEW five 230V sockets
- Alarm system

### Additional features

### Exterior

- $\bullet$  AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 stabiliser
- NEW 13-pin 'Jaeger' 12V car connector
- Exclusive alloy wheels
- Spare wheel (steel) and underslung carrier
- NEW Heki De-Luxe large tilting panoramic roof window with flynet and pleated blind
- Exclusive shape double-glazed opening windows with night ventilation position
   Exterior two part door (5mm (2") wider and 80mm (3")
- Exterior two-part door, 45mm (2") wider and 80mm (3") taller, with interior moulded liner, window, blind and waste bin
- Exterior access battery box with satellite aerial inlet and mains electric inlet (battery not included)
- External access door (Jewel and Coral)
- NEW LED awning light

- Gas regulator for Propane and Butane mounted on front bulkhead
- Entrance step
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

### Interior

and storage space

- Cassette flyscreens and pleated blinds on all windows
- Door flyscreen with easy concertina action
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear rooflight with flyscreen and blind (model specific)
- Large overhead lockers with patented, injection-moulded spaceframe construction and curved doors
   Seat bases with spaceframe construction, full front
- access and space for larger items
   Fixed beds with aluminium frames to maximise strength
- Hinged seat and bed tops supported in open position for easy access

- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior seat and backrest cushions
- Seat and backrest ventilation boards
- Chest of drawers with occasional table (except Opal)
   Free-standing table with dedicated storage location
- 2 x scatter cushions
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Removable sink drainer with dedicated storage
- $\bullet$  Food grade nylon chopping board with dedicated storage
- Slide-out storage rack
  Moulded cutlery drawer on smooth steel runners
- Chrome finish brass mixer taps, separate shower taps
- Spacious 'walk-in' showers in end washroom models; lined cubicles in other models
- 32mm thick lightweight washroom door with metal domestic style handle

### Equipment

- 107 litre fridge with curved door, electronic ignition and digital controls for energy selection and temperature
- Thermostatic oven and separate grill

- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater with automatic ignition
- Blown air system ducted to living, sleeping and washroom areas
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh water pipes
- High capacity in-board water pump with self priming and pressure regulating accumulator
- Isolation taps for gas appliances
- Large bore underslung rigid waste pipes
- 20 amp switchmode charger/transformer
- 12V LCD/touch control panel with battery selection, battery state meter, clock, lighting and water pump circuit controls.
- Solar panel connection provision
- NEW two TV positions with 230V, 12V and coax aerial sockets

- External coax connection point for aerial or satellite dish
- Status 530 directional TV/FM aerial and booster
- Flush finish mains lights in front locker corner panels
- Feature panel with down-light in front locker and NEW digital clock
- Fluorescent light in kitchen
- NEW adjustable LED spot lighting in lounge and sleeping areas
- Wardrobe light
- 25 metre mains hook-up cable

### **Safety and Security**

- NEW higher tyre ratings 10% load margin at 130kph (law permitting)
- Receiver for AL-KO Secure portable wheel lock
- Passive infra-red alarm system with tilt sensor and key fob operation
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock with flipper key.



Complete customer satisfaction is always a top priority at Sterling and the quality ethos extends to the after sales service and market-leading manufacturer's warranty package that comes with every new Sterling caravan. This is designed to give owners confidence in the latest generation of touring caravans.

### Six-year bodyshell integrity guarantee

The guarantee extends to the following items: Body leaks and delamination: water ingress through any permanently sealed seam joints or delamination of panels and floor, being part of the original manufacturer's construction. The manufacturer will honour the guarantee for 72 months from the date of purchase, provided that the caravan has had an Annual Service including a damp meter test, within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The sixth Annual Service must, however, be carried out before the expiry of the 72 month period from the original date of purchase (or hire purchase).

# Three-year SuperSure manufacturer's warranty

The manufacturer will honour the warranty for 36 months from the date of purchase (or hire purchase), provided that the caravan has had an Annual Service within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The third Annual Service must, however, be carried out before the expiry of the 36 month period from the original date of purchase (or hire purchase).

# In the first 12 months the warranty will cover:

Faults arising from a manufacturing defect but not those which are a result of normal wear and tear or those which relate to replacement light bulbs. Also not covered under the first year are faults resulting from accidental damage or damage caused by misuse of any component part of the caravan.

# In the years two and three the warranty will cover:

- Original components of the caravan including permanently fitted equipment forming part of the manufacturer's original specification.\*
- 2. Water ingress and body delamination.
- \* There are certain exclusions. For the full terms and conditions of these warranties please refer to the warranty section in the Owner's, Service and Warranty Handbook, or check the details on our website.

Details of your nearest authorised Sterling Service Centre can be obtained by contacting the Swift Group Customer Care Department on 01482 875740 or enquiring on our website: www.sterlingcaravans.co.uk



All Sterling models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues.

The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Sterling caravan carries the 'NCC Approved Caravan' badge.

The NCC also conducts unannounced inspections at the Swift Group factory to ensure continued compliance.

NCC Approval gives you peace of mind that your caravan is legal and safe.

### Sterling Caravans,

Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042

email: enquiry@swiftgroup.co.uk vebsite: www.sterlingcaravans.co.uk

A MEMBER OF THE SWIFT GROUP

### Your local dealer

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Sterling products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification Issued September 2008

# Sterling Elite

Diamond Emerald Onyx Searcher Explorer





# 0

### **Quality carpet**

Luxury carpet with 45oz pile weight (a 70% increase) looks good longer

# Front locker and light feature

Fully integrated design includes recessed mains corner lights, 12V LED downlighter and digital clock

# Over-locker ambient lighting

Concealed soft white fluorescent tubes provides a warm, subtle interior light

# Positive door catches

Positive catches on all overhead locker doors provide secure storage, even whilst on



The Elite offers the very best in luxury accommodation and features new 'Oregon pine' furniture with ebony accents and complimentary soft furnishing, new energy saving LED lighting plus many more detailed improvements to enhance the fresh and modern interiors. Exteriors are equally impressive with eye-catching metallic silver sidewalls, bold new graphics and shock absorbers for an improved towing experience.

### Alde heating

Twin axle models have Alde radiator central heating with 24/7 timer



### **LED** lighting

The new system, which uses mainly high output soft white LEDs, saves 50% of full lighting power consumption. This makes your battery last longer, giving greater independence and making solar power a real option





### **Leather option**

'Ultra comfort' luxury deep sprung mattress and a beige leather furnishing option

Radio/CD/MP3
player with iPod/MP3
player connection



Fridge freezer





# **Security**

Security features have been improved with the first tracking system for the leisure industry that is Thatcham approved, 'HAL Locate', with Europe-wide cover. Additional security features include AL-KO Secure wheel lock (two on twin axles, one on single axle) an intruder alarm and high security exterior door lock.



# With all the features you'd expect and more the Elite

range has a very high specification. All washrooms have a fully lined shower cubicle with end washroom models featuring a walk-in shower with separate drying area. Kitchens offer a dual fuel hob with three gas rings and one electric ring, to save gas if needed, gas grill and full size oven. Twin axle models have the added luxury of a 175 litre fridge/ freezer with digital controls.







### 'Ultra comfort' mattress

A high quality interior sprung mattress in fixed bed models for a really comfortable

# More mains sockets

Models now feature five 230V sockets to













700W microwave oven built into ventilated compartment













# **Specifications**











| Model                                    | Diamond        | Emerald        | Onyx           | Searcher       | Explorer       |
|--|----------------|----------------|----------------|----------------|----------------|
| Berths                                   | 2              | 4              | 4              | 4              | 4              |
| Number of Axles                          | 1              | 1              | 1              | 2              | 2              |
| Internal Length (at bed box height)      | 4.74m/15'7"    | 5.50m/18'1"    | 5.50m/18'1"    | 6.27m/20'7"    | 6.27m/20'7"    |
| Overall Width                            | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     |
| Maximum Internal Headroom                | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     |
| Overall Height (inc. TV Aerial)          | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     |
| Overall Length                           | 6.42m/21'1"    | 7.18m/23'7"    | 7.18m/23'7"    | 7.95m/26'1"    | 7.95m/26'1"    |
| Mass in Running Order (inc. tolerance)   | 1235kg/24.3cwt | 1388kg/27.3cwt | 1358kg/26.7cwt | 1545kg/30.4cwt | 1545kg/30.4cwt |
| Essential Habitation Equipment Payload   | 105kg/2.1cwt   | 105kg/2.1cwt   | 105kg/2.1cwt   | 104kg/2.0cwt   | 104kg/2.0cwt   |
| Personal Effects Payload                 | 105kg/2.1cwt   | 133kg/2.6cwt   | 133kg/2.6cwt   | 141kg/2.8cwt   | 141kg/2.8cwt   |
| Optional Equipment Payload               | 10kg/0.2cwt    | 4kg/0.1cwt     | 4kg/0.1cwt     | 40kg/0.8cwt    | 40kg/0.8cwt    |
| Maximum Technical Permissible Laden Mass | 1455kg/28.6cwt | 1630kg/32.1cwt | 1600kg/31.5cwt | 1830kg/36.0cwt | 1830kg/36.0cwt |
| Awning A/A Dimension                     | 9.11m/29'11"   | 9.87m/32'5"    | 9.87m/32'5"    | 10.64m/34'11"  | 10.64m/34'11"  |
| Tyre Size                                | 185 R14 102    | 195/70 R15 104 | 195/70 R15 104 | 175/65 R14 86  | 175/65 R14 86  |

### **Bed Sizes**

| Front Double          | 2.13m x 1.90m/7'0" x 6'3" | 2.13m x 1.80m/7'0" x 5'11" | 2.13m x 1.59m/7'0" x 5'3" | 2.06m x 1.55m/6'9" x 5'1" | 2.06m x 1.63m/6'9" x 5'4" |
|-----------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|
| Front Nearside Single | 1.90m x 0.72m/6'3" x 2'4" | 1.80m x 0.72m/5'11" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" | 1.63m x 0.70m/5'4" x 2'4" | 1.63m x 0.70m/5'4" x 2'4" |
| Front Offside Single  | 1.90m x 0.72m/6'3" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  | 1.59m x 0.72m/5'3" x 2'4" | 1.55m x 0.70m/5'1" x 2'4" | 1.86m x 0.70m/6'1" x 2'4" |
| Rear Double           |                           |                            | 1.92m x 1.38m/6'4" x 4'6" | 1.90m x 1.34m/6'3" x 4'5" | 1.84m x 1.33m/6'0" x 4'4" |
| Offside Single        |                           | 1.80m x 0.70m/5'11" x 2'4" |                           |                           |                           |
| Side Bunk             |                           | 1.76m x 0.59m/5'9" x 1'11" |                           |                           |                           |

Bed sizes: Please note that double bed sizes are quoted with wrap round seating

Awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

### **Key features**

- 2.29m (7'6") wide bodyshell
- 1.95m (6'5") headroom
- One-piece, thick gauge aluminium sidewalls in metallic silver
- NEW shaped windows with top-down operated pleated blinds
- NEW shock absorbers for a smoother more stable ride
- NEW higher tyre ratings for greater safety margin
- AL-KO side mountable jack
- Gas BBQ point
- 45mm (2") wider and 80mm (3") taller entrance door
- NEW LED spot lighting giving 50% reduction in total lighting power consumption
- Over-locker fluorescent ambient lighting
- NEW positive overhead locker catches for secure loading
- NEW Heki Deluxe pleated rooflight blind
- NEW carpet with 45oz pile weight (70% increase)
- NEW radio/CD/MP3 player with iPod/MP3 player connection
- NEW five 230V sockets
- AL-KO Secure portable wheel lock (two for twin-axle models)
- NEW 'HAL Locate' Thatcham approved Europe-wide tracking system
- Alarm system

 NEW 'autofill' control system for underfloor 40 litre insulated water tank

### In twin-axle models only

- Alde Hydronic Compact 3010 programmable radiator heating system with combined water heating
- 175 litre two door fridge/freezer

### **Additional features**

### Exterior

- AL-KO galvanised steel chassis with Euro-Axle(s)
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 stabiliser
- Heavy duty corner steadies, lockable at rear
- NEW 13-pin 'Jaeger' 12V car connector
- Exclusive alloy wheels
- Spare wheel (steel) and underslung carrier
- Exterior two-part door, 45mm (2") wider and 80mm (3") taller, with interior moulded liner, window, blind and waste bin
- Exterior access battery box with satellite aerial inlet and mains electric inlet (battery not included)
- External access door (Onyx and Searcher)
- NEW LED awning light
- Gas regulator for Propane and Butane mounted on front bulkhead

### • Entranca ata

- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

### Interior

- Cassette flyscreens and pleated blinds on all windows
- Door flyscreen with easy concertina action
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear rooflight with flyscreen and blind (model specific)
- Large overhead lockers with patented, injection-moulded spaceframe construction and curved doors
- Seat bases with spaceframe construction, full front access and space for larger items
- Fixed beds with aluminium frames to maximise strength and storage space
   Hinged seat and bed tops supported in open position for
- Anniged seat and bed tops supported in open position for easy access
   Mattresses and seat cushions supported by beech slats
- \* mattesses and sear cusmons supported by becomes for extra comfort\*
   \* 'Ultra Comfort' luxury deep sprung mattress\*
- Sprung interior seat and backrest cushions
- Seat and backrest ventilation boards

(in fixed bed models)

- Chest of drawers with occasional table
- Free-standing table with dedicated storage location
- 2 x scatter cushions
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Slide-out storage rack
- Moulded cutlery drawer on smooth steel runners
- Spacious 'walk-in' showers in end washroom models; lined cubicles in other models
- Non-slip shower mat
- Chrome finish brass mixer taps, separate shower taps
- 32mm thick lightweight washroom door with metal domestic style handle

### Equipment

- 175 litre fridge and freezer in twin-axle models with electronic ignition and digital controls for energy selection and temperature
- 107 litre fridge in single-axle models with electronic ignition and digital controls for energy selection and temperature
- 700W built-in microwave oven
- Thermostatic oven and separate grill

- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- In Twin-axle models:
- Alde Hydronic Compact 3010 radiator heating system with combined water heating
- Dual fuel 6.4kW gas and 2kW electric power sources
- Programmable 24 hour, 7 day timer
- In Single-axle models:
- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater
- Blown air system ducted to living, sleeping and washroom areas
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh water pipes
- Underfloor 40L insulated water tank with 'Autofill' control system and waste water container
- High capacity in-board water pump with self priming and pressure regulating accumulator
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- 20 amp switchmode charger/transformer
- 12V LCD/touch control panel with battery selection, battery state meter, clock, lighting and water pump circuit controls.

- Solar panel connection provision
- Two TV positions with 230V, 12V and coax aerial sockets
- External coax connection point for aerial or satellite dish
- Status 530 directional TV/FM aerial and booster
   Thick from the principle of the pr
- Flush finish mains lights in front locker corner panels
- Feature panel with down-light and digital clock in front locker
- Fluorescent light in kitchen
- NEW adjustable LED spot lighting in lounge and sleeping areas
- Wardrobe light
- 25 metre mains hook-up cable

### Safety and Security

- NEW higher tyre ratings 10% load margin at 130kph (law permitting)
- Passive infra-red alarm system with tilt sensor and key fob operation
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock with flipper key.
- All models comply with British and European safety standards