
Guide

To technical specifications and equipment

2009



Your next stage in the art of travelling

RAPIDO BODYWORK MAKES ALL THE DIFFERENCE

An exclusive manufacturing method







AMERICAN GEL-COAT: REINFORCED PROTECTION

For some years RAPIDO has been using, exclusively and in secret, the "American" gel-coat. This "high technology" material protects the bodywork of your camping-car from climatic aggressions and in particular from UV.

The quality of this white resin (gel-coat) is essential. It gives your camping-car its long life, its watertightnes and its smooth, brilliant look.

POLYGLACE® POLYESTER: UNEQUALLED BRILLIANCE

The Polyglace® polyester which clads the panels of RAPIDO camping-cars results from an exclusive technique. Its manual manufacturing process guarantees a perfectly smooth bodywork appearance of unequalled brilliance. This quality results from a greater thickness of resin.

POLYESTER PANELS: INCREASED STRENGTH

Panels coated with polyester possess good resistance to the impact of hail, scratching by branches and other small impacts. They are easy to repair.

ALU-FIBER®:

Available only for the Serie 70+

Rapido is expanding its technological choices by offering Alu-fiber[®]. This technology is based on our know-how in polyester materials and creates an innovation by adding a sheet of aluminium affixed to a polyester coating. Alu-fiber [®] combines the qualities:

- of polyester, with its capability of withstanding impacts,
- of aluminium, which represents an excellent supporting medium for metallic paint, which lends depth to the particular hue.

Alu-fiber[®] is a variation in style for the RAPIDO range, a new aesthetic, in the purest traditions of RAPIDO quality.













ABS (Antilock Brake System)

This prevents the wheels from locking during braking, optimises stopping distances and, above all, ensures that the motor home can continue to steer.

ASR (Anti Slip Regulation)

When there is loss of traction, this anti-skid system brakes the drive wheels to restore traction.

ESP (Electronic Stability Program)

ESP is an anti-slide system capable of braking one or more wheels to return the vehicle to its centreline.

(Standard on 9M, option on 7 and 9F)

SECUMOTION

Developed by Truma, the Secumotion system enables gas to be used while travelling to heat the living area or the water circuit. It is equipped with Duoconfort, which automatically switches over the gas bottles when one is empty.

Safety belts integrated on all the seats in the A-class series

RAPIDO has chosen to fit all the cab seats in the A-class series with retractable safety belts with the receiver built into the seat. This enables the belt to adapt better to everyone's shape.

Belts for the rear passengers

The models with seats facing the road, including several side benches, are fitted with belts in the rear.

Driver's airbag

A driver's airbag is available as standard on all the models in the range.











TECHNICAL INFO

Elegance furniture

New "Elegance" furniture with a warm, highly coloured "Indian Summer" maple wood hue.

Where does this term "Indian Summer" come from? It is a region of the world, Canada, from which our maple wood comes, which provides a highly coloured end of September late season. The forests are decked in magnificent, orangey-red colours... This period is very often accompanied by exceptional luminosity and a return of the heat.

This warm period perfectly describes the sensation and the emotions triggered by the new Elegance furniture "Indian Summer" hue.

ALDE heating system

Tested by us in the Scandinavian countries and developed in collaboration with the ALDE team, RAPIDO offers a new mode of heating, which provides heat harmoniously distributed throughout the living area, creating a genuine sense of well-being.

It consists of a central heating unit comprising a gas boiler and a heat exchanger. The boiler heats a liquid composed of 60% water and 40% glycol. The water/glycol mixture circulates in the system through the pipes and the convectors by means of a 12V circulation pump.

The convectors, placed along the exterior walls, heat the air, which rises, heating the furniture units and partitions. Because warm air rises, a barrier of air is formed, which insulates the windows from the cold. The temperature inside the living area is regulated by means of an air thermostat:

- Available as an option on 9086dF and 9090dF models.





Reversing camera

The whole Rapido range has the advantage of a reversing camera (except for Series 7 and 9F, where it is an option). The camera is connected to a 6,5-inch screen with built-in speaker, built into the dash board. The driver can therefore hear the instructions being given by someone behind the vehicle! Manoeuvring has never been so easy!



Modular seats

To comply with our customers' wishes, Rapido has developed new bench seats with modular seats.

From the "Living room" position around the table, you can reconfigure the seats so that they can be used facing the road with a seat belt during a trip.

A set of sliding or opening panels makes it easy for you to modify your bench seat to your requirements.











Autoradio

FIAT low-profiled and A-Class models PIONEER - RDS MP3 /CD - DEH 1000 E

The DEH-1000E is equipped with exclusive Pioneer D4Q, "Digital for Quality" technology, improving radio reception by more than 150% and considerably reducing distortion and interference. Because it follows the RDS system perfectly, this system provides exceptionally stable reception from your favourite stations.

You can also listen to your favourite tracks in your vehicle. The DEH-1000E has an auxiliary input on the front (jack type), enabling you to connect your digital music directly to the car radio.

Serie 9M MERCEDES A-class IXIT - RX 87

This high technology product has a high-definition LCD colour screen built into the dashboard, enabling you to:

- Play DVDs via its "DVD player" function,
- Listen to the radio.
- Listen to your own selection of music by connecting it to an IPOD or MP3 player by means of an USB or SD card.

Navigation + DVD player



Offered as an option across the range, the Pioneer AVIC-F900BT navigation system enables you, through a single colour screen built- into the dashboard, to:

- Follow your route through the European roads; with the SD card (supplied), you have all the maps of Europe and all the service areas in Europe,
- Enjoy a rear view when manoeuvring thanks to the reversing camera,
- Play DVDs via its "DVD player" function,
- Listen to the radio,
- Listen to your own selection of music by connecting it to an IPOD or MP3 player by means of an USB or SD card.

Fuel cell



Have all the power you need, wherever you are.

The fuel cell is a power source located upstream of the battery.

It constantly monitors the status of the battery charge and automatically starts to recharge it as soon as the charge falls below a given threshold. Once the battery has been recharged, the fuel cell automatically returns to standby mode. You no longer need to keep an eye on the battery voltage indicator.

The model offered by RAPIDO is the EFOY 1600.

No mechanical parts are involved in converting the liquid fuel (methanol) to electrical power, which provides silent operation.

Your distributor can provide you with the supply of methanol.

The fuel cell is offered:

- As standard on the 9MH and 9009dFH series,
- As an option, on the 70+ and 9M series.

Symphonie audio pack*



Experience your emotions to the full while listening to your preferred music with XXL acoustic comfort.

This pack consists of:

- 1 Pioneer subwoofer, combining together a cast aluminium heat sink, a woofer with an oval aluminium cone and a built-in 150W amplifier, providing very powerful bass. It also contains a cabled remote control for refining your settings,
- 2 additional speakers in the living room,
- And a further two speakers in the bedroom.

The sound is therefore harmoniously distributed throughout the living area and provides true listening quality.

Available only on factory order.

Double pre-cabling for DVD player

RAPIDO keeps pace with innovation. Nowadays, some sophisticated car radios* can play DVD films; RAPIDO has run an audio/video cable from the dashboard to the TV set especially for this purpose. A second audio/video cable allows to connect a DVD player near the TV cupboard.

*Available as an accessory from your distributor.



REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacitywith a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional

d	T II	
	*	
<u> </u>		
C		







equipment he installed or has had installed in the vehicle.	<i>703</i>	707	746	<i>783</i>
ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	3,450	3,450	3,800	4,035
Gross vehicle weight	3300/3500**	3300/3500**	3500	3500/4000***
Unladen weight (+/- 5%)	2920	2870	2980	3040
Overall length (m)	5,99	5,99	6,49	6,99
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)a	2,76	2,76	2,76	2,76 ª
Capacity of fresh water tank (litres)	120	120	120	120
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4	4	4
Number of dining seats	4	4	4	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	Р	Р	Р	P
Type of heating (make and model)	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Refrigerator capacity (litres)	97	97	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)			_	
Rear bed	2030 x 1300	1980 x 1350	1980 x 1350	2100 x 1410
Dinette bed	Child's occasional bed 1600 x 800	1900 x 800	2100 x 750	2100 x 690

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers' OPTION: Fiat 3,0 - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

[&]quot; 130 hp = GVV 3300 kg / 160 hp (additional charge) = 3500 kg

[&]quot;" Heavy chassis: GVW = 4000kg (option at additional cost) with FIAT non-exemptable 160hp engine









	A X			
* .	7086	7090	7097	7099
	7000	, , , , , , , , , , , , , , , , , , , ,	/ 65/	/033
ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,040	4,305	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3070	3080	3100	3100
Overall length (m)	6,99	7,39	7,39	7,39
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)a	2,74	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	6	5	6	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+1	2+2	2+1
Bodywork (Polyester or Alufiber)	Р	Р	Р	Р
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	1980 x 1350	1900 x 1400	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1400	2100 x 1100	2100 x 1300	2100 x 1200
FIAT chassis: definition of the carriers different fro	m the original commercial definitions of th	e chassis manufacturers		

^{**}OPTION: Fiat 3,0 - Cubic capacity (cm*): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

**If 40H chassis = additional charge

***With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

**Overall height = +50mm with 16" wheels (40 Heavy)

If GVV 3700 kg = 4 registered seats

EQUIPMENT AND COMFORT

I OW PROFILE

	LOW PROFILE							
		7 Serio	es FIAT		70 Series FIAT AL-KO			
	EDZ.	70 2	746	E8/	7086	7090	KBQ/	2099
BODYWORK AND OPENINGS								
Panels all reinforced polyester with gutter	•	•	•	•		•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•
Bay on living area entrance door	•	•		•	•	•	•	•
Panoramic bay in the bedroom (800 x 1000)	e and the			-		•		
Rear end bay	0	0	0	0		•	•	•
HEKI 3 skylight double fold blind with interior wood trim		-	-			•	•	•
Midi HEKI skylight double fold blind with interior wood trim	•	•	•	•				-
LIVING SPACE								
Permanent bed with slat bed-frame and BULTEX® foam mattress				•	•	•	•	•
Permanent bed manually height-adjustable (occasionally)(+- 20cm)		-	-	-		-		-
Permanent bed with tilt-adjustable head sections						0		-
Curtains and netting on the bays (except kitchen and toilet)			•	•		•	•	٠
				-		•		
Rigid partition								H
Flexible partition	•		•			•	•	
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	2	2	2	2	2	2	2	2
3-point safety belt(s) in the living space	•	•						
15-inch flat screen TV unit (TV not supplied)								
ELEGANCE furniture								
KITCHEN					•		•	
Embossed stainless steel sink	•	-		-			King leading to the same	
Embossed stainless steel 2-burner cooking hob with cover and piezzo ignition	•				•			
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	*	-	•					
2 nd sink with waste bin and drainer	-	-	•			-		
Laminated work top	•	•		-		<u> </u>	•	
Large storage space under kitchen unit (only if variant without oven)	* 500	-	•	•		-		
Refrigerator (97 litres AES)	•	•	ACCOUNT OF THE PARTY OF THE PAR				•	
Refrigerator with freezer compartment (150 litres AES)	0.7	-	•	-				
Back-lit glass-holder bar (glasses not supplied)	• 194	-	•			-		
Extraction hood above the kitchen	•	•	•	•	•			
External refrigerator grill	•	•	•	•			•	
Refrigerator grill covers (for winter use)	•	•	•	•	•			-
External boiler inspection hatch (drain access, maintenance)	•	-	•	•	•	•		
BATHROOM								-
Bathroom with wooden furnishings	•	•	•	•	•	•	•	
Rectangular shower, separate from WC and sink, with rigid door (shower screen) (707 with wooden grating)		•	•	-	•	-		
Circular shower (703 with wooden grating)	•			•	*	-		-
Separate shower with circular door			•	-	•	•	•	-
Telescopic clothes rack in the toilets	- Sypiel Hilland	-	•		•	-	•	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•
Stainless steel basin	•		•	-	•	•	* 1	-
White basin	-	•	-	۰	-	-	•	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•
WATER								
Capacity of freshwater tank (litres)	120	120	120	120	100	100	100	100
Capacity of waste water tank (litres)	90	90	90	90	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•
HEATING	146 346 F				VESTE BY		Air les Bargas	
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)					•	•	•	•
TRUMATIC Combi 4 combined water - air heating (UK Pack : Combi 6 Gas + Electric)		•	•			1		I -

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Serie 7 - 70

EQUIPMENT AND COMFORT

		LOW PROFILE						ı	
		101	7 Seri	es FIAT		70 Series FIAT AL-KO			
		Ę	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	746	E.	7086	7090	1097	2099
ENERGY					100				
Semi-stationary auxiliary battery with coupler and separator (90 Ah)		•	•		•	•	•	•	۰
Cutting transformer - charger		16A	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	(*)	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•		•	-
External 230 V connection - internal 230 V plug	loo	•		•		•			
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and vice	160								
Speakers in the living area External lighting with gutter above the living area door								•	
Halogen lamp with protective glass cover				•		•	•	•	•
Lighting inside the wardrobe		•		•	•	•	•	•	•
Automatic DUOCOMFORT inverter		•	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on		•	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT									
Engine cold start assistance (Blow-by)		•	•	•	•	•	•	•	٠
Engine immobiliser		•	•	•	•	•	•	•	
Driver's air bag		•	•	•	•	•	•	•	
ABS braking + ASR		•	•	•	•	•	•	•	•
Original Cab seats with upholstery to match the living area		•	•	•	•	•	•	•	
Cab air-conditioning		•	•	•	•	•			
Tinted windows		•				•			
Cab door(s) with electric windows		0	0	0	0	•	•	•	
Reversing camera control screen built into dashboard		•	•	•	•	•			
MP3 car radio / CD player (Pioneer) Carpeted floor in cab									
Electric de-frosting side mirrors		•		•		•		•	
Inside rear mirror	74	•		•	•	•	•	•	
Heat-insulating cab bay blinds		•		•			-		-
Heat-insulating blind, leaf-type for bays and on rails in front cab (DUETT SEI	TZ)	0	0	0	0	•	•	•	•
Wheel repair kit	Ì	•	•	•	•	•	•		۰
LIVING AREA EQUIPMENT					HELMHAR E				15
Reversing camera		0	0	0	0	•	•	•	•
Insulated, ventilated step built into the floor		•	•	•	•	•	•	•	•
Stabilising jacks at the back or in the wheelbase		•	•	Translet Collection	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIP)		•	•			•	•	•	
UK PACK 2009	WEIGHT (kg)	DACK	DACK	DACK	PACK	PACK	PACK	PACK	PACK
28-litre oven with grill	14,5 9	PACK PACK	PACK PACK	PACK PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS	WEIGHT (kg)		TACK	Tricit	TACK	TA CONT			1
Reversing camera with control screen built into dashboard	2,6	0	0	0	0	•	•	•	•
Compartment and cabling for 3rd battery (battery not supplied)	2	0	-	0	0	0	0	0	0
Living area door mosquito screen	4	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0
GPS navigation	4	0	0	0	0	0	0	0	0
Rear end bay	123	0	0	0	0	•	:=	•	•
Heat-insulating blind, leaf-type for bays and on rails in front cab (DUETT SEITZ)	4,6	0	0	0	0	•	•	•	٠
Winter exterior insulation	5	0	0	0	0	0	0	0	0
Dashboard with walnut burr effect	*)	0	0	0	0	0	0	0	0
CANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	0
BOSTON (Leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amarel		0	0	0	0	0	0	U	0
CARRIER OPTIONS	WEIGHT (kg)	0	0	0	0	0	0	0	0
Cruise control Passenger air bag	6	0	0	0	0	0	0	0	0
ESP	-	0	0	0	0	-	-	-	-
Particle filter	10	0	0	0	0	0	0	0	0
3,0-litre 160 hp engine	50	0	0	0	0	0	0	0	0
Fiat automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0	0	0
Fog lights	1,1	-				0	0	0	0
Materials series (see Section 1997)		O.F.	O.F.	0.5	O.F.	F 2	72	72	72

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Please note: possible reduction in registered seats

Motorcycle carrier + Tow bar* (option weight +- 5kg)

Tow bar* (S7=1500 kg / S70, S70dF, S70+=2000 kg) (option weight +- 5kg)

O = Option, • = Original, - = Not available

Motorcycle carrier* (option weight +- 5kg)

70

61

73 61

61

53 33 83

70

70 111

70

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of + / -5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the









passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.	7066dF	7083dF	7092dF	7095dF
ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,305	4,040	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis⁺	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis''	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3100	3070	3100	3100
Overall length (m)	7,39	6,99	7,39	7,39
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)a	2.84	2.84	2.84	2.84
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4	4 (3)***	4 (3)***
Number of dining seats	5	5	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1	2+2
Bodywork (Polyester or Alufiber)	Р	Р	Р	Р
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	(1980 x 800) + (1885 x 800)	2100 x 1410	1900 x 1400	1900 x 1400
Dinette bed	2100 x 950	2100 x 800	2100 x 950	2100 x 1230
FIAT chassis: definition of the carriers different from	n the original commercial definitions of the sh	accic manufacturors		

If GVV 3700 kg g4 registered seats

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers
* OPTION: Fiat 3,0 - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.
** If 40H chassis = additional charge

[&]quot;With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg) * Overall height g+50mm with 16" wheels (40 Heavy)









		ALC: N		
	<i>7065</i> ⁺	7090 ⁺	<i>7096</i> ⁺	<i>7099</i> ⁺
ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,305	4,305	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis**			
Unladen weight (+/- 5%)	3100	3100	3100	3100
Overall length (m)	7,39	7,39	7,39	7,39
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)a	2,79	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	5	6	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+2	2+2
Bodywork (Polyester or Alufiber)	Α	A	A	А
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	2x (1980 x 800)	1900 x 1400	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1200	2100 x 1100	2100 x 1150	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

*OPTION: Fiat 3,0 - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

**If 40H chassis = additional charge

***With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

*Overall height g+50mm with 16" wheels (40 Heavy)

Serie 70dF / 70⁺

New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition

Rectangular shower, separate from WC and sink, with rigid door (shower screen)

Large storage space under kitchen unit (only if variant without oven)

Refrigerator with freezer compartment (150 litres AES)
Back-lit glass-holder bar (glasses not supplied)
Extraction hood above the kitchen
External refrigerator grill

External boiler inspection hatch (drain access, maintenance)

Circular shower (70+ and 7092 dF with wooden grating)

External shower with hot and cold water and mixer tap

TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)

2nd sink with waste bin and drainer

Refrigerator grill covers (for winter use)

Bathroom with wooden furnishings

Separate shower with circular door Telescopic clothes rack in the toilets Chrome finish bathroom accessories

Camping toilet with removable tank

Capacity of freshwater tank (litres)

Capacity of waste water tank (litres)

Back-lit Frosted mirror

Back-lit soap holder Stainless steel basin White basin

Electric water pump

WATER

Laminated work top

BATHROOM

EQUIPMENT AND COMFORT

LOW PROFILE

.

100

100

.

100

100

	70 dF Series FIAT AL-KO			70+ Series FIAT AL-KO				
	7066	7083	7092	70.95	7065	7080Z	2002	Year
BODYWORK AND OPENINGS		EL LI		0.00		B C C		
Panels all reinforced polyester with gutter	•		•			-		
Panels all Alufiber with gutter		-						
Metallic paint, except for skirts (ABS/PMMA); gutter rail (aluminium); roof		-		14			•	
Double glazed opening panoramic roof "SKYVIEW"	•		•	•			•	
Storage locker with outside access	•							
Double glazing bays with "blind / fly-screen" combination	•	•	•					
Panoramic bay in the bedroom (800x1000)		.55		•			7.00	- :
Rear end bay	•	•		•	•		•	
Cab doors with electric windows	•	•		•				
Transparent skylights with fly-screen and blind		•	•	•	•			
Bay on living area entrance door, fixed (S 70 dF)/ opening (S 70*)		•	•	•	• 90			
Central locking of opening bays (except bays 800x1000)	•	•	State of the last	•		-		-
Midi HEKI skylight with double-fold blind	•	•	•	•	•			
LIVING SPACE		Sec. 2		424				
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress		•		•		•		
Permanent bed(s) with tilt-adjustable head sections	• 000	-		•		•		-
Curtains and netting on the bays (except kitchen and toilet)	•	•		•	•	•		
Rigid partition		1-	•	•	•	•		-
Flexible partition	•	•			- 10 1 - 10 10 10	~	•	
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•		•		
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2
Flat screen TV unit for 15" screen (TV not supplied)	•	•		•		•	•	
ELEGANCE furniture	•	•		•	•	•		
New "Indian Summer" colour for ELEGANCE furniture		12		-	•	•		•
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS	•		•		-			
3 rd level locker		•	•	•		-		
KITCHEN			2 2	diam.		P. 101		
Embossed stainless steel sink	0.1.	•	•	•	•	•	•	

•

100

100

•

.

100

100

100

100

•

.

100

100

•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

100

100

•

100

100

•

EQUIPMENT AND COMFORT

LOW	PROFIL	LE
-----	--------	----

V The second sec		LOWINGILL								
		70	dF Serio	es FIAT /	AL-KO	70	70+ Series FIAT AL-KO			
		7056	1883	ZE OZ	Mass	Mes	7090	7096	Yaga	
ENERGY							+		_	
emi-stationary auxiliary battery with coupler and separator (90 Ah)		•		•	•	•	•			
Lutting transformer - charger		16A	16A	16A	16A	22A	22A	22A	22A	
wo-pole magneto - thermal circuit breaker			•	•	•	•	•	•	•	
Control panel with instant consumption measuring		•	•	•	•	•	•	•	•	
Lentralised Fuse box with protected "accessories" exits		•	•	•	•	•	•	•		
ixternal 230 V connection - internal 230 V plug		•	•	•	•		•		•	
lat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and vid peakers in the living area	eo	•	•		•	•	•	•	•	
xternal lighting with gutter above the living area door		•	•	man •	•	•	•	• // •	•	
lalogen lamp with protective glass cover		•	•	•	•	•	•	• *	•	
mbiance lighting			•	•	•		•	•	•	
ighting inside the wardrobe		•		•	-	•	•	•	•	
utomatic DUOCOMFORT inverter						•	•	•	•	
ECUMOTION, enabling you to travel with the heating on							•	•		
EQUIPMENT OF THE CARRIER AND CAB	AND THE PARTY						•		•	
ngine cold start assistance (Blow-by)		•								
ngine immobiliser									•	
river's air bag								•	•	
BS braking + ASR					-			•		
riginal Cab seats with upholstery to match the living area								•		
ashboard with walnut burr effect		0	0	0	0			•		
ab air-conditioning		•	•	•	•	•		•		
inted windows								•		
ab doors with electric windows								•		
eversing camera control screen built into dashboard				•						
P3 car Pioneer radio / CD player								•		
arpeted floor in cab								•	-	
ectric de-frosting side mirrors		•	•	•		•				
iside rear mirror				•	•	•				
eat-insulating blind, leaf type for bays and on rails in front cab (DUETT SEIT	Z)	•			•	•				
heel repair kit		•	•	•	•			•	•	
og lights		0	0	0	0	•		•		
IVING AREA EQUIPMENT									1	
eversing camera		•	•	•	•	•	•	•		
sulated, ventilated step built into the floor		•	•	•	•	•	•	•		
abilising jacks at the back or in the wheelbase		15-511-515-5	•	•	•	•	•	• 350	•	
emote control locking and unlocking of doors (2 PLIP)		•	•	• 4	•	•	•	•	•	
IK PACK	WEIGHT (kg)				2000					
B-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
ving area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
RUMA Combi 6 "E-H" (electrical resistance hot water and heating) IVING AREA OPTIONS	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
ompartment and cabling for 3rd battery (battery not supplied)	WEIGHT (kg)									
ving area door mosquito screen	2	0	0	0	0	0	0	0	0	
dder and cross-beams for roof rack	4	0	0	0	0	0	0	0	0	
PS navigation	10	0	0	0	0	0	0	0	0	
inter exterior insulation	3,5	0	0	0	0	0	0	0	0	
ashboard with walnut burr effect	5	0	0	0	0	0	0	0	0	
ANNES ambiance (Alcantara® mixed fabric)		0	0	0	0	•	•	•	•	
NEVA ambiance (Alcantara®)	 .	0	0			0	0	0	0	
STON (Leather / TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta		0	0	0	0	0	0	0	0	
lel cell (+ methanol 10 litres)	9 (+8,4)	-	-	U	0	0	0	0	0	
ARRIER OPTIONS	WEIGHT (kg)		MARKET LEVE	-	-	0	0	0	0	
uise control	2	0	0	0	0	0	0			
ssenger air bag	6	0	0	0	0	0	0	0	0	
Р	-	-	-	-	-	-	-	U	U	
rticle filter	10	0	0	0	0	0	0	0	0	
0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0	
it automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0	0	0	
g lights	1,1	0	0	0	0	•	•	•	•	
otorcycle carrier* (option weight +- 5kg)		65	65	65	65	73	73	73	73	
w bar* (S7= 1 500 kg / S70, S70dF, S70+ = 2 000 kg) (option weight +- 5kg)	-	53	53	53	53	61	61	61	61	
ptorcycle carrier + Tow bar* (option weight +- 5kg)	1 . 1	95	95	95	95	103	103	103	103	
T chassis: definition of the carriers different from the original commercial def	initions of the		ufacturers.		33	103	100	103	103	

Tchassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of + / - 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he





Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)"" Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	installed or has had installed in the vehicle.	<i>903F</i>	983F
Cubic capacity (cm) 2287 2287 Maximum power (kw CEE) 95.5 95.5 DIN power (HP) 130 130 AL RPM 3600 3600 Maximum torque (Nm) 330 330 Maximum torque rate (RPM) 2000 2000 Wheelbase (m) 3,450 4,035 Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000* Unladen weight (+/- 5%) 2990 3100 Overall leight (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (m) - (Tolerance +/-3 %) 2,84 2,84* Capacity of fresh water trank (litres) 100 100 Number of seats (vehicle certificate) 4 4,33** Number of exity (vehicle certificate) 4 4,33** Number of diring seats 4 4,33** Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber)	ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*
Maximum power (kw CEE) 95,5 95,5 DIN power (HP) 130 130 At RPM 3600 3600 Maximum torque (Nm) 330 330 Maximum torque rate (RPM) 2000 2000 Wheelbase (m) 3,450 4,035 Wider car track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000* Unlader weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall weight (m) 2,35 2,35 Overall weight (m) verwirners open 2,7 2,7 Overall height (m) - (Tolerance +/- 3%) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 3,3** Number of seatbelts 4 5 4 Number of fining seats 4 5 4 Art-tipollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 2+2 <t< td=""><td>Number of cylinders</td><td>4</td><td>4</td></t<>	Number of cylinders	4	4
DIN power (HP) 130 130 At RPM 3600 3600 Maximum torque (Nm) 330 330 Maximum torque rate (RPM) 2000 2000 Wider Pear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000** Unlader weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (m) 2,54 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seats (whicle certificate) 4 4 4 Number of laining seats 4 4 4 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 2+2 Bodywork (Polyseter or Alufiber) P P P Type of heating (make and model) Truma C6002 Truma Combi 6 Bettery capacity (Alth) 90	Cubic capacity (cm³)	2287	2287
AK RPM 3600 3600 Maximum torque (Nm) 330 330 Maximum torque rate (RPM) 2000 2000 Wheelbase (m) 3,450 4,035 Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000" Unladen weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall leight (m) - (Tolerance +/- 3%) 2,84 2,84 Capacity of fresh water tank (litres) 100 100 Number of seatabelts 4 4 Number of seats (whicle certificate) 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alu	Maximum power (kw CEE)	95,5	95,5
Maximum torque (Nm) 330 330 Maximum torque rate (RPM) 2000 2000 Wheelbase (m) 3,450 4,035 Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000" Unladen weight (+/-5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (m) - (rolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seats (welk)cle certificate) 4 4 Number of seats (welk)cle certificate) 4 4(3)"* Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Aluffier) P P Refrigerator capacity (litres) 97 150 Battery capacity (litres) 90 90 BED SIZES (MM) 2000 x 1300 2100 x 1410	DIN power (HP)	130	130
Maximum torque rate (RPM) 2000 2000 Wheelbase (m) 3,450 4,035 Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000" Unladen weight (+/-5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (m) 2,7 2,7 Overall height (m)- (Tolerance +/- 3%) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 4 Number of seats (vehicle certificate) 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 2+2 Bodywork (Polyester or Alufiber) P P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 90 90 BED SIZES (MM) 90 2100 x 1410	At RPM	3600	3600
Wheelbase (m) 3,450 4,035 Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/4000" Unladen weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (mi) with rear view mirrors open 2,7 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)"** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410 <	Maximum torque (Nm)	330	330
Wider rear track (m) 1,980 1,980 Gross vehicle weight 3500 3500/ 4000" Unladen weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall width (m)- (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)"* Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Maximum torque rate (RPM)	2000	2000
Gross vehicle weight 33500 3500/4000" Unladen weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall sength (m) 1,00 2,35 2,35 Overall sength (m) 1,00 1,00 1,00 Overall height (m) - (Tolerance +/- 3%) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 4(3)"* Number of seats (vehicle certificate) 4 4 (3)"* Number of dining seats 5 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) Rear bed 230 x 1300 2100 x 1410	Wheelbase (m)	3,450	4,035
Unladen weight (+/- 5%) 2990 3100 Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall garage width (m) with rear view mirrors open 2,7 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)*** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Wider rear track (m)	1,980	1,980
Overall length (m) 5,99 6,99 Overall width (m) 2,35 2,35 Overall spage* width (m) with rear view mitrosopen 2,7 2,7 Overall leight (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)*** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Gross vehicle weight	3500	3500/ 4000**
Overall width (m) 2,35 2,35 Overall 'sgange' width (m) with rear view mirrors open 2,7 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seathelts 4 4 Number of seats (vehicle certificate) 4 3;** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Unladen weight (+/- 5%)	2990	3100
Overall "garage" width (m) with rear view mirrors open 2,7 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of dining seats 4 4(3)*** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Overall length (m)	5,99	6,99
Overall height (m) - (Tolerance +/- 3 %) 2,84 2,84* Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)*** Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Overall width (m)	2,35	2,35
Capacity of fresh water tank (litres) 100 100 Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)"" Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Overall "garage" width (m) with rear view mirrors open	2,7	2,7
Number of seatbelts 4 4 Number of seats (vehicle certificate) 4 4(3)"" Number of dining seats 4 5 Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Overall height (m) - (Tolerance +/- 3 %)	2,84	2,843
Number of seats (vehicle certificate) Author of dining seats Anti-pollution standard Euro IV Possible sleeping spaces 2+2 Bodywork (Polyester or Alufiber) Type of heating (make and model) Refrigerator capacity (litres) Battery capacity (Ah) BED SIZES (MM) Rear bed A 4 5 Auto-pollution standard Euro IV Euro IV Euro IV Euro IV P P P P P P P P 150 97 150 90 90 90 BED SIZES (MM) Rear bed	Capacity of fresh water tank (litres)	100	100
Number of dining seats Anti-pollution standard Euro IV Euro IV Possible sleeping spaces 2+2 Bodywork (Polyester or Alufiber) Type of heating (make and model) Refrigerator capacity (litres) Battery capacity (Ah) BET SIZES (MM) Rear bed 1 5 Euro IV Euro IV Euro IV Euro IV Euro IV P P P P P P 150 P 150 90 90 90 BED SIZES (MM) Rear bed	Number of seatbelts	4	4
Anti-pollution standard Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P Type of heating (make and model) Refrigerator capacity (litres) P Togo Battery capacity (Ah) P Sear bed Euro IV P P P P P P Truma Combi 6 Truma Combi 6 P P Truma Combi 6 P P Truma Combi 6 P P P P P P P P P P P P P P P P P P P	Number of seats (vehicle certificate)	4	4(3)***
Possible sleeping spaces 2+2 2+2 Bodywork (Polyester or Alufiber) P P Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) Rear bed 2030 x 1300 2100 x 1410	Number of dining seats	4	5
Bodywork (Polyester or Alufiber) Type of heating (make and model) Refrigerator capacity (litres) Battery capacity (Ah) BED SIZES (MM) Rear bed P P P P P P P P P P P P P P P P P P	Anti-pollution standard	Euro IV	Euro IV
Type of heating (make and model) Truma C6002 Truma Combi 6 Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) 2030 x 1300 2100 x 1410	Possible sleeping spaces	2+2	2+2
Refrigerator capacity (litres) 97 150 Battery capacity (Ah) 90 90 BED SIZES (MM) Rear bed 2030 x 1300 2100 x 1410	Bodywork (Polyester or Alufiber)	P	P
Battery capacity (Ah) 90 90 BED SIZES (MM) Rear bed 2030 x 1300 2100 x 1410	Type of heating (make and model)	Truma C6002	Truma Combi 6
BED SIZES (MM) 2030 x 1300 2100 x 1410	Refrigerator capacity (litres)	97	150
Rear bed 2030 x 1300 2100 x 1410	Battery capacity (Ah)	90	90
Zioxi ili	BED SIZES (MM)		
Fold-away cab bed 1900 x 1350 1900 x 1350	Rear bed	2030 x 1300	2100 x 1410
	Fold-away cab bed	1900 x 1350	1900 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

^{*} OPTION : Fiat 3,0 - Cubic capacity (cm3) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

[&]quot;Heavy chassis: GVW = 4000kg (option at additional cost) with FIAT non-exemptable 160hp engine

[&]quot;' 4 registered seats without towing capability / 3 registered seats with towing capability

Overall height g+50mm with 16" wheels (40 Heavy)



REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacitywith a tolerance of +/-5% (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the











1900x1350

1900x1350

payload and the weight of any additional equipment he installed or has had installed in the vehicle.	0010-5				9086dF
installed in the vehicle.	9010dF	9048dF	9065dF	9083dF	SUODUF
ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*	2,3*	2,3*	2,3'
Number of cylinders	4	4	4	4	4
Cubic capacity (cm³)	2287	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	330	, 330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000	2000
Wheelbase (m)	3,800	3,800	4,300	4,035	4,035
Gross vehicle weight	3500/3700 4250 on 40H chassis**				
Unladen weight (+/- 5%)	3030	3080	3190	3140	3100
Overall length (m)	6,49	6,49	7,39	6,99	6,99
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %) a	2,84	2,84	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100	100	100
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4 (3) ^a	4 (3) ^a	3 (2) ^b	4 (2) °	4 (3) ^d
Number of dining seats	8	8	5	5	6
Anti-pollution standard	Euro IV				
Possible sleeping spaces	2+2	2+2	2+2	2+2	2+2
Bodywork (Polyester or Alufiber)	Р	Р	Р	Р	Р
Type of heating (make and model)	Truma Combi 6				
Refrigerator capacity (litres)	97	150	150	150	150
Battery capacity (Ah)	90	90	90	90	90
BED SIZES (MM)					
Rear bed		-	(1980 x 800) + (1980 x 800)	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1350	2100 x 1600	•	<u> -</u> -	-

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. If GVV 3700 kg g4 registered seats

1900x1350

Fold-away cab bed

1900x1350

1900x1350















	等1018				(
9090dF	9092dF	9095dF	9096dF	9097dF	9099dF	9009dFH
			Y			
2,3*	2,3*	2,3*	2,3*	2,3*	2,3*	3,0
4	4	4	4	4	4	4
2287	2287	2287	2287	2287	2287	2999
95,5	95,5	95,5	95,5	95,5	95,5	116
130	130	130	130	130	130	160
3600	3600	3600	3600	3600	3600	3500
330	330	330	330	330	330	400
2000	2000	2000	2000	2000	2000	1700
4,300	4,300	4,300	4,300	4,300	4,300	4,700
3500/3700 4250 on 40H chassis**	4250					
3190	3190	3190	3220	3220	3190	3550
7,39	7,39	7,39	7,39	7,39	7,39	7,99
2,35	2,35	2,35	2,35	2,35	2,35	2,35
2,7	2,7	2,7	2,7	2,7	2,7	2,7
2,84	2,84	2,84	2,84	2,84	2,84	2,89
100	100	100	100	100	100	190
4	4	4	4	4	4	4
3 (2) ^b	3 (2) ^b	3 (2) ^b	3 (2) ^e	3 (2) °	3 (2) ^b	4
5	5	5	6	6	5	6
Euro IV	Euro IV					
2+2	2+2	2+2	2+2	2+2	2+2	2+2
P	Р	Р	Р	Р	Р	Р
Truma Combi 6	Truma Combi 6					
150	150	150	150	150	150	150
90	90	90	90	90	90	2x90
1900 x 1400	1900 x 1400	1900 x 1400	2100 x 1410	2100 x 1410	1980 x 1350	2000 x 1400
· ·			.=	-	-	-
1900 x 1350	1900 x 1350					

DPTION: Fiat 3,0 - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

If 40H chassis = additional charge

Overall height +50mm with 16" wheels (40 Heavy)

010/9048: 160 hp and towing capability + automatic gearbox MTA = 3 registered seats

0065/9090/9092/9095/9099: 130 hp = 3 registered seats / 160 hp without towing capability = 3 registered seats / 160 hp with towing capability

or Automatic gearbox MTA with towing capability = 2 registered seats

083: 130 hp with towing capability = 3 registered seats / 160 hp = 3 registered seats with towing capability

086: 160 hp and towing capability = 3 registered seats / 160 hp = 3 registered seats / 160 hp = 3 registered seats with towing capability

096/9097: 130 hp or 160 hp without towing capability = 3 registered seats / 130 hp with towing capability = 2 registered seats / 160 hp with towing capability and/or automatic gearbox MTA = 2 registered seats and 70 L fresh water

Serie 9F / 90dF - dFH

EQUIPMENT AND COMFORT

	1					A	-CL	.AS	i 5					
	9F 5	eries			5 e	rie s	90dF	AL-	KO c	loub	le flo	oor		
	808	883	0106	3048	3065	9083	3806	9090	3092	3095	3606	² 08>	8006	HADBOOK
BODYWORK AND OPENINGS		711												
Panels all reinforced polyester with gutter	•	٠	•	•	•	۰	•	۰	•	•	•	۰	•	٠
Storage drawer(s) integrated in the skirts	• 13	•	•	-	10.00		•	-	-	-	-	-		-
Double glazing bays with "blind / fly-screen" combination	•	۰	•	۰	•	۰	•	•	•	0	•	_	•	•
Panoramic bay in the bedroom (800x1000)		-			•	-	•	0		۰	•	-	•	•
Rear end bay	•		•	•							•			
Central locking of opening bays (except bay 800x1000)											•	•		•
Cab door(s) with electric windows Transparent skylights with fly-screen and blind														
Fixed bay on living area entrance door														
HEKI skylight double fold blind with interior wood trim											•			
HEKI 3 skylight double fold blind		-		-			_	-		-	-	-		-
LIVING SPACE		DV 1883	0.00000	70.00										
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•		-	-	•	•	•	•	•	•	•	•	•	•
lack-assisted foldaway cab bed with slatted frame and Bultex foam mattress		•		•	•	•		•		•	•	•	•	
Permanent bed manually height-adjustable (occasionally)(+- 20cm)	•			-	-	-		-		-		-		1×
Permanent bed with tilt-adjustable head sections		-		-		-			•	•		-		0
Curtains and netting on the bays (except kitchen and toilet)						•					•	•	•	۰
Rigid partition		-				-		۰		•	•	•	•	•
Flexible partition	•	•				۰	•	-	0.12			-		-
Removable living room table with possibility of converting to a bed		-	•		10		Alle all		-			- 4		-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•		•	•	•	•	•	•	
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)		•		•	•	•	•	•	•	•	•	•	•	۰
ELEGANCE furniture		-	•	•	•	•	•	•	•	•	•	•	•	۰
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS			•	•	•	•	•	•	•	•	•	•	•	•
3rd level locker	- 1		•	•	•	•	•	•	•	•	•	•	•	•
KITCHEN														
Embossed stainless steel sink	•	•	•	•	•	•	•	۰	•/	٠	•	٠	•	۰
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•	•	•	•	٠	•	•	•	•	•	۰
2-burner stove	•	-	-	-	- 5	-	-	-	-		-	-		- 100
2nd sink with waste bin and drainer	- 11	•	10.00	•	•	•	•	٠	•	•	•	۰	•	۰
Laminated work top	•	•	•	•	•	•	•	۰	•	•	٠	•	•	۰
Large storage space under kitchen unit (only if variant without oven)	-	•	-	•	•	•	•	۰	•	•	•	•	•	•
Refrigerator (97 litres AES)	•	-	•		- 1	-		-		-	-	-		
Refrigerator with freezer compartment (150 litres AES)	- 1	•	10.	•	•	۰	•	۰	•	۰	•	•	•	۰
Back-lit glass-holder bar (glasses not supplied)	3.7	•	-	•	•	•	•	٠	•	۰	•	•	•	٠
Extraction hood above the kitchen	•	•	•	٠	•	•	•	٠	•	٠	•	•	•	۰
External refrigerator grill	•	•	•	•	•	۰	•	۰	•	•	•	•	•	·
Refrigerator grill covers (for winter use)	•	•	•			•	•	•			•			
External boiler inspection hatch (drain access, maintenance)	-	•	-	-	•	l ·		l °		l ·		100		-
BATHROOM Bathroom with wooden furnishings	•			•	•				•		•		•	
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	•	-				-		-			-	-		
Rigid circular shower, 903 and 9092 with wooden grating				-				-		-	-	-	-	-
Separate shower with circular door	-	<u> </u>		-	-	-	-		-	-	•		-	-
Telescopic clothes rack in the toilets	+ -	-	-		-	-		-	-	-	-	-	-	-
Chrome finish bathroom accessories											•			
Stainless steel basin	+:	-	-			-				•	•	•	-	-
White basin	-		•		-	•	-	-	-	-	-	-	•	
Camping toilet with removable tank			•		•	•	•	•		•	•	•	•	0
WATER								-			Post I			
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100	100	100	100	100	100	190
Capacity of waste water tank (litres)	120	120	100	100	100	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•	•	•	•	•	0	0
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•	•	•	۰	•	0	۰
HEATING														
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric) (903 = C6002)				•	•	•	•	•	•	•	•	•	•	

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, ● = Original, -= Not available

EQUIPMENT AND COMFORT

		A-CLASS									_				
The second secon		9F 9	ieries	;		5e	rie s	90dl	- AL-	KD a	doub	le flo	oor		
		808	888	3010	8406	3065	8083	3086	0606	3008	3008	3606	×608	8606	HADSOUS
ENERGY															
Semi-stationary auxiliary battery with coupler and separator (90 Ah)		•	•	•		•	0	•	۰	•	٠	•	۰	•	•
Compartment and 3rd battery Fuel cell		•		*	-		-		-	-			-	-	•
Cutting transformer - charger		16A	16A	16A	16A	16A	16A	16A	- 16A	16A	- 16A	16A	- 16A	16A	• 16A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	0	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring		•	٠	•	•	•	•	•	•	•	•	•	. •	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	۰	•	•	•	•	•	٠	•	٠
External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	2	•		•		•	0	•		•		•		•	
Speakers in the living area	J			•		•	•			•	l :			•	
External lighting with gutter above the living area door		•		•		•	•	•	•	•		•	•	•	
Halogen lamp with protective glass cover		•	•	•	•	•	0	•	•	•	•	•	۰	•	•
Lighting inside the wardrobe		•		•	•	•	•	•	•	•		•	•	•	•
Automatic DUOCOMFORT inverter SECUMOTION, enabling you to travel with the heating on		•	•	•		•	•	•		•	•	•	•	•	
CARRIER AND CAB EQUIPMENT			l ·		·		-	•	ا •	•		•	۰	•	•
Engine cold start assistance (Blow-by)		•		•		0	•	•		•		•	•	•	
Engine immobiliser		. •	•	•	•	•	•	•	•	•	•	•	•	•	
Driver's air bag		•	•	•	•	•	0	•	•	•	•	•	٠	•	•
ABS braking "Grand Comfort" call scots with fabric to match the living area and built in an	4 l l4 -	•	۰	٠	۰	•	•	•	•	•	۰	•	۰	•	٠
"Grand Comfort" cab seats with fabric to match the living area and built-in sea Cab door with automobile lock	t belts	•		•	0	0	0	•	•	•	•	•	•	•	•
Cab door with automobile lock Cab door with electric windows		•			•		•	•	•				•	•	-
Cab air-conditioning		•		•	•	•	•	•	•	•		•	•	•	
Tinted windows		•	۰	•	0	•	•	•	•	•	•	•	٠	•	•
Reversing camera control screen built into dashboard		0	0	0	•	•	•	•	•	•	•	•	•	•	•
MP3 Pioneer car radio / CD player		•	۰	•	۰	•	٠	•	۰	•	•	٠	•	•	•
Carpeted floor in cab Electric defrosting side mirrors		•	•	•	0	•	•	•	•	•	•	•	۰	•	•
Internal rear view mirror				•		•	•	•				•	•	•	•
Heat-insulating blind on rails in front cab (DUETT SEITZ)			•	•	0	•	•	•	•	•	•	•	•	•	•
Wheel repair kit		•	۰	•	•	0	•	•	۰	•	•	•	٠	•	•
LIVING AREA EQUIPMENT															
Reversing camera Electric retractable step		0	0	•	•	•	•	•	-	•	•	•	•	•	•
Insulated, ventilated step built into the floor			•	•	-	•	•	•		•			•	•	-
Rear stabilising jacks		•	۰	•	۰	•	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	۰	•	0	•	0	•	۰	•	•	•	•	•	•
UK PACK	WEIGHT (kg)		DI OU		D1 014	D1 011	B1 011								
28-litre oven with grill Living area carpet kit	14,5	PACK	PACK PACK	PACK	PACK	PACK	PACK	PACK	PACK						
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0.6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK PACK	PACK PACK	PACK PACK	PACK PACK	PACK PACK	PACK PACK
LIVING AREA OPTIONS	WEIGHT (kg)	-	TAGIC	THER	Tren	THEIR	Tricit	THER	THER	TACK	TACK	TACK	TACK	TACK	TACK
Reversing camera with control screen built into dashboard	2,6	0	0	•	۰	0	۰	•	•	•	•	•	•	•	•
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Living area door mosquito screen Ladder and cross-beams for roof rack	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	10 -2	-	-	-	-	0	0	0	0	0	0	0	0	0	0
GPS navigation	3,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alde heating	22	1	91		-		-	0	0		,=a			-	-
Additional cab heating Floor heating in living area	6,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Winter exterior insulation	7 5	0	0	0	0	0	0	0	0	- 0	- 0	- 0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	÷	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOSTON (Leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta) CARRIER OPTIONS	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cruise control	WEIGHT (kg)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESP	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
Particle filter	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIAT MTA robotised automatic gearbox (with 3,0-l engine only) Fog lights	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Motorcycle carrier* (weight option +- 5kg)	1,1	85	85	45	45	65	65	65	65	65	O 65	O 65	O 65	65	65
Tow bar* (1800 kg) (S $9 = 1500 \text{ kg} / \text{S} 90 \text{dF} = 2000 \text{kg}$) (weight option +- 5kg)	-	70	70	33	33	53	53	53	53	53	53	53	53	53	53
Motorcycle carrier + Tow bar' (weight option +- 5kg) *Please note: possible reduction in registered each	(6)	111	111	75	75	95	95	95	95	95	95	95	95	95	95

^{*}Please note : possible reduction in registered seats

19

Serie 9M - MH

CHARACTERISTICS AND CARRIERS BY MODEL

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacitywith a tolerance of + / -5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

1	1	
	111100	
-	00	*
		6
	74	· Marin









according to the payload and the weight of any additional equipment			<u> </u>		
he installed or has had installed in the vehicle.	966M	<i>983M</i>	986M	990M	<i>991M</i>
ENGINE EQUIPMENT/CHASSIS	2,2*	2,2*	2,2*	2,2*	2,2*
Number of cylinders	4	4	4	4	4
Cubic capacity (cm³)	2148	2148	2148	2148	2148
Maximum power (kw CEE)	110	110	110	110	110
DIN power (HP)	150	150	150	150	150
At RPM	3800	3800	3800	3800	3800
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400
Wheelbase (m)	4,325	3,665	3,665	4,325	4,325
Gross vehicle weight	3500 / 3880**	3500 / 3880**	3500 / 3880**	3500 / 3880**	3500 / 3880**
Unladen weight (+/- 5%)	3230	3105	3105	3230	3230
Overall length (m)	7,4	6,85	6,85	7,4	7,4
Overall width (m)	2,32	2,32	2,32	2,32	2,32
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,86	2,86	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100/70***	100	100	100/70***	100/70***
Number of seatbelts	4	4	4	4	3
Number of seats (vehicle certificate)	3 (2) ^a	4 (3) ^b	4 (3) ^b	3 (2) ^a	3 (2) ^a
Number of dining seats	5	4	5	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+2	2+2	2+2	2+2
Bodywork (Polyester or Alufiber)	Р	Р	Р	P	Р
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	175	150	175
Battery capacity (Ah)	90	90	90	90	90
BED SIZES (MM)					
Rear bed	(1980 x 800) + (1885 x 800)	2100 x 1410	2100 x 1350	1900 x 1400	1900 x 1400
Fold-away cab bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

^{*} OPTION : MERCEDES 3,0 I - V6 - 184 HP

[&]quot;Additional charge, registered seats = 4


[&]quot;Option 184 HP and/or automatic gearbox MTA = 70 L fresh water and requires reinforced rear suspension units

a 966M/990M/991M/992M/966M/997M/999M : Towing capability = 2 registered seats / Option 184 HP + automatic gearbox = 2 registered seats (with option 184 HP, and/or automatic gearbox = 70 L fresh water)

b 983M/986M: Option 184 HP = 3 registered seats / Automatic gearbox with towing capability = 3 registered seats

Serie 9M - MH

CHARACTERISTICS AND CARRIERS BY MODEL



Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. POPTION : MERCEDES 3,0 I - V6 - 184 HP

Additional charge, registered seats = 4

^{*}Option 184 HP and/or automatic gearbox MTA = 70 L fresh water and requires reinforced rear suspension units

^{***} Fresh water 996MH : emptying through gravity and pump

⁹⁶⁶M/990M/991M/992M/966M/997M/999M : Towing capability = 2 registered seats / Option 184 HP + automatic gearbox = 2 registered seats (with option 184 HP, and/or automatic gearbox = 70 L fresh water)

⁹⁸³M/986M: Option 184 HP = 3 registered seats / Automatic gearbox with towing capability = 3 registered seats

Serie 9M / MH

EQUIPMENT AND COMFORT

A CLASS

					9 Se	erie N	1ERCI	EDE S				
	BESIM	WE86	BBEIN	NO66	MIBB	Ness	N966	M286	N666	966MH	992MH	HN966
BODYWORK AND OPENINGS		100.24	I II		ALC: NO.	2011				Tel Sal		
Panels all reinforced polyester with gutter	•	۰	•	•	•	•	•	•	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	•	•	•	•	•	•	•	•	•	
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800x1000)		-		•	•	-	-	-		- 21		-
Central locking of opening bays (except for bay 800 x 100)	•	•	•	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	• 19	•	•	•	•	•	•	•
Bay on living space door	•	•	•	•	•	•		•	•	•	•	•
HEKI 3 skylight double fold blind with interior wood trim	•	•	•	•	•	•	•	•	•	•	•	•
LIVING SPACE								0.5272				
Permanent bed(s) with slat bed-frame and BULTEX [®] foam mattress	•	•	•	۰	•	•	•	•	•	•	•	•
Jack-assisted foldaway cab bed with slatted frame and Bultex foam mattress	•	۰	•	•	•	•	•	•	•	•	•	۰
Permanent bed(s) with tilt-adjustable head sections	•			•	•	•		-		•	•	-
Curtains and netting on the bays (except kitchen and toilet)	•	•	•	•	•	•	•	•	•	•	•	٠
Rigid partition				•	•	•	•	•	•	-	•	•
Flexible partition	. •	•	•	-		-	-	-		• .	•	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	1	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•	•	•	•
New "Indian Summer" colour for Elegance furniture	•	•	•	•	•	•	•	•	•	•	•	•
KITCHEN	-			100000		The state of		2000				ė,
Embossed stainless steel sink	•	•	•	•	•	•	•	•		•	•	•
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•	•	•	•	•
2 nd sink with waste bin and drainer	•		•	•	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•	•	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)		•	Dia Con			•			•	•	•	-
Refrigerator with freezer compartment (175 litres AES)	in Plans	-	•	-	•	· ·	•	-		-	-	•
Back-lit glass-holder bar (glasses not supplied)	•	•	•	•	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)		•		•	•	•	•	•	•	•	•	•
BATHROOM		(N. 12)		E.B.R		Call Car				TELESTE.		
Bathroom with wooden furnishings		•	•	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen) and wooden grating	NU - 700	-	•	-	•	-			•		26.	-
Rigid circular shower and wooden grating	die fin	•	-	-		•		-	2.		•	-
Separate shower with circular door and wooden grating			-			-		•		•		•
Telescopic clothes rack in the toilets	FEE	-		-	1446	-		-		-		-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•	•	•	•	•
Frosted glass in the bathroom	•	•	•	•	•	•	۰	•	•	•	•	•
Back-lit frosted mirror	•	-	-	-	-	•	•	•	-	•	•	۰
Back-lit soap holder		•	•	•	•	•	•	•	•	•	•	•
Stainless steel basin	•	21	•	•	-	•	•	•	-	•	•	•
White basin	-	•	-	-	•	-	-	-	•	-	1-	-
Camping toilet with removable tank	•	۰	•	۰	•	•	•	•	•	•	-	•
Camping style WC with suction	-	-1			-	-1	1-1	-	-		•	-
WATER	A MARCH		建新面									
Capacity of freshwater tank (litres)	100/70°	100	100	100/70°	100/70*	100/70*	90/70*	100/70*	100/70*	200	200	170
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	۰	•	•	٠	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•		•	•	۰	•
HEATING	经	7. 19.5	Sept Da	40.00	Day to Ta	Mess		2 48		1 4 4 1 5	PER T	I.
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)							•		•	•		

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Option 184 hp, and/or auto transmission = 70 L fresh water

EQUIPMENT AND COMFORT

A CLASS

		A CLASS											
						9 5	erie /	MERC	EDES			*	
		966M	ME86	BBEM	MDEE	MIEE	Mess	N9 ₆₆	M266	MEEE	966MH	BBENNH	996MH
ENERGY	N. P. T.	No.	15.5	1000	PART I		ordani.	7000	Tre c	16.50	30.10		
Semi-stationary auxiliary battery with coupler and separator (90 Ah)		•	•	•	۰	•	۰	•	۰	•	•	•	•
Compartment and 3rd battery		•	-	•	-	•	•	•		•	•	•	•
Battery cut-out Fuel cell	•	0	0	0	0	0	0	0	0	0			•
Cutting transformer - charger		20A	20A	20A	20A	20A	20A	20A	20A	20A	20A	20A	20A
Two-pole magneto - thermal circuit breaker		•	•	•	۰	•	•	•	۰	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•	۰	•	۰	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video		•	•	•	•	•				•			•
Speakers in the living area		•		•	•	•		•		•		•	•
External lighting with gutter above the living area door		•	•	•	•	•	•	•	•	•	•	•	•
Halogen lamp with protective glass cover		•	•	•	•	•	۰	•	•	•	•	•	۰
Ambiance lighting		•	•	•	۰	•	۰	•	•	•	•	•	•
Lighting inside the wardrobe		•	•	•	•	•		•	•	•	•	•	•
Automatic DUOCOMFORT inverter SECUMOTION, enabling you to travel with the heating on		•		•	•	•		•		•		•	•
CARRIER AND CAB EQUIPMENT			ne pleas		10820				100		367		
Engine immobiliser		•	•	•	•	•	•	•	•	•	•	•	•
Driver's air bag		•	•	•	•	•	•	•	•	•	•	•	•
ABS - ASR - ESP		•	•	•	٠	•	•	•	•	•	•	٠	•
Particle filter "Grand Comfort" cab seats with fabric to match the living area and built-in seat	halta	•	•	•	•	•	•	•		•		•	•
Cab door(s) with electric windows	. Deits	•						•			-		•
New cab door		•		•	•		•	•	•		•	•	
Dashboard with walnut burr effect			•		•	•	•	•	•	•	•	•	•
Cab air-conditioning		•	•	•	• /	•	•	•	۰	•	•	•	۰
Tinted windows		•	•	•	۰	•	۰	•	•	•	۰	•	•
2 DIN DVD car radio		•	•	•	•	•	•	•	•	•	•	•	•
Reversing camera with control screen built into dashboard Carpeted floor in cab	3				•								
Electric de-frosting side mirrors	ì			•	۰	•	•	•	•	•	•	•	•
Inside rear mirror		•	•	•	•	•	۰	•	•	•	•	•	۰
Heat-insulating blind on rails in front cab (DUETT SEITZ)		•	•	•	٠	•	•	•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•	•	•	•	•	•	•
Fog lights LIVING AREA EQUIPMENT			•	•	•	ALC: COLORS					•		_
Reversing camera				•	•		•	•	•	•	•	•	
Insulated, ventilated step built into the floor		•	•	•	•	•	•	•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (PLIP)	L	•	۰	٠	•	•	•	•	•	•	•	•	•
UK PACK 28-litre oven with grill	WEIGHT (kg) 14.5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
"TRUMA COMBI 6 ""E-H"" (electrical resistance hot water and heating)"	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS	WEIGHT (kg)								100 F-200				
Compartment and cabling for 3 rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	0	-	-	-
Fuel cell	9 (+8,4)	0	0	0	0	0	0	0	0	0	0	0	0
Living area door mosquito screen Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	0	0	0	0	0	0	0	0	0	0	0	0
GPS navigation	3,5	0	0	0	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0	0	0	0
Additional cab heating	6,5	0	0	0	0	0	0	0	0	0	0	0	0
Winter exterior insulation CANNES ambiance (Alcantara® mixed fabric)	5	0	0	0	0	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara*)	-	0	0	0	0	0	0	0	0	0	0	0	0
BOSTON (Leather / TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta)	-	0	0	0	0	0	0	0	0	0	0	0	0
	WEIGHT (kg)		100	THE PARTY		St. # 187	11513						
<u>Cruise control</u>	2	0	0	0	0	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0	0	0	0	0
3,0-litre V6 184 hp engine' (requires reinforced rear suspension units (except for 983M and 986M)) Mercedes automatic gearbox'(requires reinforced rear suspension units (except for 983M and 986M))	40 32	0	0	0	0	0	0	0	0	0	0	0	0
Alloy wheels	- 32	0	0	0	0	0	0	0	0	0	0	0	0
Reinforced rear suspension units**	10	0	0	0	0	0	0	0	0	0		-	-
Motorcycle carrier' (option weight +- 5kg)	-	73	73	73	73	73	73	73	73	73	83	83	83
Tow bar* (1800 kg) (option weight +- 5kg)	-	51	51	51	51	51	51	51	51	51	61	61	61 103
Motorcycle carrier + Tow bar* (option weight +- 5kg)	-	93	93	93	93	93	93	93	93	93	103	103	103

[&]quot;Please note: possible reduction in registered seats
"Required when ordering V6 and/or automatic
O = Option, ● = Original, -= Not available



Your next stage in the art of travelling

WWW.RAPIDO.FR

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.