

living in motion

technical data | adria caravans 2010



# The Future in Motion




Set yourself free in an Adria Caravan. No matter how many times you do it, there's always a thrill of excitement as you head out on the open road for another Adria adventure. We understand what you want in a Caravan and our products offer you all you could dream of and more.




**adiva**  
advanced beauty


 2 models

 Up to 4 berth




**adora**  
elegance and Comfort


 4 models

 Up to 6 berth




**action**  
agile and Unique


 1 model

 Up to 3 berth




**altea**  
simplistic and reliable

 4 models

 Up to 6 berth








# adiva

552 LT

552 PH

No. number of berths  
 • standard  
 o option  
 — not provided



## DIMENSIONS AND WEIGHTS

Internal Length	5.54 M / 18' 3/16"	5.54 M / 18' 2"
Overall Length	7.43 M / 24' 2/4"	7.44 M / 24' 5"
Overall Width	2.29 M / 7' 6 1/4"	2.29 M / 7' 6 1/4"
Internal Height	1.95 M / 6' 5"	1.95 M / 6' 5"
Overall Height	2.61 M / 8' 6 3/4"	2.61 M / 8' 6 3/4"
Mass in running order	1290 kg / 25.39 cwt	1330 kg / 26.18 cwt
Essential habitation equipment	65 kg / 1.28 cwt	73 kg / 1.44 cwt
Personal effects payload	132 kg / 2.60 cwt	131 kg / 2.58 cwt
Optional equipment payload	12 kg / 0.24 cwt	16 kg / 0.32 cwt
Total allowable payload	210 kg / 4.13 cwt	220 kg / 4.33 cwt
Maximum technical permissible laden mass	1500 kg / 29.53 cwt	1550 kg / 30.51 cwt
Awning length ground to ground	9.9 M / 32' 8/16"	9.90 M / 32' 6"
Tyre size	195/70R15C	195/70R15C
Load speed index	104	104

## BED SIZES

Number of berths	4	4
Dimensions of front double bed	—	2.05 M x 1.44 M / 6' 9" x 4' 9"
Dimensions of front single beds	2 x 2.0 M x 0.85 M / 6' 5" x 2' 7"	—
Dimensions of side bed	2.1 M x 1.15 M / 6' 7" x 3' 9"	2.10 M x 1.05 M / 6' 11" x 3' 5"

## OUTSIDE EQUIPMENT

NCC Inspected and Approved Touring Caravan with CRIS Registration	•	•
CRIS number stamped on chassis and windows	•	•
High gloss polyester body walls and roof	•	•
Opening windows all	•	•





552 LT

552 PH

## OUTSIDE EQUIPMENT

Opening windows all	•	•
Darker windows	•	•
Entrance door with window & integrated mosquito net	•	•
Outside luggage door	•	•
Heki II roof light	•	•
Plastic front and rear wall	•	•

## CHASSIS

Alko Chassis with longer, more stable A frame	•	•
Drawbar cover White Gloss	•	•
Shock absorbers for improved stability and safety	•	•
Alko Secure Receiver-Preinstallation only	•	•
Steel spare wheel	•	•
Heavy duty corner steadies	•	•
AKS stabiliser 1300/2004	•	•
Alloy wheels	•	•

## ELECTRIC EQUIPMENT

Awning light	•	•
Ceiling lights	•	•
Mains switch	•	•
Outside plug 13 Pin	•	•
Additional spotlights in lounge	•	•
TV socket with Aerial cable	•	•
Additional 3RD socket 230 V	•	•
External access battery box	•	•

## WATER INSTALATIONS

Water outlet	•	•
Truma compact socket to side	•	•
Truma submersible pump	•	•

## HEATING SYSTEM

Truma boiler BN10 gas & electric	•	•
Truma heater ultraheat	•	•
Trumavent heating	•	•

## KITCHEN DEPARTMENT

Refrigerator EL 97L	•	•
4 burner, hob, Spinflo oven and grill	•	•
Outside barbeque point	•	•

## TOILET COMPARTMENT EQUIPMENT

Thetford cassette toilet	C 200 CW	C 402
Shower cabin with Shower Tray	•	•
Shower faucet with Shower Head Bracket	•	•
Shower curtain	•	•

## OTHER EQUIPMENT

Blinds/Flyscreens on all windows	•	•
Sprung cushions in bedroom with anti allergy protection covering	•	•
Radio/cassette & 2 speakers (preinstalations)	•	•
Upholstery thickness 150 mm	•	•
Carpets	0	0

adiva

## equipment ▶

Polyester  
ExteriorSpacious  
Luggage BoxAnti Allergy  
Foam Mattress

Ergonomic Seats



ALKO chassis



Spinflo Cooker



Shower &amp; WC



50 l Water Tank

# adora

542 DL

612 DP

612 DT

642 UP

No. number of berths  
 • standard  
 o option  
 — not provided



## DIMENSIONS AND WEIGHTS

Internal Length	5.36 M / 17' 5/8"	6.1 M / 20'	6.1 M / 20'	6.35 M / 20' 7/8"
Overall Length	7.37 M / 24' 3/16"	7.98 M / 26' 2 1/2"	7.98 M / 26' 2 1/2"	8.35 M / 27' 6/16"
Overall Width	2.29 M / 7' 6 1/4"	2.29 M / 7' 6 1/4"	2.29 M / 7' 6 1/4"	2.29 M / 7' 6 1/4"
Internal Height	1.95 M / 6' 4 1/2"	1.95 M / 6' 4 1/2"	1.95 M / 6' 4 1/2"	1.95 M / 6' 4 1/2"
Overall Height	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"
Mass in running order	1200 kg / 23.62 cwt	1270 kg / 25 cwt	1380 kg / 27.17 cwt	1400 kg / 27.56 cwt
Essential habitation equipment	65 kg / 1.28 cwt	65 kg / 1.28 cwt	73 kg / 1.44 cwt	65 kg / 1.28 cwt
Personal effects payload	131 kg / 2.58 cwt	138 kg / 2.72 cwt	158 kg / 3.11 cwt	141 kg / 2.78 cwt
Optional equipment payload	104 kg / 2.05 cwt	27 kg / 0.53 cwt	89 kg / 1.75 cwt	94 kg / 1.85 cwt
Total allowable payload	300 kg / 5.91 cwt	230 kg / 4.53 cwt	320 kg / 6.30 cwt	300 kg / 5.91 cwt
Maximum technical permissible laden mass	1500 kg / 29.53 cwt	1500 kg / 29.53 cwt	1700 kg / 33.46 cwt	1700 kg / 33.46 cwt
Awning length ground to ground	10.85 M / 35' 6"	10.6 M / 34' 7"	10.6 M / 34' 7"	10.85 M / 35' 6"
Tyre size	185 R14 C	195 R14 C	195 R14 C	195 R14 C
Load speed index	98N	102N	102N	102N

## BED SIZES

Number of berths	4	4	6	4
Dimensions of front double bed	2.10 M x 1.2 M / 6' 11" x 3' 9"	2.10 M x 1.36 M / 6' 11" x 4' 4"	2.10 M x 1.36 M / 6' 11" x 4' 4"	2.10 M x 1.92 M - 1.48 M / 6' 11" x 6' 2" - 4' 8"
Dimensions of rear double beds	—	2.0 M x 1.4 M / 6' 5" x 4' 5"	2.0 M x 1.45 M / 6' 5" x 4' 7"	1.86 M x 1.6 M or 2x(1.86 M x 0.80 M) / 6' 10" x 5' 2" or 2x(6' 10" x 2' 6")
Dimensions of side single bed	2.0 M x 0.85 M, 1.92 M x 0.85 M / 6' 5" x 2' 7", 6' 2" x 2' 7"	—	1.84 M x 0.8 M / 6' x 2' 6"	—
Dimensions of bunk bed	—	—	1.84 M x 0.68 M / 6' x 2' 2"	—

## OUTSIDE EQUIPMENT

NCC Inspected and Approved Touring Caravan with CRIS Registration	•	•	•	•
CRIS number stamped on chassis and windows	•	•	•	•



542 DL      612 DP      612 DT      642 UP

**OUTSIDE EQUIPMENT**

High gloss polyester body walls and roof	•	•	•	•
Opening windows all	•	•	•	•
Triple front window	•	•	•	•
Darker windows	•	•	•	•
Outside luggage door	•	•	•	•
Entrance door with mosquito net and integrated window	•	•	•	•
Roof light Heki II	•	•	•	•
ABS Plastic front and rear wall	•	•	•	•

**CHASSIS**

"Alko Chassis" with longer, more stable A Frame	•	•	•	•
Drawbar cover White Gloss	•	•	•	•
Alko Secure Receiver-preinstallation only	•	•	•	•
Larger Wheel Trims	•	•	•	•
Steel spare wheel	•	•	•	•
AKS stabiliser 1300/2004	•	•	•	•

**ELECTRIC EQUIPMENT**

Awning light	•	•	•	•
Ceiling lamp	•	•	•	•
Mains switch	•	•	•	•
Outside plug 13 Pin	•	•	•	•
Additional spotlights in lounge	•	•	•	•
TV socket with Aerial cable	•	•	•	•
Additional 3RD socket 230 V	•	•	•	•
External access battery box	•	•	•	•

**WATER INSTALATION**

Water outlet	•	•	•	•
Truma Compact socket to side	•	•	•	•
Truma submersible pump	•	•	•	•

**HEATING SYSTEM**

Truma BN10 gas & electric water heater	•	•	•	•
Truma heater ultraheat	•	•	•	•
Trumavent heating	•	•	•	•

**KITCHEN EQUIPMENT**

Refrigerator	Thetford 97L	Thetford 97L	Thetford 97L	Thetford 150L RM 7605
3 burner wok, Spinflo oven and grill	•	•	•	•
Outside barbeque point	•	•	•	•
Dedicated Kitchen Cabinets	•	•	•	•

**TOILET COMPARTMENT EQUIPMENT**

Thetford cassette toilet	C 200 CW	C 200 CW	C 402	C 200 CW
Shower cabin with Shower Tray	•	•	•	•
Shower faucet with Shower Head Bracket	•	•	•	•
Shower curtain	•	•	•	•

**OTHER EQUIPMENT**

Blinds/Flyscreens on all windows	•	•	•	•
Radio/cassette & 2 speakers (preinstalations only)	•	•	•	•
High Quality, Stylish UK Soft Furnishings	•	•	•	•
Cushions in bedroom (plain foam)	•	•	•	•
Upholstery thickness 150 mm (not on bunk beds)	•	•	•	•

**OPTIONAL EXTRAS**

Alloy wheels	0	0	0	0
Carpets	0	0	0	0

adora

equipment ▶



50 l Water Tank



AL-KO chassis



No. Of Berths 6



Anti Allergy Foam Mattress



Multimedia & TV solutions




Spinflo Cooker

# action

361 LH

- No.** number of berths
- standard
  - o option
  - not provided



## DIMENSIONS AND WEIGHTS

Internal Length	3.61 M / 11'10"
Overall Length	5.17 M / 17'
Overall Width	2.20 M / 7'3"
Internal Height	1.95 M / 6'5"
Overall Height	2.54 M / 8'4"
Mass in running order	800 kg / 15.75 cwt
Essential habitation equipment	61 kg / 1.20 cwt
Personal effects payload	98 kg / 1.93 cwt
Optional equipment payload	41 kg / 0.81 cwt
Total allowable payload	200 kg / 3.94 cwt
Maximum technical permissible laden mass	1000 kg / 19.65 cwt
Tyre size	185/65 R14
Load speed index	86N

## BED SIZES

Number of berths	2/3
Front double bed	2.08 M x 2.00 M / 6'10" x 6'7" or
Front single beds	2 x 2.00 M x 0.69 M / 6'7" x 2'3"

## OUTSIDE EQUIPMENT

NCC Inspected and Approved Touring Caravan with CRIS Registration	•
CRIS number stamped on chassis and windows	•
Opening windows all	•
Darker windows	•
Outside luggage door	•





## 361 LH

### OUTSIDE EQUIPMENT

Mosquito net to exterior door	•
Entrance door without window	•
Midi Heki roof light	•
High Gloss Polyester body walls and roof	•
ABS Plastic front and rear wall	•

### CHASSIS

"ALKO chassis" with longer, more stable A Frame	•
Drawbar cover Silver	•
Shock absorbers - for improved stability and safety	•
Steel spare wheel	•
AKS stabiliser 1300/2004	•
Alloy wheels	•

### ELECTRIC EQUIPMENT

Awning light	•
Ceiling lamp	•
Transformer (Schaudt CS 300-2)	•
Outside plug 13 pin	•
TV socket with Aerial wire	•
TV Aerial Support	•

### HEATING SYSTEMS

Truma Therme boiler	•
Truma heater truma 3002 auto	•
Trumavent heating	•

### KITCHEN EQUIPMENT

Refrigerator 60 L	•
2-burner cooker with combined sink unit & glass lid	•

### TOILET COMPARTMENT EQUIPMENT

Thetford cassette toilet C 200 CW	•
Shower faucet	•
Shower curtain	•
Shower tray	•

### OTHER EQUIPMENT

Water tank 40 L	•
Roller blinds except front window	•
Radio/cassette & 2 speakers (preinstalation only)	•
Upholstery thickness 150 mm	•
Carpets	0
Stylish fabric and curtains	•

# action

### equipment ▶



Compact



Spacious  
Luggage Box



Shower & WC



Polyester Exterior



40 l Water Tank



Alko Chassis

# altea



## 360 LT

## 390 DS

## 542 DK

## 542 DT

No. number of berths  
 • standard  
 o option  
 — not provided



### DIMENSIONS AND WEIGHTS

Internal Length	3.56 M / 11' 8"	3.92 M / 12' 10"	5.36 M / 17' 7"	5.36 M / 17' 7"
Overall Length	5.45 M / 17' 11"	5.81 M / 19' 1"	7.23 M / 23' 8 1/2"	7.23 M / 23' 8 1/2"
Overall Width	2.07 M / 6' 9 1/2"	2.07 M / 6' 9 1/2"	2.29 M / 7' 6 1/2"	2.29 M / 7' 6 1/2"
Internal Height	1.95 M / 6' 5"	1.95 M / 6' 5"	1.95 M / 6' 5"	1.95 M / 6' 5"
Overall Height	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"	2.58 M / 8' 5 1/2"
Mass in running order	850 kg / 16.73 cwt	865 kg / 17.03 cwt	1070 kg / 21.06 cwt	1085 kg / 21.36 cwt
Essential habitation equipment	73 kg / 1.44 cwt	73 kg / 1.44 cwt	65 kg / 1.28 cwt	65 kg / 1.28 cwt
Personal effects payload	101 kg / 1.99 cwt	131 kg / 2.58 cwt	150 kg / 2.95 cwt	150 kg / 2.95 cwt
Optional equipment payload	26 kg / 0.51 cwt	31 kg / 0.61 cwt	15 kg / 0.30 cwt	0 kg / 0 cwt
Total allowable payload	200 kg / 3.94 cwt	235 kg / 4.63 cwt	230 kg / 4.53 cwt	215 kg / 4.23 cwt
Maximum technical permissible laden mass	1050 kg / 20.67 cwt	1100 kg / 21.65 cwt	1300 kg / 25.59 cwt	1300 kg / 25.59 cwt
Awning length ground to ground	8.20 M / 26' 9"	8.56 M / 28'	10 M / 32' 8"	10 M / 32' 8"
Tyre size	185/70R13	185/70R13	185R14 C	185R14 C
Load speed index	88N	88N	93N	93N

### BED SIZES

Number of berths	3	4	6	6
Dimensions of front double bed	2.0 M x 1.94 M / 6' 5 1/2" x 6' 3 1/2" or	1.94 M x 1.2 M / 6' 3 1/2" x 3' 9"	2.10 M x 1.36 M / 6' 11" x 4' 4 1/2"	2.10 M x 1.36-1.24 M / 6' 11" x 4' 4"-4'
Dimensions of rear double bed	—	1.92 M x 1.2 M / 6' 3" x 3' 9"	1.92 M x 1.3 M - 0.8 M / 6' 3" x 4' 2"-2' 6"	—
Dimensions of side single beds	—	—	—	1.92 M x 0.8 M / 6' 2" x 2' 6"
Dimensions of front single beds	2 x 2.0 M x 0.67 M / 6' 5 1/2" x 2' 1"	—	—	—
Dimensions of bunk bed	—	—	2 x 1.9 M x 0.8 M / 6' 2" x 2' 6"	3 x 1.9 M x 0.79 M / 6' 2" x 2' 5"

### OUTSIDE EQUIPMENT

NCC Inspected and Approved Touring Caravan with CRIS Registration	•	•	•	•
CRIS number stamped on chassis and windows	•	•	•	•



360 LT      390 DS      542 DK      542 DT

**OUTSIDE EQUIPMENT**

Opening windows all	•	•	•	•
Entrance door without window	•	•	•	•
Preinstallation for Heki II roof light	•	•	•	•
ABS Plastic front and rear wall	•	•	•	•
High gloss polyester roof	•	•	•	•

**CHASSIS**

"Alko Chassis"	•	•	•	•
Drawbar cover White Gloss	•	•	•	•
Larger Wheel Trims	•	•	•	•
Spare wheel	0	0	0	0
AKS stabilizer 1300/2004	0	0	0	0

**ELECTRIC EQUIPMENT**

Awning light	•	•	•	•
Ceiling lamp	•	•	•	•
Mains switch	•	•	•	•
Outside plug 13 Pin	•	•	•	•
Additional spotlights in lounge	•	•	•	•
TV socket with Aerial cable	•	•	•	•
External access battery box	•	•	•	•

**WATER INSTALATIONS**

Truma submersible pump	•	•	•	•
Water outlet	•	•	•	•

**HEATING SYSTEMS**

Truma boiler BN10 (gas&electric)	•	•	•	•
Truma heater Truma 3002 Auto	•	•	•	•
Trumavent heating	•	•	•	•

**KITCHEN EQUIPMENT**

Refrigerator Thetford N80	•	•	•	•
3-burner hob, Spinflo COMBI oven and grill	•	•	•	•

**TOILET COMPARTMENT EQUIPMENT**

Thetford Cassette toilet	C 402	C 402	C 200 CW	C 200 CW
Shower Cabin with Shower Tray	•	•	•	•
Shower faucet with shower head bracket	•	•	•	•
Shower curtain	•	•	•	•

**OTHER EQUIPMENT**

Blinds/Flyscreens on all windows	•	•	•	•
High Quality, Stylish UK Soft Furnishings	•	•	•	•
Upholstery thickness 150 mm	•	•	•	•
Carpets	0	0	0	0

altea

equipment ▶



50 l Water Tank



ALKO chassis




No. Of berths 6



Spinflo Cooker



living in motion



GB

ADRIA MOBIL, d.o.o.

• Straška cesta 50 • 8000 Novo mesto • Slovenija  
Tel. ++386(0)7 393 71 00 • Fax: ++386(0)7 393 72 00  
• Email: [info@adria-mobil.si](mailto:info@adria-mobil.si) • Website: [www.adria-mobil.com](http://www.adria-mobil.com)

## Adria Concessionaires Ltd

Hall Street, Long Melford,  
Suffolk, C010 9JP

Tel: 44(0) 1787 888980

Fax: 44(0) 1787 888981

[info@adriaconcessionaires.co.uk](mailto:info@adriaconcessionaires.co.uk)

<http://www.adriaconcessionaires.co.uk>

The purpose of the catalogue is illustrative. Pictures inside the catalogue may include some elements not belonging to standard equipment or portray products belonging to different markets. Products may change from technical or commercial points of view in respect of regulations. Please contact your selected Dealer to obtain detailed information before purchasing.

Published by: Adria Mobil, d.o.o.; Design and production: Enigma Novo mesto d.o.o., Brigita Jakovec; Photography: Branko Čeak, Jože Maček, Primož Lajevec; Fotolia; Shutterstock; Lithography: Tomo Per; Printed by: Tiskarna Petrič

