

Guide

To technical specifications
and equipment

2010




RAPIDO
CAMPING-CARS

Your next stage in the art of travelling

RAPIDO BODYWORK MAKES ALL THE DIFFERENCE

An exclusive manufacturing method



AMERICAN GEL-COAT : REINFORCED PROTECTION

For some years RAPIDO has been using, exclusively and in secret, the " American " gel-coat. This " high technology " material protects the bodywork of your camping-car from climatic aggressions and in particular from UV.

The quality of this white resin (gel-coat) is essential. It gives your camping-car its long life, its watertightness and its brilliant look.

ALU-FIBER® :

Available only for the Serie 70*

RAPIDO is expanding its technological choices by offering Alu-fiber®. This technology is based on our know-how in polyester materials and creates an innovation by adding a sheet of aluminium affixed to a polyester coating.

Alu-fiber® combines the qualities:

- of polyester, with its capability of withstanding impacts,
- of aluminium, which represents an excellent supporting medium for metallic paint, which lends depth to the particular hue.

Alu-fiber® is a variation in style for the RAPIDO range, a new aesthetic, in the purest traditions of RAPIDO quality.

POLYESTER PANELS : INCREASED STRENGTH

Panels coated with polyester possess good resistance to the impact of hail, scratching by branches and other small impacts. They are easy to repair.

POLYGLACE® POLYESTER : UNEQUALLED BRILLIANCE

The Polyglace® polyester which clads the panels of RAPIDO camping-cars results from an exclusive technique.

Its manual manufacturing process guarantees a perfectly smooth bodywork appearance of unequalled brilliance. This quality results from a greater thickness of resin.

Safety

ABS (Antilock Brake System)

This prevents the wheels from locking during braking, optimises stopping distances and, above all, ensures that the motor home can continue to steer.

ASR (Anti Slip Regulation)

When there is loss of traction, this anti-skid system brakes the drive wheels to restore traction.

ESP (Electronic Stability Program)

ESP is an anti-slide system capable of braking one or more wheels to return the vehicle to its centreline.

(Standard on 9M, option on 7 and 9).

SECUMOTION

Developed by TRUMA, the SECUMOTION system enables gas to be used while travelling to heat the living area or the water circuit. It is equipped with Duoconfort, which automatically switches over the gas bottles when one is empty.

SAFETY BELTS INTEGRATED ON ALL THE SEATS IN THE A-CLASS SERIES

RAPIDO has chosen to fit all the cab seats in the A-class series with retractable safety belts with the receiver built into the seat. This enables the belt to adapt better to everyone's shape.

BELTS FOR THE REAR PASSENGERS

The models with seats facing the road, including several side benches, are fitted with belts in the rear.

All models are therefore fitted with 4 belts.

DRIVER'S AIRBAG

A driver's airbag is available as standard on all the models in the range.

RAPIDO
CAMPING-CARS

ABS

ASR

ESP

Truma

SECUMOTION

2x4

Airbag

Belts

TECHNICAL INFO



An incomparable line of furniture

Whether it is the "Tradition" range of the Series 7 and 9 or the "Elegance" range on the other Series, the RAPIDO furniture holds its top-of-the-range reputation for the painstaking detail of its lovingly cared-for finishes and the use of solid maple on the main components, recalling the make's creator's first job as a cabinetmaker.

As you will have noted, the Series 70+ and 9M are fitted with "Elegance" furniture in warm and highly colourful "Indian Summer" maple wood colour. Where does this term "Indian Summer" come from? It is a region of the world, Canada, which supplies our maple, and provides a very colourful late season at the end of September. The forests clothe themselves in magnificent orangé red colours... This period is very often accompanied by exceptional brightness and a return of the heat. This warm period perfectly describes the sensation and emotions triggered by the new Elegance furniture "Indian Summer" colour.



Modular seats

To comply with our customers' wishes, RAPIDO has developed new bench seats with modular seats. From the "Living room" position around the table, you can reconfigure the seats so that they can be used facing the road with a seat belt during a trip.

With just a few manipulations, you can modify your bench seat to suit your particular requirements.



ALDE heating system

RAPIDO offers a mode of heating, tested by ourselves in the Scandinavian countries and developed in collaboration with the ALDE team, which provides heat harmoniously distributed through the living area creating a real sensation of well-being.

It consists of a central heating unit comprising a gas boiler and a heat exchanger. The boiler heats a liquid composed of 60% water and 40% glycol. The water/glycol mixture circulates in the system through the pipes and the convectors by means of a 12V circulation pump.

The convectors, placed along the exterior walls, heat the air, which rises, heating the furniture units and partitions. Because warm air rises, a barrier of air is formed, which insulates the windows from the cold. The temperature inside the living area is regulated by means of an air thermostat.

■ Available as an option on 9066dF and 9090dF models.

Heated Floor

Option available for: 9066dF + 9090dF

A composite film providing gentle floor heating and therefore further increased comfort.

Insulating cold-weather cladding

Option available across the range

Soplaire Isothermic protection developed with RAPIDO, ensures maximum protection both Summer and Winter.


It efficiently combats the thermal exchanges in the vehicle and the formation of condensation on the windshield.

WEBASTO Air Top 2000 S cab heating

Available on Fiat and Mercedes A-Class

The new cab heating system, which is in addition to and completely separate from the TRUMA or ALDE heating, eliminates condensation and droplets of water on the windscreen in the morning when the temperature is still cool in the cab.

The energy source for the warm air heating is the vehicle's own fuel (Diesel). Its low consumption is particularly suitable for long periods of heating with the engine shut off (overnight, long breaks) when activated, provides a rapid response in heating and ensures real comfort for a very cozy atmosphere.



TECHNICAL INFO

Fuel cell



Have all the power you need, wherever you are. The fuel cell is a power source located upstream of the battery. It constantly monitors the status of the battery charge and automatically starts to recharge it as soon as the charge falls below a given threshold. Once the battery has been recharged, the fuel cell automatically returns to standby mode. You no longer need to keep an eye on the battery voltage indicator. The model offered by RAPIDO is the EFOY 1600. No mechanical parts are involved in converting the liquid fuel (methanol) to electrical power, which provides silent operation. Your distributor can provide you with the supply of methanol. The fuel cell is offered:

- As standard on the 9MH and 9009dFH Series,
- As an option, on the 70* and 9M Series (pre-cabled as standard).

Reversing camera



The whole RAPIDO range has the advantage of a reversing camera (except for Series 7 and 9, where it is an option, pre-wired as standard). The camera is connected to a screen with built-in speaker, built into the dash board. The driver can therefore hear the instructions being given by someone behind the vehicle! Manoeuvring has never been so easy!

Navigation + DVD player



Offered as an option across the range, the Pioneer AVIC-F910BT navigation system enables you, through a single colour screen built into the dashboard, to:

- Follow your route through the European roads; with the SD card (supplied), you have all the maps of Europe and all the service areas in Europe,
- Enjoy a rear view when manoeuvring thanks to the reversing camera,
- Play DVDs via its "DVD player" function,
- Listen to the radio,
- Listen to your own selection of music by connecting it to an IPOD or MP3 player by means of an USB or SD card.

Car radio



The Series 7 and 9 are fitted with PIONEER car radios as standard. The rest of the range is fitted as standard with PIONEER Multimedia 2 DIN AVH-P3100DVD units.

- This hi-tech product is built in to the dashboard and fitted with a high-definition LCD 2 DIN colour screen with a 5.8" (14.7cm) LCD screen and touch screen user interface.



This enables you to:

- play DVDs via its "DVD player" function,
- listen to the radio, RDS AM/FM tuner,
- listen to your own selection of music via its IPOD or MP3 connection via USB or SD Card.

- USB port on the front,
- Reversing camera input.

SAFETY pack



This alarm, specifically developed to provide real peace of mind, is activated from the remote control for opening and locking the vehicle. Contents:

- Volumetric hyper frequency alarm,
- Perimeter alarm,
- Gas detector (Chloroform, Ether, Ethane, Butane, Propane).

Symphonie audio pack*




Experience your emotions to the full while listening to your preferred music with XXL acoustic comfort. This pack consists of:

- 1 Pioneer subwoofer, combining together a cast aluminium heat sink, a woofer with an oval aluminium cone and a built-in 150W amplifier, providing very powerful bass. It also contains a cabled remote control for refining your settings,
- 2 additional speakers in the living room,
- And a further two speakers in the bedroom.

The sound is therefore harmoniously distributed throughout the living area and provides true listening quality.

*Available only on factory order.

Double pre-cabling for DVD player



RAPIDO keeps pace with innovation. Nowadays, some sophisticated car radios* can play DVD films; RAPIDO has run an audio/video cable from the dashboard to the TV set especially for this purpose. A second audio/video cable allows to connect a DVD player near the TV cupboard.

*Available as an accessory from your distributor.

Serie 7


CHARACTERISTICS AND CARRIERS BY MODEL

Fiat low profile with extra-wide rear track

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	3,450	3,450	3,800	4,035
Wider rear track (m)	1,980	1,980	1,980	1,980
Gross vehicle weight	3300/3500 ^b	3300/3500 ^b	3500	3500/4000 ^{***}
Unladen weight (+/- 5%)	2920	2870	2980	3100
Overall length (m)	5,99	5,99	6,49	7,19
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,76	2,76	2,76	2,76 ^a
Capacity of fresh water tank (litres)	120	120	120	120
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4	4	4 (3)**
Number of dining seats	4	4	4	4
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	100/106	100/106	150	150
Battery capacity (Ah)	100	100	100	100
BED SIZES (MM)				
Rear bed	2030 x 1300	1980 x 1350	1980 x 1350	1930 x 1380
Extra dinette bed	Child's occasional bed 1600 x 800	1900 x 800	2100 x 750	2100 x 1000

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

*** Heavy chassis: GVW = 4000kg (option at additional cost)

^a Overall height = +50mm with 16" wheels (40 Heavy)


^b 130 hp = GVW 3300 kg / 160 hp (additional charge) = 3500 kg

^c The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Serie 7

CHARACTERISTICS AND CARRIERS BY MODEL

Fiat low profile with extra-wide rear track



ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm ³)	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	330	330	330
Maximum torque rate (RPM)	2000	2000	2000
Wheelbase (m)	4,035	4,035	4,035
Wider rear track (m)	1,980	1,980	1,980
Gross vehicle weight	3500/4000 ^{***}	3500/4000 ^{***}	3500/4000 ^{***}
Unladen weight (+/- 5%)	3150	3030	3150
Overall length (m)	6,99	6,99	7,19
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,90 ^a	2,90 ^a	2,90 ^a
Capacity of fresh water tank (litres)	100	100	120
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4 (3)**	4	4 (3)**
Number of dining seats	6	6	4
Anti-pollution standard	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	150	150	150
Battery capacity (Ah)	100	100	100
BED SIZES (MM)			
Rear bed	2000 x 1330	1980 x 1350	1930 x 1380
Extra dinette bed			
Drop-down bed in lounge area	1910 x 1350	1910 x 1350	1910 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** 4 registered seats without towing capability / 3 registered seats with towing capability

*** Heavy chassis: GVW = 4000kg (option at additional cost)

^a Overall height = +50mm with 16" wheels (40 Heavy)

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Fiat low profile with extra-wide rear track

LOW PROFILE

7 Series FIAT

	703	707	746	790	773FF	776FF	790FF
BODYWORK AND OPENINGS							
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•
Panoramic opening cab roof	•	•	•	•	•	•	•
Bay on living area entrance door	•	•	•	•	•	•	•
Midi HEKI skylight double fold blind with interior wood trim	•	•	•	•	•	•	•
LIVING SPACE							
Permanent bed with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•
Permanent bed manually height-adjustable (occasionally)(± 20cm)	•	-	-	-	-	-	-
Permanent bed with tilt-adjustable head sections	-	-	-	•	-	-	•
Permanent lift-up bed with garage access	-	-	-	•	-	-	•
Drop-down bed in lounge area, ceiling height when bed raised (m)	-	-	-	-	(1,83)	(1,83)	(1,93)
Living room table with telescopic foot, movable forwards, backwards and sideways	•	•	•	•	-	-	-
Living room table with fixed foot, movable forwards, backwards, sideways (+ rotation 790FF)	-	-	-	-	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	•	-	-	•
Flexible partition	-	-	-	•	•	•	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•
"Tradition" furniture	•	•	•	•	•	•	•
KITCHEN							
Embossed stainless steel sink	•	•	•	•	•	•	•
Embossed stainless steel 2-burner cooking hob with cover and piezzo ignition	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	-	-	-	-	-	-
2 nd sink with waste bin and drainer	-	-	•	-	-	-	•
Laminated work top	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	-	-	•	-	-	-	•
Refrigerator (100/106 (removable freezer), AES automatic)	•	•	-	-	-	-	-
Refrigerator with freezer compartment (150 litres AES)	-	-	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	-	-	•	•	•	•	•
BATHROOM							
Bathroom with wooden furnishings	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen) (707 with wooden grating)	-	•	•	-	-	-	-
Circular shower with wooden grating	•	-	-	•	•	•	•
Telescopic clothes rack in the toilets	-	-	-	-	-	-	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•
Stainless steel basin	•	-	•	-	-	-	-
White basin	-	•	-	-	-	-	-
Camping toilet with removable tank	•	•	•	•	•	•	•
WATER							
Capacity of freshwater tank (litres)	120	120	120	120	100	100	120
Capacity of waste water tank (litres)	90	90	90	90	90	90	90
Electric water pump	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•
HEATING							
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Original, - = Not available

10 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Fiat low profile with extra-wide rear track

LOW PROFILE

7 Series FIAT

	703	707	746	790	773FF	776FF	790FF
ENERGY							
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•
Speakers in the living area	•	•	•	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	•	•	•	•	•	•
Garage lighting with portable light	•	•	•	•	•	•	•
Lighting inside the wardrobe	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT							
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•	•
ABS braking + ASR	•	•	•	•	•	•	•
Original Cab seats with upholstery to match the living area	•	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•
MP3 car radio / CD player (PIONEER)	•	•	•	•	•	•	•
Carpeted floor in cab	•	•	•	•	•	•	•
Electric de-frosting side mirrors	•	•	•	•	•	•	•
Inside rear mirror	•	•	•	•	•	•	•
Heat-insulating cab bay blinds	•	•	•	•	•	•	•
Wheel repair kit	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT							
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•
Stabilising jacks at the back or in the wheelbase	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•
UK PACK 2010							
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS							
Reversing camera with control screen built into dashboard	2,6	0	0	0	0	0	0
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0
Living area door mosquito screen	4	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0
GPS navigation	4	0	0	0	0	0	0
Rear end bay	-	0	0	0	0	0	0
Heat-insulating blind, leaf-type for bays and on rails in front cab	4,6	0	0	0	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour) - (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0
Cobra alarm	-	0	0	0	0	0	0
CARRIER OPTIONS							
Cruise control	2	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0
ESP	-	0	0	0	0	0	0
Particle filter	10	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0
Fiat automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0
Fog lights	1,1	-	-	-	-	-	-
Motorcycle carrier* (option weight ± 5kg)	-	85	85	85	85	85	85
Tow bar* (1 500 kg) (option weight ± 5kg)	-	70	70	70	70	70	70
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	111	111	111	111	111	111

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*If trailer hitch fitted: - possible reduction in registered seats

- S7 = Elimination of the stabilising jacks

- 746 = Elimination of the stabilising jacks & fitting compartment and cabling for 3rd battery impossible

0 = Option, • = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Serie 70

CHARACTERISTICS AND CARRIERS BY MODEL


AL-KO low-profile with extra-wide rear track

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment.

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



7083

7086

7090

7099

ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,040	4,040	4,305	4,305
Wider rear track (m)	1,980	1,980	1,980	1,980
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3070	3070	3080	3100
Overall length (m)	6,99	6,99	7,39	7,39
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,74	2,74	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4	4 (3)***	4 (3)***
Number of dining seats	5	7	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+2	2+1	2+1
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	100	100	100	100
BED SIZES (MM)				
Rear bed	2100 x 1410	1980 x 1350	1930 x 1380	1980 x 1350
Extra dinette bed	2100 x 800	2100 x 1400	2100 x 1100	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION: Fiat 3,0 - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

^a Overall height = +50mm with 16" wheels (40 Heavy)


If GVV 3700 kg = 4 registered seats

12 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Serie 70dF

CHARACTERISTICS AND CARRIERS BY MODEL

AL-KO low-profile double floor with extra-wide rear track



7066dF

7092dF

7095dF

ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm ³)	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	330	330	330
Maximum torque rate (RPM)	2000	2000	2000
Wheelbase (m)	4,305	4,305	4,305
Wider rear track (m)	1,980	1,980	1,980
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3100	3100	3100
Overall length (m)	7,39	7,39	7,39
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	5	6
Anti-pollution standard	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	150	150	150
Battery capacity (Ah)	100	100	100
BED SIZES (MM)			
Rear bed	(1980 x 800) + (1900 x 800)	1930 x 1380	1930 x 1380
Extra dinette bed	2100 x 950	2100 x 950	2100 x 1230

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION: Fiat 3,0 - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

^a Overall height = +50mm with 16" wheels (40 Heavy)

If GVV 3700 kg = 4 registered seats

13 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

AL-KO low-profile with extra-wide rear track 570 and double floor with extra-wide rear track 570dF

LOW PROFILE

	70 Series				70 dF Series FIAT AL-KO		
	7083	7086	7090	7099	7066dF	7092dF	7095dF
BODYWORK AND OPENINGS							
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•
Panoramic opening cab roof	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800 x 1000)	•	•	•	•	•	•	•
Rear end bay	•	•	•	•	•	•	•
Cab doors with electric windows	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•
Bay on living area entrance door (fixed 570 dF/opening 570)	•	•	•	•	•	•	•
Central locking of opening bays (except bays 800x1000)	•	•	•	•	•	•	•
Midi HEKI skylight with double-fold blind	•	•	•	•	•	•	•
LIVING SPACE							
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•
Permanent bed(s) with tilt-adjustable head sections	•	•	•	•	•	•	•
Living room table with telescopic foot, movable forwards, backwards and sideways	•	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	•	•	•	•	•	•	•
Rigid partition	•	•	•	•	•	•	•
Flexible partition	•	•	•	•	•	•	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2
Flat screen TV unit for 15" screen (TV not supplied)	•	•	•	•	•	•	•
ELEGANCE furniture	•	•	•	•	•	•	•
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS							
3 rd level locker	•	•	•	•	•	•	•
KITCHEN							
Embossed stainless steel sink	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•
2 nd sink with waste bin and drainer	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•
BATHROOM							
Bathroom with wooden furnishings	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	•	•	•	•	•	•	•
Circular shower (7092 dF with wooden grating)	•	•	•	•	•	•	•
Separate shower with circular door	•	•	•	•	•	•	•
Telescopic clothes rack in the toilets	•	•	•	•	•	•	•
Back-lit soap holder	•	•	•	•	•	•	•
Stainless steel basin	•	•	•	•	•	•	•
White basin	•	•	•	•	•	•	•
Camping toilet with removable tank	•	•	•	•	•	•	•
WATER							
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100
Capacity of waste water tank (litres)	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•
HEATING							
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available

14 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

AL-KO low-profile with extra-wide rear track 570 and double floor with extra-wide rear track 570dF

LOW PROFILE

	70 Series				70 dF Series FIAT AL-KO		
	7083	7086	7090	7099	7066dF	7092dF	7095dF
ENERGY							
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•
Speakers in the living area	•	•	•	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	•	•	•	•	•	•
Garage lighting with portable light	•	•	•	•	•	•	•
Lighting inside the wardrobe	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•
EQUIPMENT OF THE CARRIER AND CAB							
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•	•
ABS braking + ASR	•	•	•	•	•	•	•
Original Cab seats with upholstery to match the living area	•	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•
Cab doors with electric windows	•	•	•	•	•	•	•
Reversing camera control screen built into dashboard	•	•	•	•	•	•	•
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	•	•	•	•	•	•	•
Carpeted floor in cab	•	•	•	•	•	•	•
Electric de-frosting side mirrors	•	•	•	•	•	•	•
Inside rear mirror	•	•	•	•	•	•	•
Heat-insulating blind, leaf-type for bays and on rails in front cab	•	•	•	•	•	•	•
Wheel repair kit	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT							
Reversing camera	•	•	•	•	•	•	•
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•
Stabilising jacks at the back or in the wheelbase	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•
UK PACK							
	WEIGHT (kg)						
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS							
	WEIGHT (kg)						
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0
Living area door mosquito screen	4	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0
GPS navigation	4	0	0	0	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour) - (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0
Cobra alarm	-	0	0	0	0	0	0
CARRIER OPTIONS							
	WEIGHT (kg)						
Cruise control	2	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0
ESP	-	-	-	-	-	-	-
Particle filter	10	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0
Fiat automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0
Fog lights	1,1	0	0	0	0	0	0
Motorcycle carrier* (option weight ± 5kg)	-	73	73	73	73	65	65
Tow bar* (2 000 kg) (option weight ± 5kg)	-	61	61	61	61	53	53
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	103	103	103	103	95	95

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Please note : possible reduction in registered seats

0 = Option, • = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment.

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



7065⁺



7090⁺



7099⁺

ENGINE EQUIPMENT/CHASSIS	FIAT 2,3 [*]	FIAT 2,3 [*]	FIAT 2,3 [*]
Number of cylinders	4	4	4
Cubic capacity (cm ³)	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	330	330	330
Maximum torque rate (RPM)	2000	2000	2000
Wheelbase (m)	4,305	4,305	4,305
Wider rear track (m)	1,980	1,980	1,980
Gross vehicle weight	3500/3700 4250 on 40H châssis**	3500/3700 4250 on 40H châssis**	3500/3700 4250 on 40H châssis**
Unladen weight (+/- 5%)	3100	3100	3100
Overall length (m)	7,39	7,39	7,39
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	A	A	A
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	150	150	150
Battery capacity (Ah)	100	100	100
BED SIZES (MM)			
Rear bed	2x (1980 x 800)	1930 x 1380	1980 x 1350
Extra dinette bed	2100 x 1200	2100 x 1100	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

^a Overall height g+50mm with 16" wheels (40 Heavy)

If GVW 3700 kg g4 registered seats

16 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



AL-KO low-profile with extra-wide rear track

LOW PROFILE

70⁺ Series FIAT AL-KO

	7065*	7090*	7099*
BODYWORK AND OPENINGS			
Panels all Alufiber with gutter	•	•	•
Metallic paint, except for skirts (ABS/PMMA): gutter rail (aluminium) : roof	•	•	•
Double glazed opening panoramic roof "SKYVIEW"	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•
Panoramic bay in the bedroom (800x1000)	•	•	•
Rear end bay	•	•	•
Cab doors with electric windows	•	•	•
Transparent skylights with fly-screen and blind	•	•	•
Opening bay on living area entrance door	•	•	•
Midi HEKI skylight with double-fold blind	•	•	•
LIVING SPACE			
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•
Permanent bed(s) with tilt-adjustable head sections	•	•	•
Living room table with telescopic foot, movable forwards, backwards and sideways	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	•	•	•
Rigid Japanese partition	•	•	•
Rigid partition	•	•	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•
3-point safety belt(s) in the living space	2	2	2
Flat screen TV unit for 15" screen (TV not supplied)	•	•	•
"Indian Summer" colour for ELEGANCE furniture	•	•	•
KITCHEN			
Embossed stainless steel sink	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezo ignition	•	•	•
2 nd sink with waste bin and drainer	•	•	•
Laminated work top	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•
Refrigerator with freezer compartment (150 litres AES)	•	•	•
Extraction hood above the kitchen	•	•	•
External refrigerator grill	•	•	•
Refrigerator grill covers (for winter use)	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•
BATHROOM			
Bathroom with wooden furnishings	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	•	•	•
Separate shower with circular door	•	•	•
Wooden grating	•	•	•
Telescopic clothes rack in the toilets	•	•	•
Chrome finish bathroom accessories	•	•	•
Back-lit Frosted mirror	•	•	•
Back-lit soap holder	•	•	•
Stainless steel basin	•	•	•
White basin	•	•	•
Camping toilet with removable tank	•	•	•
WATER			
Capacity of freshwater tank (litres)	100	100	100
Capacity of waste water tank (litres)	100	100	100
Electric water pump	•	•	•
External shower with hot and cold water and mixer tap	•	•	•
HEATING			
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available

18 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

AL-KO low-profile with extra-wide rear track

LOW PROFILE

70⁺ Series FIAT AL-KO

	7065*	7090*	7099*
ENERGY			
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•
Cutting transformer - charger	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•
Control panel with instant consumption measuring	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•
External 230 V connection - internal 230 V plug	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•
Speakers in the living area	•	•	•
External lighting with gutter above the living area door	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	•	•
LED ambiance lighting	•	•	•
Garage lighting with portable light	•	•	•
Lighting inside the wardrobe	•	•	•
Automatic DUOCOMFORT inverter	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•
EQUIPMENT OF THE CARRIER AND CAB			
Engine cold start assistance (Blow-by)	•	•	•
Engine immobiliser	•	•	•
Driver's air bag	•	•	•
ABS braking + ASR	•	•	•
Original Cab seats with upholstery to match the living area	•	•	•
Dashboard with walnut burr effect	•	•	•
Cab air-conditioning	•	•	•
Tinted windows	•	•	•
Cab doors with electric windows	•	•	•
Reversing camera control screen built into dashboard	•	•	•
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	•	•	•
Carpeted floor in cab	•	•	•
Electric de-frosting side mirrors	•	•	•
Inside rear mirror	•	•	•
Heat-insulating blind, leaf-type for bays and on rails in front cab	•	•	•
Wheel repair kit	•	•	•
Fog lights	•	•	•
LIVING AREA EQUIPMENT			
Reversing camera	•	•	•
Insulated, ventilated step built into the floor	•	•	•
Stabilising jacks at the back or in the wheelbase	•	•	•
Remote control locking and unlocking of doors (2 PLIP)	•	•	•
UK PACK			
		WEIGHT (kg)	
28-litre oven with grill		14,5	PACK
Living area carpet kit		9	PACK
LIVING AREA OPTIONS			
		WEIGHT (kg)	
Compartment and cabling for 3rd battery (battery not supplied)		2	0
Living area door mosquito screen		4	0
Ladder and cross-beams for roof rack		10	0
GPS navigation		3,5	0
Winter exterior insulation		5	0
GENEVA ambiance (Alcantara®)		-	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)		-	0
Fuel cell (+ methanol 10 litres)		9 (+ 8,4)	0
Cobra alarm		-	0
CARRIER OPTIONS			
		WEIGHT (kg)	
Cruise control		2	0
Passenger air bag		6	0
ESP		-	-
Particle filter		10	0
3,0-litre 160 hp engine*		50	0
Fiat automatic gearbox* (only with 3,0-litre engine)		17	0
Motorcycle carrier* (option weight ± 5kg)		-	73
Tow bar* (2 000 kg) (option weight ± 5kg)		-	61
Motorcycle carrier + Tow bar* (option weight ± 5kg)		-	103

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Please note : possible reduction in registered seats

0 = Option, • = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

CHARACTERISTICS AND CARRIERS BY MODEL


A-Class Fiat standard chassis with extra-wide rear track

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment.

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



903

966

983

990

ENGINE EQUIPMENT/CHASSIS	2,3'	2,3'	2,3'	2,3'
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	3,450	4,035	4,035	4,035
Wider rear track (m)	1,980	1,980	1,980	1,980
Gross vehicle weight	3500	3500/4000**	3500/4000**	3500/4000**
Unladen weight (+/- 5%)	2990	3100	3100	3100
Overall length (m)	5,99	6,99	6,99	7,19
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %) ^a	2,84	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	4	4	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	4	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	100/106	150	150	150
Battery capacity (Ah)	100	100	100	100
BED SIZES (MM)				
Rear bed	2030 x 1300	(1983 x 800) + (1960 x 800)	2010 x 1330	1930 x 1380
Overcab drop-down bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** Heavy chassis: GVW = 4000kg (option at additional cost)

*** 4 registered seats without towing capability / 3 registered seats with towing capability

^a Overall height g+50mm with 16" wheels (40 Heavy)



A-CLASS

9 Series

	903	966	983	990
BODYWORK AND OPENINGS				
Panels all reinforced polyester with gutter	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•
Rear end bay	-	-	•	-
Central locking of opening bays (except bay 800x1000)	•	•	•	•
Cab door with electric window	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•
HEKI skylight double fold blind with interior wood trim	•	•	•	•
LIVING SPACE				
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•
Permanent bed with tilt adjustable head sections	-	•	-	•
Permanent bed manually height-adjustable (occasionally)(± 20cm)	•	-	•	-
Permanent lift-up bed with garage access	•	-	-	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	•
Flexible partition	•	•	•	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•
"Tradition" furniture	•	•	•	•
Internal storage compartment (litres)	75	130	130	130
KITCHEN				
Embossed stainless steel sink	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•
2-burner stove	•	-	-	-
2nd sink with waste bin and drainer	-	•	•	-
Laminated work top	•	•	•	•
Refrigerator (100/106 L (removable freezer), AES automatic)	•	-	-	-
Refrigerator with freezer compartment (150 litres AES)	-	•	•	•
Extraction hood above the kitchen	•	•	•	•
External refrigerator grill	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	-	•	•	•
BATHROOM				
Bathroom with wooden furnishings	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	•	•	-
Circular shower	•	-	-	•
Wooden grating	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•
Stainless steel basin	•	•	•	-
White basin	-	-	-	•
Camping toilet with removable tank	•	•	•	•
WATER				
Capacity of freshwater tank (litres)	100	100	100	100
Capacity of waste water tank (litres)	120	120	120	120
Electric water pump	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•
HEATING				
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available

22 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A-CLASS

9 Series

	903	966	983	990
ENERGY				
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•
Cutting transformer - charger	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•
Speakers in the living area	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the roof	•	•	•	•
Garage lighting with portable light	•	•	•	•
Lighting inside the wardrobe	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•
CARRIER AND CAB EQUIPMENT				
Engine cold start assistance (Blow-by)	•	•	•	•
Engine immobiliser	•	•	•	•
Driver's air bag	•	•	•	•
ABS braking	•	•	•	•
Original cab seats with fabric to match the living area and built-in seat belts	•	•	•	•
Cab door with automobile handle	•	•	•	•
Cab door with electric windows	•	•	•	•
Cab air-conditioning	•	•	•	•
Tinted windows	•	•	•	•
MP3 PIONEER car radio / CD player	•	•	•	•
Carpeted floor in cab	•	•	•	•
Electric, external rear view, de-icing double view mirrors	•	•	•	•
Internal rear view mirror	•	•	•	•
Heat-insulating blind on rails in front cab	•	•	•	•
Wheel repair kit	•	•	•	•
LIVING AREA EQUIPMENT				
Insulated, ventilated step built into the floor	•	•	•	•
Rear stabilising jacks	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)	•	•	•	•
UK PACK				
28-litre oven with grill	WEIGHT (kg)			
Living area carpet kit	14,5	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	9	PACK	PACK	PACK
	0,6	PACK	PACK	PACK
LIVING AREA OPTIONS				
Reversing camera with control screen built into dashboard	WEIGHT (kg)			
Compartment and cabling for 3rd battery (battery not supplied)	2,6	0	0	0
Living area door mosquito screen	2	0	0	0
Ladder and cross-beams for roof rack	4	0	0	0
GPS navigation	10	0	0	0
Double-glazed side bays in cab	3,5	0	0	0
Additional cab heating	10	0	0	0
Winter exterior insulation	6,5	0	0	0
Dashboard with walnut burr effect	5	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0
Cobra alarm	-	0	0	0
CARRIER OPTIONS				
Cruise control	WEIGHT (kg)			
Passenger air bag	2	0	0	0
ESP	6	0	0	0
Particle filter	-	0	0	0
3,0-litre 160 hp engine*	10	0	0	0
FIAT MTA robotised automatic gearbox (with 3,0-l engine only)	50	0	0	0
Fog lights	17	0	0	0
Motorcycle carrier* (weight option ± 5kg)	1,1	-	-	-
Tow bar* (1500 kg) (weight option ± 5kg)	-	85	85	85
Motorcycle carrier + Tow bar* (weight option ± 5kg)	-	70	70	70
	-	111	111	111

*Please note : possible reduction in registered seats

○ = Option, ● = Original, - = Not available

23 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

Serie 90d.F

CHARACTERISTICS AND CARRIERS BY MODEL


Fiat Al-ko double floor A-Class with extra-wide rear track

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment.

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).


It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



9048dF



9066dF



9083dF




9090dF



9092dF




9095dF



9096dF



9097dF



9009dFH

ENGINE EQUIPMENT/CHASSIS	2,3'	2,3'	2,3'	2,3'	2,3'	2,3'	2,3'	3	
Number of cylinders	4	4	4	4	4	4	4	4	
Cubic capacity (cm ³)	2287	2287	2287	2287	2287	2287	2287	2999	
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5	95,5	95,5	116	
DIN power (HP)	130	130	130	130	130	130	130	160	
At RPM	3600	3600	3600	3600	3600	3600	3600	3500	
Maximum torque (Nm)	330	330	330	330	330	330	330	400	
Maximum torque rate (RPM)	2000	2000	2000	2000	2000	2000	2000	1700	
Wheelbase (m)	3,800	4,300	4,035	4,300	4,300	4,300	4,300	4,700	
Wider rear track (m)	1,980	1,980	1,980	1,980	1,980	1,980	1,980	1,980	
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	4250
Unladen weight (+/- 5%)	3080	3190	3140	3190	3190	3190	3220	3220	3565
Overall length (m)	6,49	7,39	6,99	7,39	7,39	7,39	7,39	7,39	7,99
Overall width (m)	2,35	2,35	2,35	2,35	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %) ^a	2,86	2,86	2,86	2,86	2,86	2,86	2,86	2,86	2,89
Capacity of fresh water tank (litres)	100	100	100	100	100	100	100	100	190
Number of seatbelts	4	4	4	4	4	4	4	4	4
Number of seats (vehicle certificate)	4 (3) ^b	3 (2) ^c	4 (3) ^d	3 (2) ^c	3 (2) ^c	3 (2) ^c	3 (2) ^e	3 (2) ^e	4
Number of dining seats	8	5	5	5	5	6	6	6	6
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	4	4	4	4	4	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	150	150	150	150	150	150	150	150	150
Battery capacity (Ah)	100	100	100	100	100	100	100	100	2 x 100
BED SIZES (MM)									
Rear bed	-	(1980 x 800) + (1885 x 800)	2100 x 1410	1930 x 1380	1930 x 1380	1930 x 1380	2100 x 1410	2100 x 1410	2000 x 1380
Dinette bed	2100 x 1600	-	-	-	-	-	-	-	-
Overcab drop-down bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

If GVV 3700 kg g4 registered seats

* OPTION: Fiat 3,0 - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

** If 40H chassis = additional charge

^a Overall height +50mm with 16" wheels (40 Heavy)

Serie 90d.F

CHARACTERISTICS AND CARRIERS BY MODEL

Fiat Al-ko double floor A-Class with extra-wide rear track

^b 9048: 160 hp and towing capability + automatic gearbox MTA = 3 registered seats

^c 9066/9090/9092/9095: 130 hp = 3 registered seats / 160 hp without towing capability = 3 registered seats / 160 hp with towing capability or Automatic gearbox MTA with towing capability = 2 registered seats

^d 9083: 130 hp with towing capability = 3 registered seats / 160 hp = 3 registered seats / Automatic gearbox MTA = 3 registered seats without towing capability, 2 registered seats with towing capability

^e 9096/9097: 130 hp or 160 hp without towing capability = 3 registered seats / 130 hp with towing capability = 2 registered seats / 160 hp with towing capability and/or automatic gearbox MTA = 2 registered seats and 70 L fresh water

A-CLASS

Serie 90dF AL-KO double floor

	9048	9066	9083	9090	9092	9095	9096	9097	9099H
BODYWORK AND OPENINGS									
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800x1000)	-	-	-	•	-	•	-	-	•
Rear end bay	-	-	•	-	-	•	•	•	•
Central locking of opening bays (except bay 800x1000)	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	•	•	•	•
HEKI skylight double fold blind with interior wood trim	•	•	•	•	•	•	•	•	•
LIVING SPACE									
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	-	•	•	•	•	•	•	•	•
Permanent bed with tilt-adjustable head sections	-	•	•	•	•	•	•	•	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	•	-	•	-	-	•
Rigid Japanese partition	-	-	-	-	-	-	-	-	•
Rigid partition	-	-	-	•	-	•	•	•	•
Flexible partition	-	-	-	-	-	-	-	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•
ELEGANCE furniture	•	•	•	•	•	•	•	•	•
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS									
3rd level locker	•	•	•	•	•	•	•	•	•
KITCHEN									
Embossed stainless steel sink	•	•	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•	•
2nd sink with waste bin and drainer	•	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)	•	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•	•
BATHROOM									
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	•	-	-	-	-	-	-	-	•
Circular shower	-	-	•	-	-	-	-	-	-
Separate shower with circular door	-	•	-	•	-	-	•	•	-
Wooden grating	-	-	-	-	-	-	-	-	-
Telescopic clothes rack in the toilets	•	-	-	-	-	•	-	-	•
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•	•
Stainless steel basin	•	•	•	•	•	•	•	•	•
White basin	-	-	•	-	-	-	-	-	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•	•
WATER									
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100	190
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•	•
HEATING									
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available

26 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A-CLASS

Serie 90dF AL-KO double floor

	9048	9066	9083	9090	9092	9095	9096	9097	9099H
ENERGY									
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•	•	•
Compartment and 3rd battery	-	-	-	-	-	-	-	-	•
Fuel cell	-	-	-	-	-	-	-	-	-
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•	•
Speakers in the living area	•	•	•	•	•	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	•	•	•	•	•	•	•	•
Garage lighting with portable light	•	•	•	•	•	•	•	•	•
Lighting inside the wardrobe	•	•	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT									
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•	•	•	•
ABS braking + ASR	•	•	•	•	•	•	•	•	•
Original cab seats with fabric to match the living area and built-in seat belts	•	•	•	•	•	•	•	•	•
Cab door with automobile handle	•	•	•	•	•	•	•	•	•
Cab door with electric windows	•	•	•	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•	•	•
Reversing camera control screen built into dashboard	•	•	•	•	•	•	•	•	•
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	•	•	•	•	•	•	•	•	•
Carpeted floor in cab	•	•	•	•	•	•	•	•	•
Electric, external rear view, de-icing double view mirrors	•	•	•	•	•	•	•	•	•
Internal rear view mirror	•	•	•	•	•	•	•	•	•
Heat-insulating blind on rails in front cab	•	•	•	•	•	•	•	•	•
Wheel repair kit	•	•	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT									
Reversing camera	•	•	•	•	•	•	•	•	•
Electric retractable step	•	-	-	-	-	-	-	-	-
Insulated, ventilated step built into the floor	-	•	•	•	•	•	•	•	•
Rear stabilising jacks	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)	•	•	•	•	•	•	•	•	•
UK PACK									
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS									
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	-
Living area door mosquito screen	4	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	-	0	0	0	0	0	0	0
GPS navigation	5,5	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0
Alde heating	22	-	0	-	0	-	-	-	-
Additional cab heating	6,5	0	0	0	0	0	0	0	0
Floor heating in living area	7	-	0	-	0	-	-	-	-
Winter exterior insulation	5	0	0	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0	0	0
Cobra alarm	-	0	0	0	0	0	0	0	0
CARRIER OPTIONS									
Cruise control	2	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0
ESP	-	-	-	-	-	-	-	-	-
Particle filter	10	0	0	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0
FIAT MTA robotised automatic gearbox (with 3,0-l engine only)	17	0	0	0	0	0	0	0	0
Fog lights	1,1	0	0	0	0	0	0	0	0
Motorcycle carrier* (weight option ± 5kg)	-	45	65	65	65	65	65	65	65
Tow bar* (2000kg) (weight option ± 5kg)	-	33	53	53	53	53	53	53	53
Motorcycle carrier + Tow bar* (weight option ± 5kg)	-	75	95	95	95	95	95	95	95

*Please note : possible reduction in registered seats


○ = Option, ● = Original, - = Not available

27 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



909M

966M

983M

992M


ENGINE EQUIPMENT/CHASSIS	2,2'	2,2'	2,2'	2,2'
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2143	2143	2143	2143
Maximum power (kw CEE)	120	120	120	120
DIN power (HP)	163	163	163	163
At RPM	3800	3800	3800	3800
Maximum torque (Nm)	360	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400	1400-2400
Wheelbase (m)	4,325	4,325	3,665	4,325
Gross vehicle weight	3500/3880**	3500/3880**	3500/3880**	3500/3880**
Unladen weight (+/- 5%)	3245	3230	3105	3230
Overall length (m)	7,4	7,4	6,85	7,4
Overall width (m)	2,32	2,32	2,32	2,32
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,86	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100/70***	100/70***	100	100/70***
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	3 (2) ^a	3 (2) ^a	4 (3) ^b	3 (2) ^a
Number of dining seats	6	5	4	5
Anti-pollution standard	Euro IV/V	Euro IV/V	Euro IV/V	Euro IV/V
Possible sleeping spaces	4	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	149	149	149	149
Battery capacity (Ah)	100	100	100	100
BED SIZES (MM)				
Rear bed	1980 x 1380	(1980 x 800) + (1885 x 800)	2100 x 1410	1930 x 1380
Overcab drop-down bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

* OPTION : MERCEDES 3,0 I - V6 - 190 HP

** If GVW 3880 kg = 4 registered seats

*** Option 190 HP and/or automatic gearbox MTA = 70 L fresh water



996M

999M

966MH

992MH

996MH

ENGINE EQUIPMENT/CHASSIS	2,2'	2,2'	2,2'	2,2'	2,2'
Number of cylinders	4	4	4	4	4
Cubic capacity (cm ³)	2143	2143	2143	2143	2143
Maximum power (kw CEE)	120	120	120	120	120
DIN power (HP)	163	163	163	163	163
At RPM	3800	3800	3800	3800	3800
Maximum torque (Nm)	360	360	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400	1400-2400	1400-2400
Wheelbase (m)	4,325	4,325	4,325	4,325	4,325
Gross vehicle weight	3500 / 3880**	3500 / 3880**	4600	4600	4600
Unladen weight (+/- 5%)	3225	3245	3700	3700	3695
Overall length (m)	7,4	7,4	7,4	7,4	7,4
Overall width (m)	2,32	2,32	2,32	2,32	2,32
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,86	2,86	2,96	2,96	2,96
Capacity of fresh water tank (litres)	90/70***	100/70***	200	200	170***
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	3(2) ^a	3(2) ^a	4	4	4
Number of dining seats	6	5	5	5	6
Anti-pollution standard	Euro IV/V	Euro IV/V	Euro IV/V	Euro IV/V	Euro IV/V
Possible sleeping spaces	4	4	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	175	149	149	149	175
Battery capacity (Ah)	100	100	2 x 100	2 x 100	2 x 100
BED SIZES (MM)					
Rear bed	2100 x 1410	1980 x 1350	(1980 x 800) + (1885 x 800)	1930 x 1380	2100 x 1410
Overcab drop-down bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

*** Fresh water for 996MH: the water tank must be emptied completely by gravity and by the pump for winter storage.

^a 909M/966M/992M/996M/999M : Towing capability = 2 registered seats / Option 190 HP + automatic gearbox = 2 registered seats (with option 190 HP, and/or automatic gearbox = 70 L fresh water)

^b 983M : Option 190 HP = 3 registered seats / Automatic gearbox with towing capability = 3 registered seats

A CLASS

9 Serie MERCEDES

	9M05	9M95	9M85	9M75	9M65	9M55	9M45	9M35	9M25	9M15
BODYWORK AND OPENINGS										
Panels all reinforced polyester with gutter	*	*	*	*	*	*	*	*	*	*
Storage drawer(s) integrated in the skirts	*	*	*	*	*	*	*	*	*	*
Double glazing bays with "blind / fly-screen" combination	*	*	*	*	*	*	*	*	*	*
Panoramic bay in the bedroom (800x1000)	*	*	*	*	*	*	*	*	*	*
Central locking of opening bays (except for bay 800x1000)	*	*	*	*	*	*	*	*	*	*
Cab door(s) with electric windows	*	*	*	*	*	*	*	*	*	*
Transparent skylights with fly-screen and blind	*	*	*	*	*	*	*	*	*	*
Bay on living space door	*	*	*	*	*	*	*	*	*	*
HEKI 3 skylight double fold blind with interior wood trim	*	*	*	*	*	*	*	*	*	*
LIVING SPACE										
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	*	*	*	*	*	*	*	*	*	*
Permanent bed(s) with tilt-adjustable head sections	*	*	*	*	*	*	*	*	*	*
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	*	*	*	*	*	*	*	*	*	*
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	*	*	*	*	*	*	*	*	*	*
Bedroom netting / ship blinds with living room bays	*	*	*	*	*	*	*	*	*	*
Specific bedroom trim (netting, door and furniture coverings)	*	*	*	*	*	*	*	*	*	*
Rigid Japanese partition	*	*	*	*	*	*	*	*	*	*
Rigid partition	*	*	*	*	*	*	*	*	*	*
Flexible partition	*	*	*	*	*	*	*	*	*	*
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	*	*	*	*	*	*	*	*	*	*
Soft touch foamed ceiling	*	*	*	*	*	*	*	*	*	*
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	*	*	*	*	*	*	*	*	*	*
"Indian Summer" colour for Elegance furniture	*	*	*	*	*	*	*	*	*	*
KITCHEN										
Embossed stainless steel sink	*	*	*	*	*	*	*	*	*	*
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	*	*	*	*	*	*	*	*	*	*
2 nd sink with waste bin and drainer	*	*	*	*	*	*	*	*	*	*
Laminated work top	*	*	*	*	*	*	*	*	*	*
Refrigerator with freezer compartment (149 litres SES)	*	*	*	*	*	*	*	*	*	*
Refrigerator with freezer compartment (175 litres AES)	*	*	*	*	*	*	*	*	*	*
Extraction hood above the kitchen	*	*	*	*	*	*	*	*	*	*
External refrigerator grill	*	*	*	*	*	*	*	*	*	*
Refrigerator grill covers (for winter use)	*	*	*	*	*	*	*	*	*	*
External boiler inspection hatch (drain access, maintenance)	*	*	*	*	*	*	*	*	*	*
BATHROOM										
Bathroom with wooden furnishings	*	*	*	*	*	*	*	*	*	*
Rectangular shower, separate WC and wash hand basin, with rigid door (shower screen)	*	*	*	*	*	*	*	*	*	*
Circular shower	*	*	*	*	*	*	*	*	*	*
Independent shower with circular door	*	*	*	*	*	*	*	*	*	*
Wooden grating	*	*	*	*	*	*	*	*	*	*
Telescopic clothes rack in the toilets	*	*	*	*	*	*	*	*	*	*
Chrome finish bathroom accessories	*	*	*	*	*	*	*	*	*	*
Frosted mirror in the bathroom	*	*	*	*	*	*	*	*	*	*
Back-lit frosted mirror	*	*	*	*	*	*	*	*	*	*
Back-lit soap holder	*	*	*	*	*	*	*	*	*	*
Stainless steel basin	*	*	*	*	*	*	*	*	*	*
White basin	*	*	*	*	*	*	*	*	*	*
Designer basin	*	*	*	*	*	*	*	*	*	*
Camping toilet with removable tank	*	*	*	*	*	*	*	*	*	*
WATER										
Capacity of freshwater tank (litres)	100/70*	100/70*	100	100/70*	90/70*	100/70*	200	200	170	170
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100	100	100
Electric water pump	*	*	*	*	*	*	*	*	*	*
External shower with hot and cold water and mixer tap	*	*	*	*	*	*	*	*	*	*
HEATING										
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	*	*	*	*	*	*	*	*	*	*

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Option 190hp, and/or auto transmission = 70 L fresh water

0 = Option, ● = Original, - = Not available

30 The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A CLASS

9 Serie MERCEDES

	9M05	9M95	9M85	9M75	9M65	9M55	9M45	9M35	9M25	9M15
ENERGY										
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	*	*	*	*	*	*	*	*	*	*
Compartment and 3rd battery	*	*	*	*	*	*	*	*	*	*
Battery cut-out	*	*	*	*	*	*	*	*	*	*
Fuel cell	0	0	0	0	0	0	*	*	*	*
Cutting transformer - charger	20A	20A	20A	20A	20A	20A	20A	20A	20A	20A
Two-pole magneto - thermal circuit breaker	*	*	*	*	*	*	*	*	*	*
Control panel with instant consumption measuring	*	*	*	*	*	*	*	*	*	*
Centralised Fuse box with protected "accessories" exits	*	*	*	*	*	*	*	*	*	*
External 230 V connection - internal 230 V plug	*	*	*	*	*	*	*	*	*	*
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	*	*	*	*	*	*	*	*	*	*
Speakers in the living area	*	*	*	*	*	*	*	*	*	*
External lighting with gutter above the living area door	*	*	*	*	*	*	*	*	*	*
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	*	*	*	*	*	*	*	*	*	*
LED ambient lighting	*	*	*	*	*	*	*	*	*	*
Garage lighting with portable light	*	*	*	*	*	*	*	*	*	*
Lighting inside the wardrobe	*	*	*	*	*	*	*	*	*	*
Automatic DUOCOMFORT inverter	*	*	*	*	*	*	*	*	*	*
SECUMOTION, enabling you to travel with the heating on	*	*	*	*	*	*	*	*	*	*
CARRIER AND CAB EQUIPMENT										
Engine immobiliser	*	*	*	*	*	*	*	*	*	*
Driver's air bag	*	*	*	*	*	*	*	*	*	*
ABS - ASR - ESP	*	*	*	*	*	*	*	*	*	*
Particle filter	*	*	*	*	*	*	*	*	*	*
Reinforced rear suspension	*	*	*	*	*	*	*	*	*	*
Original cab seats with fabric to match the living area and built-in seat belts	*	*	*	*	*	*	*	*	*	*
Cab door(s) with electric windows	*	*	*	*	*	*	*	*	*	*
Dashboard with walnut burr effect	*	*	*	*	*	*	*	*	*	*
Cab air-conditioning	*	*	*	*	*	*	*	*	*	*
Tinted windows	*	*	*	*	*	*	*	*	*	*
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	*	*	*	*	*	*	*	*	*	*
Reversing camera with control screen built into dashboard	*	*	*	*	*	*	*	*	*	*
Carpeted floor in cab	*	*	*	*	*	*	*	*	*	*
Electric, external rear view, de-icing double view mirrors	*	*	*	*	*	*	*	*	*	*
Inside rear mirror	*	*	*	*	*	*	*	*	*	*
Heat-insulating blind on rails in front cab	*	*	*	*	*	*	*	*	*	*
Wheel repair kit	*	*	*	*	*	*	*	*	*	*
Fog lights	*	*	*	*	*	*	*	*	*	*
LIVING AREA EQUIPMENT										
Reversing camera	*	*	*	*	*	*	*	*	*	*
Insulated, ventilated step built into the floor	*	*	*	*	*	*	*	*	*	*
Rear stabilising jacks	*	*	*	*	*	*	*	*	*	*
Remote control locking and unlocking of doors (2 PLUPS)	*	*	*	*	*	*	*	*	*	*
UK PACK										
28-litre oven with grill	14,5									
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS										
Compartment and cabling for 3 rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	0
Fuel cell (+ methanol 10 litres)	9 (+8,4)	0	0	0	0	0	0	0	0	0
Living area door mosquito screen	4	0	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	0	0	0	0	0	0	0	0	0
GPS navigation	3,5	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0
Additional cab heating	6,5	0	0	0	0	0	0	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour) - (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0	0	0	0
Cobra alarm	-	0	0	0	0	0	0	0	0	0
CARRIER OPTIONS										
Cruise control	2	0	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0	0
3,0-litre V6 190 hp engine	40	0	0	0	0	0	0	0	0	0
Mercedes automatic gearbox	32	0	0	0	0	0	0	0	0	0
Alloy wheels	-	0	0	0	0	0	0	0	0	0
Motorcycle carrier* (option weight ± 5kg)	-	73	73	73	73	73	73	83	83	83
Tow bar* (1800 kg) (option weight ± 5kg)	-	51	51	51	51	51	51	61	61	61
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	93	93	93	93	93	93	103	103	103

*Please note : possible reduction in registered seats

0 = Option, ● = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



Your next stage in the art of travelling

WWW.RAPIDO.FR

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

models presented in this catalogue may be shown with optional equipment. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.