



# Conqueror

480 | 530 | 540 | 630 | 645



All models are covered by a six-year bodyshell integrity guarantee and come with a three-year SuperSure manufacturer's warranty - see [www.swiftcaravans.co.uk](http://www.swiftcaravans.co.uk) for more details.

Swift Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX.  
Tel: 01482 847332 Fax: 01482 841042 email: [enquiry@swiftgroup.co.uk](mailto:enquiry@swiftgroup.co.uk) [www.swiftcaravans.co.uk](http://www.swiftcaravans.co.uk)  
A MEMBER OF THE SWIFT GROUP



See [www.swiftcaravans.co.uk](http://www.swiftcaravans.co.uk) for more model pictures, the gallery is constantly updated as new models are available

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued September 2009



# Conqueror


The **Ultimate Conqueror range** sets high standards in touring style and luxury. Consisting of five models, three single axle and two twin axle, there is a good choice of layouts including popular fixed bed layouts and large walk-in washrooms. Detailed touches such as energy saving LED lighting and positive catches on the framed upper locker doors add to the attractively furnished interiors.



Metallic silver sidewalls and striking graphics set the exterior tone while shock absorbers and a higher tyre rating provide better towing dynamics. The body shell provides class leading interior space and kitchens in this range have been refreshed with unique granite-look moulded sinks and new appliances including a powerful dual fuel hob, Thetford oven, microwave, and a large stainless steel effect fridge freezer with digital controls (175 litre in twin axles).








All fixed bed models offer 'Ultra comfort' luxury deep sprung mattresses and a beige leather furnishing option whilst superior Alde radiator central heating with daily programming comes as standard in twin axle models. The energy saving lighting makes your battery last longer, giving greater independence and making solar power a real option.

Luxurious washrooms offer a fully lined shower cubicle and stylish bathroom fittings. Walk-in showers with separate drying areas can be found in the Conqueror 480, 530 and 630.



# Specification



## Model

480

530

540

630

645

| Model                                    | 480            | 530            | 540            | 630            | 645            |
|--|----------------|----------------|----------------|----------------|----------------|
| Berths                                   | 2              | 4              | 4              | 4              | 4              |
| Number of Axles                          | 1              | 1              | 1              | 2              | 2              |
| Internal Length (at bed box height)      | 4.74m/15'7"    | 5.50m/18'1"    | 5.50m/18'1"    | 6.27m/20'7"    | 6.27m/20'7"    |
| Overall Width                            | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     |
| Maximum Internal Headroom                | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     |
| Overall Height (inc. TV Aerial)          | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     |
| Overall Length                           | 6.42m/21'1"    | 7.18m/23'7"    | 7.18m/23'7"    | 7.95m/26'1"    | 7.95m/26'1"    |
| Mass in Running Order (inc. tolerance)   | 1235kg/24.3cwt | 1388kg/27.3cwt | 1358kg/26.7cwt | 1545kg/30.4cwt | 1545kg/30.4cwt |
| Essential Habitation Equipment Payload   | 105kg/2.1cwt   | 105kg/2.1cwt   | 105kg/2.1cwt   | 104kg/2.0cwt   | 104kg/2.0cwt   |
| Personal Effects Payload                 | 105kg/2.1cwt   | 133kg/2.6cwt   | 133kg/2.6cwt   | 141kg/2.8cwt   | 141kg/2.8cwt   |
| Optional Equipment Payload               | 10kg/0.2cwt    | 4kg/0.1cwt     | 4kg/0.1cwt     | 40kg/0.8cwt    | 40kg/0.8cwt    |
| Maximum Technical Permissible Laden Mass | 1455kg/28.6cwt | 1630kg/32.1cwt | 1600kg/31.5cwt | 1830kg/36.0cwt | 1830kg/36.0cwt |
| Awning A/A Dimension                     | 9.11m/29'11"   | 9.87m/32'5"    | 9.87m/32'5"    | 10.64m/34'11"  | 10.64m/34'11"  |
| Tyre Size                                | 185 R14 102    | 195/70 R15 104 | 195/70 R15 104 | 175/65 R14 86  | 175/65 R14 86  |

## Bed sizes

| Bed Type                 | 480                       | 530                        | 540                       | 630                       | 645                       |
|--------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|
| Front Double             | 2.13m x 1.90m/7'0" x 6'3" | 2.13m x 1.80m/7'0" x 5'11" | 2.13m x 1.59m/7'0" x 5'3" | 2.06m x 1.55m/6'9" x 5'1" | 2.06m x 1.63m/6'9" x 5'4" |
| Or Front Nearside Single | 1.90m x 0.72m/6'3" x 2'4" | 1.80m x 0.72m/5'11" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" | 1.63m x 0.70m/5'4" x 2'4" | 1.63m x 0.70m/5'4" x 2'4" |
| And Front Offside Single | 1.90m x 0.72m/6'3" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  | 1.59m x 0.72m/5'3" x 2'4" | 1.55m x 0.70m/5'1" x 2'4" | 1.86m x 0.70m/6'1" x 2'4" |
| Rear Double              |                           |                            | 1.92m x 1.38m/6'4" x 4'6" | 1.90m x 1.34m/6'3" x 4'5" | 1.84m x 1.33m/6'0" x 4'4" |
| Offside Single           |                           | 1.80m x 0.70m/5'11" x 2'4" |                           |                           |                           |
| Offside Side Bunk        |                           | 1.76m x 0.59m/5'9" x 1'11" |                           |                           |                           |

**Bed sizes:** Please note that double bed sizes are quoted with wrap round seating

**Awning sizes:** Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.



**Positive door catches**  
Positive catches on all overhead locker doors provide secure storage, whilst on the move.



**Quality carpet**  
Luxury carpet with 45oz pile weight.



**Shock absorbers**  
Shock absorbers give more stable, smooth towing.



**Pleated Heki blind**  
Easy action pleated blind provides shade for day or night.



**Auto tank fill**  
Tank filling can be managed from the main control panel.



**Alde heating**  
Twin axle models have Alde radiator central heating with daily programme



**Radio/CD/MP3 player**  
Radio/CD/MP3 player with iPod/MP3 player connection.

**Security**  
Security features have been improved with the first tracking system for the leisure industry that is Thatcham approved, 'Hal Locate', with Europe-wide cover. Additional security features include AL-KO Secure wheel lock (two on twin axles, one on single axle) an intruder alarm and high security exterior door lock.

# Features

## Key features

- 2.29m (7'6") wide bodyshell
- 1.95m (6'5") headroom
- AL-KO Secure portable wheel lock (two for twin-axle models)
- AL-KO side mountable jack
- HAL Locate Thatcham approved Europe-wide tracking system
- One-piece, thick gauge, silver metallic finish aluminium sidewalls
- Shock absorbers for a smoother more stable ride
- Higher tyre ratings for greater safety margin
- Heavy duty corner steadies
- BBQ point
- 45mm (2") wider and 80mm (3") taller entrance door
- Lined external locker with 230V socket
- New Granite-look GRP kitchen sink
- LED spot lighting giving 50% reduction in total lighting power consumption
- Over-locker fluorescent ambient lighting

- Positive overhead locker catches for secure loading
- 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models
- Carpet with 45oz pile weight
- 40 litre underfloor insulated fresh water tank with Autofill control system
- Built-in microwave oven with digital controls
- Radio/CD/MP3 player with iPod/MP3 player connection
- Five 230V sockets
- PIR and tilt-sensor alarm system

### In twin-axle models only:-

- Alde Hydronic Compact 3010 programmable radiator heating system with combined water heating
- 175 litre digital control two door fridge freezer

### Key options

- AL-KO ATC trailer control system

## Additional features

### Exterior

- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 stabiliser
- 13-pin 'Jaeger' 12V car connector
- **New** 'Storm' exclusive alloy wheels
- Spare wheel (steel) and underslung carrier
- Heki De-Luxe large tilting panoramic roof window with flynet and pleated blind
- Exclusive shape double-glazed opening windows with night ventilation position
- Exterior two-part door with interior moulded liner, window, blind and waste bin
- Exterior access battery box with satellite aerial inlet and mains electric inlet (battery not included)
- External access door (540 & 630)
- LED awning light

### Interior

- Gas regulator for Propane and Butane mounted on front bulkhead
- Entrance step
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core
- Door flyscreen with easy concertina action
- Heki Deluxe large rooflight with easy-action pleated blind
- Cassette flyscreens and pleated blinds on all windows
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear rooflight with flyscreen and blind (model specific)
- Large overhead lockers with patented, injection-moulded spaceframe construction and curved doors
- Seat bases with spaceframe construction, full front access and space for larger items

- Fixed beds with aluminium frames to maximise strength and storage space
- Hinged seat and bed tops supported in open position for easy access
- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, main seat and backrest cushions
- Seat and backrest ventilation boards
- Chest of drawers with occasional table
- Free-standing table with dedicated storage location
- 2 x scatter cushions
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Removable sink drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Slide-out storage rack
- Moulded cutlery drawer on smooth steel runners
- Chrome finish brass mixer taps, separate shower taps, shower head with riser bar

- Spacious 'walk-in' showers in end washroom models; lined cubicles in other models
- 32mm thick lightweight washroom door with metal domestic style handle
- Thetford C250 toilet with 18 litre wheeled holding tank

### Equipment

- 175 litre fridge and freezer in twin-axle models with metallic finish, electronic ignition and digital controls
- 107 litre fridge in single-axle models with metallic finish, electronic ignition and digital controls
- Thermostatic oven and separate grill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- **In Twin-axle models:**
  - Alde Hydronic Compact 3010 radiator heating system with combined water heating

- Dual fuel 6.4kW gas and 2kW electric power sources
- Programmable daily timer
- **In Single-axle models:**
  - Dual fuel gas and 800W mains electric storage water heater
  - Dual fuel 3kW gas and 2kW electric space heater
  - Blown air system ducted to living, sleeping and washroom areas
  - Grade 2 classification for heating and thermal insulation
  - Inboard semi-rigid fresh water pipes
  - High capacity in-board water pump with self priming and pressure regulating accumulator
  - Isolation taps for gas appliances
  - Large bore underslung rigid waste pipes
  - 25 amp switchmode charger/transformer
  - 12V LCD/touch control panel with battery selection, battery state meter, lighting, water tank level and water pump circuit controls
  - Solar panel connection provision

- Two TV positions with 230V, 12V and coax aerial sockets
- External coax connection point for aerial or satellite dish
- Status 530 directional TV/FM aerial and booster
- Flush finish mains lights in front locker corner panels
- LED light in kitchen
- Adjustable LED spot lighting in lounge and sleeping areas
- Wardrobe light
- 25 metre mains hook-up cable

### Safety and Security

- Higher tyre ratings - 10% load margin at 130kph (law permitting)
- Passive infra-red alarm system with tilt sensor and key fob operation
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock with flipper key.