

# Guide

To technical specifications  
and equipment

# 2011



**RAPIDO**  
CAMPING-CARS

*Your next stage in the art of travelling*

# Serie 6


## CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis and extra-wide rear track

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Wheelbase (m)	3,45	3,8	3,8	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3300***	3500	3500	3500/4250****	3500/4250****
Unladen weight (+/- 5%)	2820	2850	2840	2920	3000
Overall length (m)	5,97	6,47	6,47	6,97	7,37
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,76	2,76	2,76	2,76 <sup>a</sup>	2,76 <sup>a</sup>
Capacity of fresh water tank (litres)	120	120	120	120	120
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4	4	4	4	4 (3)**
Number of dining seats	4	4	4	5	5
Possible sleeping spaces	2+1	2+1	2+1	2+2	2+2
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	100/106	150	150	150	150
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed	2030 x 1300	2040 x 1350	1980 x 1350	1930 x 1350	1930 x 1400
Extra dinette bed	Child's occasional bed 1600 x 800	2090 x 600	2100 x 850	2100 x 1050	2100 x 1050

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* 3 registered seats with towing capability and 3,0 L

\*\*\* 130 hp = GVW 3300 kg / 160 hp (additional charge) = 3500 kg

\*\*\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

<sup>a</sup> : Overall height = +45 mm with 16" wheels (42 Heavy)

Empty weight: the value shown in the catalogue based on a mechanical gearbox without GCW and bottom of the range engines

# Serie 7FF

## CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis, extra-wide rear track and drop down bed

2011



**700FF**



**773FF**



**776FF**



**790FF**

Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Wheelbase (m)	3,8	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98	1,98
Gross vehicle weight	3500	3500/4250***	3500/4250***	3500/4250***
Unladen weight (+/- 5%)	2980	3150	3030	3150
Overall length (m)	5,99	6,99	6,99	7,19
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) <sup>a</sup>	2,90 <sup>a</sup>	2,90 <sup>a</sup>	2,90 <sup>a</sup>	2,90 <sup>a</sup>
Capacity of fresh water tank (litres)	100	100	100	120
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)**	4 (3)**	4 (3)**
Number of dining seats	6	6	6	5
Possible sleeping spaces	2+2	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	160	160	160	160
Battery capacity (Ah)	100	100	100	100
<b>BED SIZES (mm)</b>				
Rear bed	-	2000 x 1330	1980 x 1350	1930 x 1400
Extra dinette bed	2100 x 1350	-	-	-
Drop-down bed in lounge area	1950 x 1350	1910 x 1350	1910 x 1350	1910 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* 3 registered seats with towing capability and 3,0 L

\*\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

<sup>a</sup> : Overall height = +45 mm with 16" wheels (42 Heavy)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 6-7FF

## EQUIPMENT AND COMFORT

**Serie 6 : Low-profile models with special chassis and extra-wide rear track**

**Serie 7FF : Low-profile models with special chassis, extra-wide rear track and drop down bed**

### LOW PROFILE

	Serie 6					Serie 7FF			
	603	643	645	690	691	700FF	773FF	776FF	790FF
<b>BODYWORK AND OPENINGS</b>									
Panels all reinforced polyester with gutter	-	-	-	-	-	•	•	•	•
Panels all reinforced polyester	•	•	•	•	•	-	-	-	-
"Champagne grey" colour skirts	-	-	-	-	-	•	•	•	•
Panoramic opening cab roof	•	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	-	-	-	-	-	•	•	•	•
Double glazing bays with "blind / fly-screen" combination (except for the bathroom)	•	•	•	•	•	-	-	-	-
Panoramic bay in the bedroom (800 x 870) (691 = 800 x 550)	-	-	-	•	•	-	-	-	-
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•	•
Opening bay on living area entrance door	-	-	-	-	-	•	•	•	•
Midi HEKI skylight with double-fold blind	-	-	-	-	-	•	•	•	•
Skylight with interior wood trim	•	•	•	•	•	-	-	-	-
<b>LIVING SPACE</b>									
Permanent bed with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	-	•	•	•
Permanent bed manually height-adjustable (occasionally)(= 20 cm)	•	-	-	-	-	-	-	-	-
Permanent bed mechanically height-adjustable from inside(= 17 cm)	-	-	-	-	-	-	•	-	-
Permanent bed with tilt-adjustable head sections	-	-	-	•	•	-	-	-	•
Permanent lift-up bed with garage access	-	-	-	-	-	-	-	-	•
Electrically raisable living room bed and unlockable	-	-	-	-	-	•	-	-	-
Drop-down bed in lounge area, ceiling height when bed raised (m)	-	-	-	-	-	1,83	1,83	1,83	1,93
Living room table with telescopic foot, movable forwards, backwards and sideways	•	•	•	•	•	•	-	-	-
Living room table with fixed foot, movable forwards, backwards, sideways (+ rotation 790FF)	-	-	-	-	-	-	-	-	•
Netting to bedroom and living room bays	•	•	•	•	•	-	-	-	-
Bedroom netting / ship blinds with living room bays	-	-	-	-	-	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	-	-	-	-	-	•
Dividing door	-	•	-	-	-	-	-	-	-
Flexible partition	•	-	•	-	-	-	-	-	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•
"Harmony" furniture	•	•	•	•	•	•	•	•	•
<b>KITCHEN</b>									
Embossed stainless steel sink	•	•	•	•	•	•	•	•	•
Embossed stainless steel 2-burner cooking hob with cover and piezzo ignition	•	-	-	-	-	-	-	-	-
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•	•	•	•	•	•
2nd sink with waste bin and drainer	-	-	-	-	-	•	-	•	-
Laminated work top	•	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	-	-	-	-	-	-	-	-	•
Refrigerator (100/106 (removable freezer), AES automatic)	•	•	•	•	•	-	-	-	-
Refrigerator with freezer compartment (Serie 6 = 150 litres AES / Serie 7FF = 160 litres)	-	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•	•
<b>BATHROOM</b>									
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	•	•	•	-	•	-	•	-
Circular shower with wooden grating	•	-	-	-	-	-	•	-	•
Independent shower with circular door	-	-	-	-	•	-	-	-	-
Telescopic clothes rack in the toilets	-	-	•	-	-	•	-	•	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•	•
Stainless steel basin	•	•	•	•	•	•	-	-	-
White basin	•	•	•	•	•	-	-	-	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•	•
<b>WATER</b>									
Capacity of freshwater tank (litres)	120	120	120	120	120	100	100	100	120
Capacity of waste water tank (litres)	90	90	90	90	90	90	90	90	90
Electric water pump	•	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	-	-	-	-	-	•	•	•	•
<b>HEATING</b>									
TRUMA Combi 4 combined water - air heating (UK Pack : Combi 6 EH Gas + Electric)	•	•	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Original, - = Not available

4

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 6-7FF

## EQUIPMENT AND COMFORT

**Serie 6 : Low-profile models with special chassis and extra-wide rear track**

**Serie 7FF : Low-profile models with special chassis, extra-wide rear track and drop down bed**

### LOW PROFILE

	Serie 6					Serie 7FF				
	603	649	645	690	699	700FF	773FF	776FF	790FF	
<b>ENERGY</b>										
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•	•	•	
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A	16A	16A	
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	•	
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•	•	
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	•	
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	•	
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•	•	
Speakers in the living area	-	-	-	-	-	•	•	•	•	
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•	•	
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	-	-	-	-	-	•	•	•	•	
Garage lighting with portable light	-	-	-	-	-	-	•	-	•	
Lighting inside the wardrobe	-	-	-	-	-	•	•	•	•	
Automatic FAVEX inverter, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	•	
<b>CARRIER AND CAB EQUIPMENT</b>										
Cruise control	•	•	•	•	•	•	•	•	•	
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	•	
Engine immobiliser	•	•	•	•	•	•	•	•	•	
Driver's air bag	•	•	•	•	•	•	•	•	•	
ABS braking + ASR	•	•	•	•	•	•	•	•	•	
Original rotating cab seats with fabric to match the living area	•	•	•	•	•	•	•	•	•	
Cab air-conditioning	•	•	•	•	•	•	•	•	•	
Tinted windows	•	•	•	•	•	•	•	•	•	
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•	
MP3 car radio / CD player (PIONEER)	•	•	•	•	•	•	•	•	•	
Carpeted floor in cab	•	•	•	•	•	•	•	•	•	
Electric de-frosting side mirrors	•	•	•	•	•	•	•	•	•	
Inside rear mirror	•	•	•	•	•	•	•	•	•	
Heat-insulating cab bay blinds	-	-	-	-	-	•	•	•	•	
Wheel repair kit	•	•	•	•	•	•	•	•	•	
<b>LIVING AREA EQUIPMENT</b>										
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•	•	•	
Stabilising jacks at the back or in the wheelbase	0	0	0	0	0	•	•	•	•	
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•	•	•	
<b>UK PACK 2011</b>										
	WEIGHT (kg)									
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
<b>LIVING AREA OPTIONS</b>										
	WEIGHT (kg)									
Reversing camera with control screen built into dashboard	2,6	0	0	0	0	0	0	0	0	
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	
Living area door mosquito screen	4	0	0	0	0	0	0	0	0	
Ladder	4	0	0	0	0	0	0	0	0	
GPS navigation	5	0	0	0	0	0	0	0	0	
Heat-insulating blind, leaf-type for bays and on rails in front cab	4,6	0	0	0	0	0	0	0	0	
Winter exterior insulation	5	0	0	0	0	0	0	0	0	
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	0	
GENEVA ambiance (ALCANTARA®)	-	0	0	0	0	0	0	0	0	
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0	0	0	
Cobra alarm	-	0	0	0	0	0	0	0	0	
<b>CARRIER OPTIONS</b>										
	WEIGHT (kg)									
Passenger air bag	6	0	0	0	0	0	0	0	0	
E S P	-	0	0	0	0	0	0	0	0	
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0	
Fiat MTA* robotised automatic gearbox (requires 3.0-litre engine and passenger air bag)	17	0	0	0	0	0	0	0	0	
"STYLE" vehicle front (smile + foglights)	-	-	-	-	-	-	0	0	0	
Fog lights	1,1	-	-	-	-	-	0	0	0	
Motorcycle carrier* (option weight ± 5kg)	-	85	85	85	85	85	85	85	85	
Tow bar* (1500 kg) (option weight ± 5kg)	-	70	70	70	70	70	70	70	70	
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	111	111	111	111	111	111	111	111	
Chassis 42H = 4,250 T	-	-	-	0	0	-	0	0	0	

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\*If tow bar fitted: possible reduction in registered seats

0 = Option, ● = Original, - = Not available

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 70dF


## CHARACTERISTICS AND CARRIERS BY MODEL

AL-KO low-profile double-floor models with extra-wide rear track and independent wheel suspension

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Wheelbase (m)	4,305	4,035	4,305	4,305	4,305
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis
Unladen weight (+/- 5%)	3100	3080	3100	3100	3100
Overall length (m)	7,39	6,99	7,39	7,39	7,39
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) <sup>a</sup>	2,86	2,86	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100	100	100	100	100
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	6	5	5	6
Possible sleeping spaces	2+1	2+2	2+1	2+1	2+2
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH / (option ALDE)	Truma Combi 6 EH	Truma Combi 6 EH / (option ALDE)	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	160	160	160	160	160
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed	(1980 x 800) + (1900 x 800)	1980 x 1350	1930 x 1400	1930 x 1400	2100 x 1410
Extra dinette bed	2100 x 950	2100 x 1350	2100 x 1100	2100 x 1230	2100 x 1100

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

\*\*\* 3 registered seats with towing capability and 3,0 L

<sup>a</sup> : Overall height = +45 mm with 16" wheels (42 Heavy)

If GVW 3700 kg = 4 registered seats

# Serie 70<sup>+</sup>

## CHARACTERISTICS AND CARRIERS BY MODEL

AL-KO low-profile models with extra-wide rear track and independent wheel suspension



**7065<sup>+</sup>**



**7090<sup>+</sup>**



**7099<sup>+</sup>**

Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	330	330	330
Maximum torque rate (RPM)	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV
Wheelbase (m)	4,305	4,305	4,305
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	3500/3700 4250 on 42H** ch�assis	3500/3700 4250 on 42H** ch�assis	3500/3700 4250 on 42H** ch�assis
Unladen weight (+/- 5%)	3100	3100	3100
Overall length (m)	7,39	7,39	7,39
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) <sup>a</sup>	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	5	5
Possible sleeping spaces	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	A	A	A
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	2 x (1980 x 800)	1930 x 1400	1980 x 1350
Extra dinette bed	2100 x 1200	2100 x 1100	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

\*\*\* 3 registered seats with towing capability and 3,0 L

<sup>a</sup> : Overall height = +45 mm with 16" wheels (42 Heavy)

If GVW 3700 kg = 4 registered seats

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 70dF-70<sup>+</sup>

## EQUIPMENT AND COMFORT

Serie 70dF : AL-KO low-profile double-floor models with extra-wide rear track and independent wheel suspension  
 Serie 70<sup>+</sup> : AL-KO low-profile models with extra-wide rear track and independent wheel suspension

### LOW PROFILE

	70dF Series					70 <sup>+</sup> Series		
	7065dF	7075dF	7090dF	7095dF	7096dF	7065+	7090+	7099+
<b>BODYWORK AND OPENINGS</b>								
Panels all reinforced polyester with gutter	•	•	•	•	•	-	-	-
Panels all Alufiber with gutter	-	-	-	-	-	•	•	•
Quartz grey metallic paint, except for skirts (ABS/PMMA); gutter rail (aluminium) ; roof ; profiling	-	-	-	-	-	•	•	•
"Champagne grey" colour skirts and rear pillars	•	•	•	•	•	-	-	-
Panoramic opening cab roof	•	•	•	•	•	-	-	-
Double glazed opening panoramic roof "SKYVIEW"	-	-	-	-	-	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800 x 870)	-	-	•	•	-	-	•	-
Cab doors with electric windows	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	-	-	-
Opening bay on living area entrance door	-	-	-	-	-	•	•	•
Central locking of opening bays (except bays 800 x 870)	•	•	•	•	•	-	-	-
Midi HEKI skylight with double-fold blind	•	•	•	•	•	•	•	•
<b>LIVING SPACE</b>								
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•
Permanent bed mechanically height-adjustable from inside(= 17 cm)	-	-	-	-	•	-	-	-
Permanent bed(s) with tilt-adjustable head sections	•	-	•	•	-	•	•	-
Living room table with telescopic foot, movable forwards, backwards and sideways	•	•	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	•	•	-	-	•	-
Dividing door	-	-	•	-	-	-	•	-
Rigid partition	-	-	-	•	•	•	-	•
Flexible partition	•	•	-	-	-	-	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2
Flat screen TV unit for 15" screen (TV not supplied)	•	•	•	•	•	•	•	•
New ELEGANCE furniture	•	•	•	•	•	•	•	•
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>								
3rd level locker	•	•	•	•	•	-	-	-
<b>KITCHEN</b>								
Embossed stainless steel sink	•	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•
2nd sink with waste bin and drainer	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (160 litres AES)	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•
<b>BATHROOM</b>								
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	•	-	•	-	•	-	•
Circular shower	•	-	•	-	•	-	•	-
Separate shower with circular door	•	-	•	-	•	-	•	-
Wooden grating	-	-	-	-	-	•	•	•
Telescopic clothes rack in the toilets	-	•	-	•	-	-	-	•
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•
Frosted mirror	-	-	-	-	-	•	•	•
Back-lit soap holder	-	-	-	-	-	•	•	•
Stainless steel basin	•	•	•	•	•	•	•	-
White basin	-	-	-	-	-	-	-	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•
<b>WATER</b>								
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•
<b>HEATING</b>								
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 70dF-70<sup>+</sup>

## EQUIPMENT AND COMFORT

Serie 70dF : AL-KO low-profile double-floor models with extra-wide rear track and independent wheel suspension  
 Serie 70<sup>+</sup> : AL-KO low-profile models with extra-wide rear track and independent wheel suspension

### LOW PROFILE

	70dF Series					70 <sup>+</sup> Series			
	7065dF	7076dF	7090dF	7095dF	7096dF	7065+	7090+	7099+	
<b>ENERGY</b>									
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•	•	
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A	16A	
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•	
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•	
Pre-cabling for 2nd TV in the bedroom	-	-	•	-	-	-	•	-	
Speakers in the living area	•	•	•	•	•	•	•	•	
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•	
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	•	•	•	•	•	•	•	
LED ambiance lighting	•	-	•	-	•	•	•	•	
Garage lighting with portable light	•	-	•	-	•	-	•	-	
Lighting inside the wardrobe	•	•	•	•	•	•	•	•	
Automatic FAVEX inverter, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	
<b>EQUIPMENT OF THE CARRIER AND CAB</b>									
Cruise control	•	•	•	•	•	•	•	•	
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	
Engine immobiliser	•	•	•	•	•	•	•	•	
Driver's air bag	•	•	•	•	•	•	•	•	
ABS braking + ASR	•	•	•	•	•	•	•	•	
Original rotating cab seats with fabric to match the living area	•	•	•	•	•	•	•	•	
Dashboard with walnut burr effect	•	•	•	•	•	•	•	•	
Cab air-conditioning	•	•	•	•	•	•	•	•	
Tinted windows	•	•	•	•	•	•	•	•	
Cab doors with electric windows	•	•	•	•	•	•	•	•	
Reversing camera control screen built into dashboard	•	•	•	•	•	•	•	•	
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	•	•	•	•	•	•	•	•	
Carpeted floor in cab	•	•	•	•	•	•	•	•	
Electric de-frosting side mirrors	•	•	•	•	•	•	•	•	
Inside rear mirror	•	•	•	•	•	•	•	•	
Heat-insulating blind, leaf-type for bays and on rails in front cab	•	•	•	•	•	•	•	•	
Wheel repair kit	•	•	•	•	•	•	•	•	
Fog lights	0	0	0	0	0	•	•	•	
<b>LIVING AREA EQUIPMENT</b>									
Reversing camera	•	•	•	•	•	•	•	•	
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•	•	
Stabilising jacks at the back or in the wheelbase	•	•	•	•	•	•	•	•	
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•	•	
<b>UK PACK 2011</b>									
	WEIGHT (kg)								
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
<b>LIVING AREA OPTIONS</b>									
	WEIGHT (kg)								
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	
Living area door mosquito screen	4	0	0	0	0	0	0	0	
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	
GPS navigation	5	0	0	0	0	0	0	0	
ALDE heating	40	0	-	0	-	-	-	-	
Floor heating in living area	7	0	-	0	-	-	-	-	
Winter exterior insulation	5	0	0	0	0	0	0	0	
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	
GENEVA ambiance (ALCANTARA®)	-	0	0	0	0	0	0	0	
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0	0	
Fuel cell (+ methanol 10 litres)	9 (+8,4)	-	-	-	-	0	0	0	
Cobra alarm	-	0	0	0	0	0	0	0	
<b>CARRIER OPTIONS</b>									
	WEIGHT (kg)								
Passenger air bag	6	0	0	0	0	0	0	0	
ESP	-	-	-	-	-	-	-	-	
3,0-litre 160 hp engine	50	0	0	0	0	0	0	0	
Fiat MTA* robotised automatic gearbox (requires 3.0-litre engine and passenger air bag)	17	0	0	0	0	0	0	0	
"STYLE" vehicle front (smile + foglights)	-	0	0	0	0	•	•	•	
"AIR PREMIUM" suspension (Heavy version 4,2t only)	42	0	0	0	0	-	-	-	
Fog lights	1,1	0	0	0	0	•	•	•	
Alloy wheels 15" (16" in Heavy version)	-	0	0	0	0	0	0	0	
Motorcycle carrier* (option weight ± 5kg)	-	65	65	65	65	65	73	73	
Tow bar* (2000 kg) (option weight ± 5kg)	-	53	53	53	53	53	61	61	
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	95	95	95	95	95	103	103	
Chassis 42H = 4,250 T	-	0	0	0	0	0	0	0	

\*Please note : possible reduction in registered seats

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Option, • = Original, - = Not available

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 9


## CHARACTERISTICS AND CARRIERS BY MODEL

A-Class standard chassis with extra-wide rear track

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	2,3*	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Wheelbase (m)	3,45	3,8	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3500	3500	3500/4250**	3500/4250**	3500/4250**
Unladen weight (+/- 5%)	2990	3080	3100	3100	3100
Overall length (m)	5,99	6,49	6,99	6,99	7,19
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)²	2,84	2,84	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100	100	100
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)***	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	4	4	4	4	5
Possible sleeping spaces	4	4	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	100/106	160	160	160	160
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed	2030 x 1300	1980 x 1350	(1980 x 800) + (1960 x 800)	2010 x 1330	1930 x 1380
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability

² : Overall height = +50mm with 16" wheels (42 Heavy)



# Serie 9

## EQUIPMENT AND COMFORT

Standard A-Class chassis with extra-wide rear track

### A-CLASS

	9 Series				
	903	946	966	986	990
<b>BODYWORK AND OPENINGS</b>					
Panels all reinforced polyester	•	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	•	•	•
"Champagne grey" colour skirts	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•
Cab door with electric window	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•
Central locking of opening bays (except bay 800 x 1000)	•	•	•	•	•
HEKI skylight double fold blind with interior wood trim	•	•	•	•	•
<b>LIVING SPACE</b>					
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•
Permanent bed mechanically height-adjustable from inside (= 17 cm)	•	-	-	•	-
Permanent bed with tilt adjustable head sections	-	-	•	-	•
Permanent lift-up bed with garage access	-	-	-	-	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	-	•
Dividing door	-	-	-	•	-
Flexible partition	•	•	•	-	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•
"Harmony" furniture	•	•	•	•	•
Internal storage compartment (litres)	75	75	130	130	130
<b>KITCHEN</b>					
Embossed stainless steel sink	•	•	•	•	•
2-burner stove	•	-	-	-	-
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•	•
2nd sink with waste bin and drainer	-	•	•	•	-
Laminated work top	•	•	•	•	•
Refrigerator (106 L (removable freezer), AES automatic)	•	-	-	-	-
Refrigerator with freezer compartment (160 litres AES)	-	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	-	•	•	•	•
<b>BATHROOM</b>					
Bathroom with wooden furnishings	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	-	•	•	-
Circular shower	•	•	-	-	•
Wooden grating	•	-	•	-	•
Chrome finish bathroom accessories	•	•	•	•	•
Stainless steel basin	•	•	•	•	-
White basin	-	-	-	-	•
Camping toilet with removable tank	•	•	•	•	•
<b>WATER</b>					
Capacity of freshwater tank (litres)	100	100	100	100	100
Capacity of waste water tank (litres)	120	120	120	120	120
Electric water pump	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•
<b>HEATING</b>					
TRUMA Combi 6 combined water - air heating (UK Pack: EH: Gas + Electric)	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available

# Serie 9

## EQUIPMENT AND COMFORT

Standard A-Class chassis with extra-wide rear track

### A-CLASS

		9 Series				
		913	916	916	916	910
<b>ENERGY</b>						
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•
Cutting transformer - charger		16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
External lighting with gutter above the living area door		•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the roof		•	•	•	•	•
Garage lighting with portable light		•	-	•	•	•
Lighting inside the wardrobe		•	•	•	•	•
Automatic FAVEX inverter, enabling you to travel with the heating on		•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>						
Cruise control		•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
Driver's air bag		•	•	•	•	•
ABS braking + ASR		•	•	•	•	•
Original rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•
Cab door with automobile handle		•	•	•	•	•
Cab air-conditioning		•	•	•	•	•
Tinted windows		•	•	•	•	•
Cab doors with electric windows		•	•	•	•	•
MP3 PIONEER car radio / CD player		•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•
Mechanical sunshades		•	•	•	•	•
Wheel repair kit		•	•	•	•	•
Fog lights + daytime driving light		•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>						
Insulated, ventilated step built into the floor		•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	•	•	•	•
<b>UK PACK 2011</b>		<b>WEIGHT (kg)</b>				
28-litre oven with grill		14,5	PACK	PACK	PACK	PACK
Living area carpet kit		9	PACK	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)		0,6	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS</b>		<b>WEIGHT (kg)</b>				
Reversing camera with control screen built into dashboard		2,6	0	0	0	0
Compartment and cabling for 3rd battery (battery not supplied)		2	0	0	0	0
Living area door mosquito screen		4	0	0	0	0
Ladder and cross-beams for roof rack		10	0	0	0	0
GPS navigation		5	0	0	0	0
Double-glazed side bays in cab		10	0	0	0	0
Additional cab heating		6,5	0	0	0	0
Winter exterior insulation		5	0	0	0	0
Dashboard with walnut burr effect		-	0	0	0	0
GENEVA ambiance (ALCANTARA®)		-	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)		-	0	0	0	0
Alarme Cobra		-	0	0	0	0
<b>CARRIER OPTIONS</b>		<b>WEIGHT (kg)</b>				
Passenger air bag		6	0	0	0	0
E S P		-	0	0	0	0
3,0-litre 160 hp engine*		50	0	0	0	0
Fiat MTA* robotised automatic gearbox (requires 3.0-litre engine and passenger air bag)		17	0	0	0	0
Motorcycle carrier* (weight option ± 5kg)		-	85	85	85	85
Tow bar* (1500 kg) (weight option ± 5kg)		-	70	70	70	70
Motorcycle carrier + Tow bar* (weight option ± 5kg)		-	111	111	111	111
Chassis 42H = 4,250 T		-	-	0	0	0

\*Please note : possible reduction in registered seats

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Option, ● = Original, - = Not available

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 90dF

## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



**9048dF**



**9066dF**

2011



**9076dF**



**9083dF**

Engine equipment/chassis	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Wheelbase (m)	3,8	4,3	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98	1,98
Gross vehicle weight	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis
Unladen weight (+/- 5%)	3080	3190	3140	3140
Overall length (m)	6,49	7,39	6,99	6,99
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) <sup>a</sup>	2,86	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4 (3) <sup>b</sup>	3 (2) <sup>c</sup>	4 (3) <sup>d</sup>	4 (3) <sup>d</sup>
Number of dining seats	8	5	6	5
Possible sleeping spaces	2+2	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6 EH	Truma Combi 6 EH / (option ALDE)	Truma Combi 6 EH	Truma Combi 6 EH
Refrigerator capacity (litres)	160	160	160	160
Battery capacity (Ah)	100	100	100	100
BED SIZES (mm)				
Rear bed	-	(1980 x 800) + (1885 x 800)	1980x1350	2100 x 1410
Dinette bed	2100 x 1600	-	-	-
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

If GVW 3700 kg = 4 registered seats

\* OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost) 4 registered seats

<sup>a</sup> : Overall height +50mm with 16" wheels (42 Heavy)

# Serie 90dF

## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

2011



ALDE



ALDE

**9090dF**

**9092dF**

**9095dF**

**9096dF**

**9002dFH**

**9009dFH**

2,3*	2,3*	2,3*	2,3*	3,0	3,0
4	4	4	4	4	4
2287	2287	2287	2287	2999	2999
95,5	95,5	95,5	95,5	116	116
130	130	130	130	160	160
3600	3600	3600	3600	3500	3500
330	330	330	330	400	400
2000	2000	2000	2000	1700	1700
Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
4,3	4,3	4,3	4,3	4,7	4,7
1,98	1,98	1,98	1,98	1,98	1,98
3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	3500/3700 4250 on 42H** châssis	4,25	4,25
3190	3190	3190	3220	3600	3565
7,39	7,39	7,39	7,39	7,99	7,99
2,35	2,35	2,35	2,35	2,35	2,35
2,76	2,76	2,76	2,76	2,76	2,76
2,86	2,86	2,86	2,86	2,89	2,89
100	100	100	100	190	190
4	4	4	4	5	4
3 (2) <sup>c</sup>	3 (2) <sup>c</sup>	3 (2) <sup>c</sup>	3 (2) <sup>e</sup>	5	4
5	5	5	6	7	6
4	4	4	4	4+2	4
P	P	P	P	P	P
Truma Combi 6 EH / (option ALDE)	Truma Combi 6 EH / (option ALDE)	Truma Combi 6 EH	Truma Combi 6 EH / (option ALDE)	ALDE	ALDE
160	160	160	160	160	160
100	100	100	100	2 x 100	2 x 100
1930 x 1380	1930 x 1380	1900 x 1380	2100 x 1410	1930 x 1380	2000 x 1380
-	-	-	-	-	-
1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400

<sup>b</sup> 9048 : 160 hp and towing capability + automatic gearbox MTA = 3 registered seats

<sup>c</sup> 9066/9090/9092/9095 : 130 hp = 3 registered seats / 160 hp without towing capability = 3 registered seats / 160 hp with towing capability = 2 registered seats

<sup>d</sup> 9076 / 9083 : 130 hp with towing capability = 3 registered seats / 160 hp = 3 registered seats / Automatic gearbox MTA = 3 registered seats without towing capability, 2 registered seats with towing capability

<sup>e</sup> 9096 : 130 hp or 160 hp without towing capability = 3 registered seats / 130 hp with towing capability = 2 registered seats / 160 hp with towing capability and/or automatic gearbox MTA = 2 registered seats

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 90dF

## EQUIPMENT AND COMFORT

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

### A-CLASS

#### Serie 90dF AL-KO double floor

	9048dF	9066dF	9076dF	9083dF	9090dF	9092dF	9095dF	9096dF	9002dF	9099dF
<b>BODYWORK AND OPENINGS</b>										
Panels all reinforced polyester	•	•	•	•	•	•	•	•	•	•
"Champagne grey" colour skirts and rear pillars	•	•	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800 x 1000)	-	-	-	-	•	-	•	-	-	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	•	•	•	•	•
Central locking of opening bays (except bay 800 x 1000)	•	•	•	•	•	•	•	•	•	•
HEKI skylight double fold blind with interior wood trim	•	•	•	•	•	•	•	•	•	•
<b>LIVING SPACE</b>										
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	-	•	•	•	•	•	•	•	•	•
Permanent bed mechanically height-adjustable from inside (= 17 cm)	-	-	-	•	-	-	-	•	-	-
Permanent bed with tilt-adjustable head sections	-	•	-	-	•	•	•	-	•	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation (except for 9048dF with double telescopic feet)	-	•	•	•	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	-	•	•	•	-	•	•
Dividing door	-	-	-	-	•	-	-	-	-	-
Rigid Japanese partition	-	-	-	-	-	•	-	-	•	•
Rigid partition	-	-	-	-	-	•	•	•	•	•
Flexible partition	-	•	•	•	-	-	-	-	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	3	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•	•
New ELEGANCE furniture	•	•	•	•	•	•	•	•	•	•
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>										
3rd level locker	•	•	•	•	•	•	•	•	•	•
<b>KITCHEN</b>										
Embossed stainless steel sink	•	•	•	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•	•	•
2nd sink with waste bin and drainer	•	•	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (160 litres AES)	•	•	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•	•	•
<b>BATHROOM</b>										
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	•	-	•	-	-	-	-	-	-	•
Circular shower in the bathroom	-	-	-	-	-	•	-	-	-	-
Separate shower with circular door	-	•	-	-	-	-	-	•	-	-
Wooden grating	-	-	-	-	-	•	-	-	•	•
Telescopic clothes rack in the toilets	•	-	•	-	-	-	•	-	-	•
Chrome finish bathroom accessories	•	•	-	-	•	•	•	•	•	•
Stainless steel basin	•	•	•	-	•	•	•	•	•	-
White basin	-	-	-	•	-	-	-	-	-	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•	•	•
<b>WATER</b>										
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100	190	190
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•	•	•
<b>HEATING</b>										
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•	•	-	-
Central heating "ALDE Comfort Plus Arctic"	-	-	-	-	-	-	-	-	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available



# Serie 90dF

## EQUIPMENT AND COMFORT

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

### A-CLASS

#### Serie 90dF AL-KO double floor

		9048dF	9066dF	9076dF	9083dF	9090dF	9092dF	9095dF	9096dF	9002dFH	9009dFH
<b>ENERGY</b>											
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•	•	•	•	•	•
Compartment and 3rd battery		-	-	-	-	-	-	-	-	•	•
Fuel cell		-	-	-	-	-	-	-	-	•	•
Cutting transformer - charger		16A	16A	16A	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling + satellite and video		•	•	•	•	•	•	•	•	•	•
Pre-cabling for 2nd TV in the bedroom		-	-	-	-	•	-	-	-	•	-
Speakers in the living area		•	•	•	•	•	•	•	•	•	•
External lighting with gutter above the living area door		•	•	•	•	•	•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards		-	-	-	-	-	-	-	-	•	•
Garage lighting with portable light		-	-	-	-	•	-	-	-	•	-
Lighting inside the wardrobe		•	•	•	•	•	•	•	•	•	•
Automatic FAVEX inverter, enabling you to travel with the heating on		•	•	•	•	•	•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>											
Cruise control		•	•	•	•	•	•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•	•	•	•	•
Driver's air bag		•	•	•	•	•	•	•	•	•	•
ABS braking + ASR		•	•	•	•	•	•	•	•	•	•
Original rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•	•	•	•	•	•
Cab door with automobile handle		•	•	•	•	•	•	•	•	•	•
Cab air-conditioning		•	•	•	•	•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows		•	•	•	•	•	•	•	•	•	•
Reversing camera control screen built into dashboard		•	•	•	•	•	•	•	•	•	•
PIONEER Multimedia car radio 2DIN DVD DIVX MP3		•	•	•	•	•	•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•	•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•	•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•	•	•	•	•	•
Mechanical sunshades		•	•	•	•	•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•	•	•	•	•
Fog lights + daytime driving light		•	•	•	•	•	•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>											
Reversing camera		•	•	•	•	•	•	•	•	•	•
Electric retractable step		•	-	-	-	-	-	-	-	-	-
Insulated, ventilated step built into the floor		•	•	•	•	•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors ( 2 PLIPS)		•	•	•	•	•	•	•	•	•	•
<b>UK PACK</b>											
	<b>WEIGHT (kg)</b>										
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS</b>											
	<b>WEIGHT (kg)</b>										
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	-	-
Living area door mosquito screen	4	0	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	-	0	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0	0	0
GPS navigation	5	0	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0	0
ALDE heating	22	-	0	-	-	0	0	-	0	•	•
Additional cab heating	6,5	0	0	0	0	0	0	0	0	0	0
Floor heating in living area	7	-	0	-	-	0	0	-	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	0	0	0
GENEVA ambiance (ALCANTARA®)	-	0	0	0	0	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0	0	0	0	0
Cobra alarm	-	0	0	0	0	0	0	0	0	0	0
<b>CARRIER OPTIONS</b>											
	<b>WEIGHT (kg)</b>										
Passenger air bag	6	0	0	0	0	0	0	0	0	0	0
ESP	-	-	-	-	-	-	-	-	-	-	-
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0	0	0
Fiat MTA* robotised automatic gearbox (requires 3.0-litre engine and passenger air bag)	17	0	0	0	0	0	0	0	0	0	0
"AIR PREMIUM" suspension (Heavy version only 4,2t)	42	0	0	0	0	0	0	0	0	0	0
Alloy wheels 15" (16" in Heavy version)	-	0	0	0	0	0	0	0	0	0	0
Motorcycle carrier* (weight option ± 5kg)	-	45	65	65	65	65	65	65	65	45	45
Tow bar* (90dF = 2000 kg) (9002dFH/9009dFH/Heavy 42H = 1750 kg)	-	33	53	53	53	53	53	53	53	33	33
Motorcycle carrier + Tow bar* (weight option ± 5kg)	-	75	95	95	95	95	95	95	95	75	75
Chassis 42H providing a GVWR of 4.250 T	-	0	0	0	0	0	0	0	0	•	•

\*Please note : possible reduction in registered seats  
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Option, • = Original, - = Not available

# Serie 10


## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class models with tag axle

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	3,0*	3,0*	3,0*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2999	2999	2999
Maximum power (kw CEE)	116	116	116
DIN power (HP)	160	160	160
At RPM	3500	3500	3500
Maximum torque (Nm)	400	400	400
Maximum torque rate (RPM)	1700	1700	1700
Anti-pollution standard	Euro IV	Euro IV	Euro IV
Wheelbase (m)	4,300	4,300	4,300
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	5000	5000	5000
Unladen weight (+/- 5%)	4200	4260	4260
Overall length (m)	8,49	8,49	8,49
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,89	2,89	2,89
Capacity of fresh water tank (litres)	250	250	250
Number of seatbelts	6	6	6
Number of seats (vehicle certificate)	6	6	6
Number of dining seats	8	8	8
Possible sleeping spaces	4+2	4+2	4+2
Bodywork (Polyester or Alufiber)	P	P	P
Type of heating (make and model)	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	2 x 100	2 x 100	2 x 100
<b>BED SIZES (mm)</b>			
Rear bed	1930 x 1380	2000 x 1500	1980 x 800
Extra dinette bed	2000 x 1450	2000 x 1450	2000 x 1450
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

OPTION : Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV

# Serie 10

Fiat AL-KO A-Class models with tag axle

## EQUIPMENT AND COMFORT

Equipment and comfort **10000** **10003** **10066**

A-CLASS 10 Series	
<b>BODYWORK AND OPENINGS</b>	
Panels all reinforced polyester	•
"Champagne grey" colour skirts and rear pillars	•
Double glazing bays with "blind / fly-screen" combination	•
Panoramic bay in the bedroom (800 x 1000) *Only on the 10000	*
Cab door(s) with electric windows	•
Transparent skylights with fly-screen and blind	•
Fixed bay on living area entrance door	•
HEKI skylight double fold blind with interior wood trim	•
<b>LIVING SPACE</b>	
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•
Permanent bed electrically height-adjustable (= 17cm) *Only on the 10003	*
Permanent bed with tilt-adjustable head sections (except 10003)	•
Jack-assisted unlockable electric cab bed	•
Cab bed with slatted frame and BULTEX® foam mattress	•
Living room table with retractable feet, movable side ways and rotating	•
Bedroom netting / ship blinds with living room bays	•
Specific bedroom trim (netting, door and furniture coverings) *Only on the 10000	*
Dividing door	•
Office space with 220V socket *Only on 10003	*
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•
3-point safety belt(s) in the living space	4
15"-inch flat screen TV unit (TV not supplied)	•
New ELEGANCE furniture	•
<b>KITCHEN</b>	
Embossed stainless steel sink	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•
2nd sink with waste bin and drainer	•
Laminated work top	•
Additional 12V/220V icebox	•
Refrigerator with freezer compartment (160 litres AES)	•
Extraction hood above the kitchen	•
External refrigerator grill	•
Refrigerator grill covers (for winter use)	•
External boiler inspection hatch (drain access, maintenance)	•
<b>BATHROOM</b>	
Bathroom with wooden furnishings	•
Circular shower with wooden grating	•
Independent shower with door	•
Wooden grating	•
Chrome finish bathroom accessories	•
Stainless steel basin	•
Camping toilet with removable tank	•
Double WC cassette	•
<b>WATER</b>	
Capacity of freshwater tank (litres)	250
Capacity of waste water tank (litres)	150
Electric water pump	•
External shower with hot and cold water and mixer tap	•
<b>HEATING</b>	
ALDE Confort central heating plus Arctic	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

A-CLASS 10 Series		
<b>ENERGY</b>		
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	
Compartment and 3rd battery	•	
Fuel cell	•	
Cutting transformer - charger	16A	
Two-pole magneto - thermal circuit breaker	•	
Control panel with instant consumption measuring	•	
Centralised Fuse box with protected "accessories" exits	•	
External 230 V connection - internal 230 V plug	•	
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling + satellite and video	•	
Pre-cabling for 2nd TV in the bedroom	•	
Speakers in the living area	•	
External lighting with gutter above the living area door	•	
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards	•	
LED ambiance lighting	•	
Garage lighting with portable light	•	
Lighting inside the wardrobe	•	
Automatic FAVEX inverter, enabling you to travel with the heating on	•	
<b>CARRIER AND CAB EQUIPMENT</b>		
Cruise control	•	
Engine cold start assistance (Blow-by)	•	
Engine immobiliser	•	
Driver's air bag	•	
ABS braking + ASR	•	
Original rotating cab seats with fabric to match the living area and built-in seat belts	•	
Cab door with electric windows	•	
Cab air-conditioning	•	
Tinted windows	•	
Reversing camera control screen built into dashboard	•	
PIONEER Multimedia car radio 2DIN DVD DIVX MP3	•	
Carpeted floor in cab	•	
Electric de-frosting side mirrors	•	
Heat-insulating cab bay blinds	•	
Sunshade with electric winder	•	
Wheel repair kit	•	
Fog lights + daytime driving light	•	
<b>LIVING AREA EQUIPMENT</b>		
Reversing camera	•	
Insulated, ventilated step built into the floor	•	
Stabilising jacks at the back or in the wheelbase	•	
Remote control locking and unlocking of doors ( 2 PLIPS)	•	
<b>UK PACK</b>		
28-litre oven with grill	14,5	PACK
Living area carpet kit	9	PACK
<b>LIVING AREA OPTIONS</b>		
Living area door mosquito screen	4	0
A-class without cab bed	-2	0
Ladder and cross-beams for roof rack	10	0
GPS navigation	5	0
Double-glazed side bays in cab	10	0
Additional cab heating	6,5	0
Floor heating in living area	7	0
Winter exterior insulation	5	0
Dashboard with walnut burr effect	-	0
GENEVA ambiance (ALCANTARA®)	-	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0
"Sable" Nappa leather trim	-	0
Cobra alarm	-	0
<b>CARRIER OPTIONS</b>		
Passenger air bag	6	0
E S P	-	-
Fiat MTA* robotised automatic gearbox (requires passenger air bag)	17	0
"AIR PREMIUM" suspension	80	0
16" alloy wheels	-	0
Motorcycle carrier* (option weight ± 5kg)	-	0
Tow bar* (1000 kg) (option weight ± 5kg)	-	0
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	0

0 = Option, ● = Original, - = Not available

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 9M-MH


Mercedes A-class

## CHARACTERISTICS AND CARRIERS BY MODEL

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	2,2*	2,2*	2,2*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2143	2143	2143
Maximum power (kw CEE)	120	120	120
DIN power (HP)	163	163	163
At RPM	3800	3800	3800
Maximum torque (Nm)	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400
Anti-pollution standard	Euro V/EEV	Euro V/EEV	Euro V/EEV
Wheelbase (m)	3,665	4,325	4,325
Gross vehicle weight	3500/3880**	3500/3880**	3500 / 3880**
Unladen weight (+/- 5%)	3190	3270	3260
Overall length (m)	6,88	7,44	7,44
Overall width (m)	2,37	2,37	2,37
Overall "garage" width (m) with rear view mirrors open	2,75	2,75	2,75
Overall height (m) - (Tolerance +/- 3 %)ª	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100	100/70***	90/70***
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	3ª / 4**	2ª / 4**	2ª / 4**
Number of dining seats	4	5	6
Possible sleeping spaces	4	4	4
Bodywork (Polyester or Alufiber)	P	P	P
Type of heating (make and model)	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	2100 x 1410	1930 x 1380	2100 x 1410
Overcab drop-down bed	1920 x 1400	1920 x 1400	1920 x 1400

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION : MERCEDES 3,0 I - V6 - 190 HP

\*\* If GVV 3880 kg = 4 registered seats

\*\*\* GVV 3500 kg + option 190 HP and/or automatic gearbox = 70 L fresh water


ª 983M : Option 190 HP = 2 registered seats with towing capability / Automatic gearbox with towing capability = 2 registered seats

ª 992M/996M : 160 HP = 2 registered seats with towing capability / Option 190 HP = 2 registered seats without towing capability

# Serie 9M-MH

Mercedes A-class

## CHARACTERISTICS AND CARRIERS BY MODEL



**992MH**

**996MH**

**990MHV**

Engine equipment/chassis	2,2'	2,2'	2,2'
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2143	2143	2143
Maximum power (kw CEE)	120	120	120
DIN power (HP)	163	163	163
At RPM	3800	3800	3800
Maximum torque (Nm)	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400
Anti-pollution standard	Euro V/EEV	Euro V/EEV	Euro V/EEV
Wheelbase (m)	4,325	4,325	4,325
Gross vehicle weight	4600/(5 t Option)	4600/(5 t Option)	4600/(5 t Option)
Unladen weight (+/- 5%)	3870	3820	4020
Overall length (m)	7,45	7,45	7,95
Overall width (m)	2,37	2,37	2,37
Overall "garage" width (m) with rear view mirrors open	2,75	2,75	2,75
Overall height (m) - (Tolerance +/- 3 %)	2,96	2,96	2,96
Capacity of fresh water tank (litres)	200	170****	200
Number of seatbelts	4	4	5
Number of seats (vehicle certificate)	4	4	5
Number of dining seats	5	6	6
Possible sleeping spaces	4	4	4+1
Bodywork (Polyester and/or Alufiber)	A/P	A/P	A/P
Type of heating (make and model)	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	2 x 100	2 x 100	2 x 100
<b>BED SIZES (mm)</b>			
Rear bed	1930 x 1380	2100 x 1410	1940 x 1440
Overcab drop-down bed	1920 x 1400	1920 x 1400	1920 x 1400

\*\*\*\* Fresh water for 996MH: the water tank must be emptied completely by gravity and by the pump for winter storage

# Serie 9M-MH

Mercedes A-class

## EQUIPMENT AND COMFORT

### A-CLASS

	9 Serie MERCEDES					
	983M	992M	995M	992MH	995MH	990MHV
<b>BODYWORK AND OPENINGS</b>						
Panels all Alufiber with polyester roof	-	-	-	•	•	•
Panels all reinforced polyester	•	•	•	-	-	-
Storage drawer(s) integrated in the skirts	•	•	•	•	•	•
Quartz grey metallic paint, except for skirts (ABS/PMMA); gutter rail (aluminium) ; roof	-	-	-	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	•
Central locking of opening bays (except for bay 800 x 1000)	•	•	•	•	•	•
HEKI 3 skylight double fold blind with interior wood trim	•	•	•	•	•	•
<b>LIVING SPACE</b>						
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•
Permanent bed electrically height-adjustable (= 17cm)	•	-	•	-	•	-
Permanent bed(s) with tilt-adjustable head sections	-	•	-	•	-	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	-	•	-	•	-	•
Dividing door	-	-	-	-	-	•
Rigid Japanese partition	-	•	•	•	•	-
Rigid partition	-	•	•	•	•	-
Flexible partition	•	-	-	-	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	3
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•
New Majesty furniture	•	•	•	•	•	•
<b>KITCHEN</b>						
Embossed stainless steel sink	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•
2nd sink	•	•	•	•	•	•
Double waste bin for selective sorting	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•
Kitchen with space for coffee machine	•	•	•	•	•	•
Refrigerator with freezer compartment (160 litres AES)	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•
<b>BATHROOM</b>						
Bathroom with wooden furnishings	•	•	•	•	•	•
Circular shower	•	•	-	•	-	-
Independent shower with circular door	-	-	•	-	•	•
Wooden grating	•	•	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•	•	•
Frosted mirror in the bathroom	•	•	•	•	•	-
Back-lit frosted mirror	-	•	•	•	•	-
Back-lit soap holder	•	•	•	•	•	•
Designer basin	•	•	•	•	•	•
Camping toilet with removable tank	•	•	•	•	•	•
<b>WATER</b>						
Capacity of freshwater tank (litres)	100	100/70*	90/70*	200	170	200
Capacity of waste water tank (litres)	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•
<b>HEATING</b>						
Central heating "ALDE Comfort Arctic Plus"	•	•	•	•	•	•

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\*Option 190hp, and/or auto transmission = 70 L fresh water

● = Original, - = Not available

# Serie 9M-MH

Mercedes A-class

## EQUIPMENT AND COMFORT

### A-CLASS

		9 Serie MERCEDES					
		983M	992M	995M	992MH	995MH	990MHV
<b>ENERGY</b>							
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•	•
Compartment and 3rd battery		-	-	-	•	•	•
Battery cut-out		•	•	•	•	•	•
Fuel cell	0	0	0	•	•	•	
Cutting transformer - charger	20A	20A	20A	20A	20A	20A	
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video		•	•	•	•	•	•
Pre-cabling for 2nd TV in the bedroom		-	•	-	-	-	•
Speakers in the living area		•	•	•	•	•	•
External lighting with gutter above the living area door		•	•	•	•	•	•
LED lighting (roof, wooden ceiling decoration, bathroom) halogen under the cupboards		•	•	•	•	•	•
LED ambiance lighting		•	•	•	•	•	•
Garage lighting with portable light		•	•	•	•	•	•
Lighting inside the wardrobe		•	•	•	•	•	•
Automatic FAVEX inverter, enabling you to travel with the heating on		•	•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>							
Tempomat		•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•
Driver's air bag		•	•	•	•	•	•
Particle filter		•	•	•	•	•	•
Reinforced rear suspension		•	•	•	•	•	•
ABS - ASR - ESP		•	•	•	•	•	•
"Grand Confort" rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•	•
Dashboard with walnut burr effect and real varnished wood		•	•	•	•	•	•
Cab door(s) with electric windows		•	•	•	•	•	•
Cab air-conditioning		•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•
Reversing camera with control screen built into dashboard		•	•	•	•	•	•
PIONEER Multimedia car radio 2DIN DVD DIVX MP3		•	•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•	•
Sunshade with electric winder		•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•
Fog lights		•	•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>							
Reversing camera		•	•	•	•	•	•
Living area door mosquito screen		•	•	•	•	•	•
Insulated step built into the floor		•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	•	•	•	•	•
<b>UK PACK</b>		<b>WEIGHT (kg)</b>					
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS</b>		<b>WEIGHT (kg)</b>					
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	•	•	•
A-class without cab bed, with table leg retractable for bed position	-2	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0
GPS navigation	5	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0
Additional cab heating	6,5	0	0	0	0	0	0
Floor heating in living area	7	0	0	0	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0
GENEVA ambiance (ALCANTARA®)	6	0	0	0	0	0	0
BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric)	-	0	0	0	0	0	0
"Sable" Nappa leather trim	-	0	0	0	0	0	0
Fuel cell (+ methanol 10 litres)	9 (+8,4)	0	0	0	•	•	•
Cobra alarm	-	0	0	0	0	0	0
<b>CARRIER OPTIONS</b>		<b>WEIGHT (kg)</b>					
Passenger air bag	6	0	0	0	0	0	0
3,0-litre V6 190 hp engine	40	0	0	0	0	0	0
Mercedes automatic gearbox (requires passenger air bag)	32	0	0	0	0	0	0
Alloy wheels	-	0	0	0	0	0	0
Motorcycle carrier* (option weight ± 5kg)	-	73	73	73	50	50	50
Tow bar* (1800 kg) (option weight ± 5kg)	-	51	51	51	28	28	28
Motorcycle carrier + Tow bar* (option weight ± 5kg)	-	93	93	93	70	70	70
Chassis 5 t	-	-	-	-	0	0	0

\*Please note : possible reduction in registered seats

0 = Option, • = Original, - = Not available



[WWW.RAPIDO.FR](http://WWW.RAPIDO.FR)

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.