

All models are covered by a six-year bodyshell integrity guarantee and come with a three-year SuperSure manufacturer's warranty - see www.sterlingcaravans.co.uk for more details and more model pictures, the gallery is constantly updated as more models are available











Sterling Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JS. Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk www.sterlingcaravans.co.uk A MEMBER OF THE SWIFT GROUP

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Sterling products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification

Issued September 2010



Comfort all year round

With its cool Scandinavian influenced interior and class leading specification, including Grade 3 insulation, the new Europa range offers all year

STERLING

round touring comfort.







Design and build

It is also one of the 1st touring caravan ranges to be European Whole Vehicle Type Approved, so you can be reassured by proven construction and compliance with strict weight, dimension and safety regulations. Class leading specification, all at unbelievable value, includes a package of desired features like shock absorbers, high security entrance locks, new LED task lighting, four mains sockets, two TV points, positive catches on all overhead locker doors and fully lined showers.















EUTOOO www.sterlingcaravans.co.uk







Stylish front lockers have recessed mains lights and new LED spot lighting saves energy. Kitchens feature stainless steel look appliances with a built in microwave oven, digital control fridge, Thetford oven and dual fuel hob, unique granite-look moulded sink and handy twin electric socket. A high capacity in-board water pump ensures good water pressure through the chrome finished brass taps.



Beech slat seat bases provide comfortable seating whilst sprung hinged tops provide easy access to under seat storage



Granite-look GRP kitchen sink with removable drainer



High capacity inboard water pump delivers good water pressure through the shower and chrome finished brass taps



Thetford electronic ignition, digital control 107 litre fridge with metallic door finish




New separate cutlery draw on smooth runners and two pull out wire storage baskets



and new low energy and low temperature
LED task lighting













Europa Specification

	390	4
Weights: For 2011 models the method of calculating the MRO and payload figures has changed. Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now within the MRO. The provision for a leisure battery has been included within the personal effects payload allowance.		
Bed Sizes: Please note that the front double bed sizes quoted are for seating configurations without chest of drawers. The front double bed width for a layout with a chest of drawers fitted will be reduced by 0.5m(1'8") from that stated.		
Awning sizes: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.		
	<u></u>	
Berths	2	
Number of Axles	1	

payload allowance.				
Bed Sizes: Please note that the front double bed sizes quoted are for seating configurations without chest of drawers. The front double bed width for a layout with a chest of drawers fitted will be reduced by 0.5m(1'8") from that stated. Awning sizes: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.				
Berths	2	2	4	4
Number of Axles	1	1	1	1
Internal Length (at bed box height)	3.83m/12'7"	4.59m/15'1"	4.74m/15'7"	5.44m/17'10"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (inc. TV Aerial)	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"
Maximum Internal Headroom	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
Overall Length	5.52m/18'1"	6.28m/20'7"	6.43m/21'1"	7.12m/23'4"
Mass in Running Order (inc. tolerance)	1054kg/20.7cwt	1146kg/22.6cwt	1167kg/23.0cwt	1288kg/25.4cwt
Maximum Technical Permissible Laden Mass	1180kg/23.2cwt	1280kg/25.2cwt	1322kg/26.0cwt	1450kg/28.5cwt
Total User Payload	126kg/2.5cwt	134kg/2.6cwt	155kg/3.1cwt	162kg/3.2cwt
Personal Effects Payload	116kg/2.3cwt	124kg/2.4cwt	145kg/2.9cwt	152kg/3.0cwt
Options	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt
Awning A/A Dimension	8.20m/26'11"	8.91m/29'3"	9.08m/29'9"	9.75m/32'0"
Tyre Size	175 R14C 99R	175 R14C 99R	175 R14C 99R	185 R14C 102R
Front Double	2.08m x 1.90m/6'10" x 6'3"	2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.34m/6'10" x 4'5"	2.08m x 1.80m/6'10" x 5'11"
Or Front Nearside Single	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"		1.80m x 0.72m/5'11" x 2'4"
And Front Offside Single	1.90m x 0.72m/6'3" x 2'4"	1.80m x 0.72m/5'11" x 2'4"		1.90m x 0.72m/6'3" x 2'4"
Rear Double			1.88m x 1.37m/6'2" x 4'6"	
Side Single Offside				1.80m x 0.63m/5'11" x 2'1"
Side Single Nearside				
Side Bunk Offside				1.76m x 0.59m/5'9" x 1'11"
Side Bunk Nearside				
Rear Fixed Lower Bunk				
Rear Fixed Upper Bunk				
Side Fixed Lower Bunk				
Side Fixed Upper Bunk				

	545	550	565	570
	4	4	6	6
	1	1	1	1
	5.60m/18'4"	5.60m/18'4"	5.83m/19'2"	5.50m/18'1"
	2.29m/7'6"	2.29m/7'6"	2.23m/7'4"	2.23m/7'4"
	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"
	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
	7.29m/23'11"	7.29m/23'11"	7.52m/24'8"	7.19m/23'7"
	1322kg/26.0cwt	1306kg/25.7cwt	1390kg/27.4cwt	1317kg/25.9cwt
	1486kg/29.3cwt	1470kg/28.9cwt	1576kg/31.0cwt	1500kg/29.5cwt
	164kg/3.2cwt	164kg/3.2cwt	186kg/3.7cwt	183kg/3.6cwt
	154kg/3.0cwt	154kg/3.0cwt	176kg/3.5cwt	173kg/3.4cwt
	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt
	9.87m/32'5" 185 R14C 102R	9.87m/32'5" 185 R14C 102R	10.15m/33'4" 195/70 R15C 104R	9.82m/32'3" 185 R14C 102R
	103 KI4C 102K	103 K14C 102K	193770 KI3C 104K	103 K14C 102K
	2.13m x 1.59m/7'0" x 5'3"	2.13m x 1.59m/7'0" x 5'3"	2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.80m/6'10" x 5'11"
"			1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"
·			1.80m x 0.72m/5'11" x 2'4"	1.80m x 0.72m/5'11" x 2'4"
	1.90m x 1.37m/6'3" x 4'6"	1.89m x 1.37m/6'2" x 4'6"		
			1.80m x 0.67m/5'11" x 2'2"	1.80m x 0.63m/5'11" x 2'1"
			1.7/	1.7/ 0. 50 /510 3133
			1.76m x 0.59m/5'9" x 1'11"	1.76m x 0.59m/5'9" x 1'11"
				1.80m x 0.62m/5'11" x 2'1"
			1.83m x 0.58m/6'0" x 1'11"	1.83m x 0.62m/6'0" x 2'1"
			1.83m x 0.58m/6 0 x 111	
			1.03111 X 0.30111/0 U X 1 11	

Key features

- New: European Whole Vehicle Type Approval ensures overhead locker doors compliance with strict weight, dimension and safety
- regulations • EN1645 Grade 3 classification for heating and thermal insulation (cold chamber tested)

(see specifications)

improved reliability

rated for improved

durable floor vinvl

grade aluminum sidewalls

New: Gas regulator fitted with stainless steel braided hose for

• New: Hankook tyres, higher

performance and safety

• New: 'Traffic' heavy duty,

- Built-in, ventilated microwave oven with digital controls Internal headroom of
- Showers with gloss plastic 1.95m (6'5") lined walls Overall body width 2.23m/7'4" or 2.29m/7'6"
 - New: Large capacity waste bin on lower door
- New: Aerial point in battery box • One-piece, 5000 series marine for portable satellite dish connection
 - **New:** Strong redwood body and floor framing specially treated to resist moisture and fungal attack

• New: Low energy and low

- temperature LED task lighting • New: Positive catches on all
- New: Four 230V sockets including twin in kitchen Granite-look GRP kitchen sink
- with removable drainer
 - 13-pin 'Jaeger' 12V car
 - AL-KO galvanised steel chassis

 - Receiver for optional AL-KO Secure wheel lock
 - Steel spare wheel and carrier
 - and analogue TV aerial Closed-mould GRP front panel
 - with three opening windows and door with aas strut Stylish full height moulded

Additional features

- New: Exclusive 'Storm' alloy wheels
- New: LED awning light
- Shock absorbers giving more stable, smooth towing
- connector
- with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AKS 3004 Stabiliser
- Status 530 directional digital
- rear panel

• Fully double-glazed opening windows (no single-glazed cold areas) with silver finished edges

470

520

- Exterior two-part door with interior moulded liner, window and blind
- Exterior access battery box with mains electric inlet (battery not included)
- Entrance step • 25mm 'sandwich' sidewalls
- and HD polystyrene insulation core • 32mm semi-'sandwich' roof
- and HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

- New: Separate cutlery drawer on smooth-action steel runners
- New: Two pull-out wire baskets in kitchen cupboard
- Door flyscreen with easy concerting action

- Class leading front locker design with recessed mains liahts
- with sprung hinged tops for extra comfort and easy access
- Upper lockers and seat bases with spaceframe construction

Beech slat seat and bed bases

- Heki large tilting panoramic roof window with flynet and blind
- Cassette flyscreens and blinds on all windows
- Multi-directional clear rooflights in kitchens and bedrooms
- Twin curtain track for improved hanging and ease of use Sprung interior mattresses, main seat and backrest
- cushions Fixed beds with aluminium frames to maximise strength
- and storage space Seat and backrest

- Long front beds 1.90m (6'3") (model specific, see specifications)
- Two scatter cushions • Two bolster cushions
- Removable carpets
- Retained entrance mat Thick washroom doors with
- domestic style locks and handles Deep worktops with matchina edaes
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage

Equipment

- New: User-friendly large 12V control panel with battery selection, battery state meter and water pump circuit control
- New: 25 Amp switchmode charger/transformer
- Radio/CD/MP3 player with iPod connection
- Thetford electronic ignition, digital control 107 litre fridge with metallic

- Thetford C250 or C402 toilet with electric flush and 18 litre wheeled waste tank
- Thetford thermostatic oven and separate grill
- Dual fuel hob with 800W
- electric hotplate Glass hob lid with safety
- cut-out feature • Dual fuel gas and 800W mains electric storage water heater
- Dual fuel (3kW gas and 2kW) mains) central heating with electronic ignition
- Blown air ducted to living, sleeping and washroom areas Areas under seats and beds
- warmed by blown air system • Isolation taps for gas appliances Fully protected mains electric
- Two TV stations with 230V, 12V and
 Concealed security data chip coax aerial sockets
- (except 545 and 550) Solar panel connection provision

- 230V mains lights over front seating
- Halogen ceiling lights in living and washroom areas
- Fluorescent light in kitchen
- 25 metre mains hook-up cable.
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- Separate shower mixers with adjustable head positions

Safety and Security

- Higher tyre ratings 10% load margin at 130kph (law permitting)
- Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- CRiS identity number etched to
- windows and caravan chassis within caravan construction
- High security entrance lock











- . **Dual fuel hob**Three gas rings and an 800W electric
- hotplate 2. Branded tyre New: Hankook tyres, higher rated for improved performance and safety
- Radio/CD player with iPod/MP3 connection
- 1. Gas regulator New: Gas regulator fitted with stainless steel braided hose for



- 6. Control panel New user friendly. larger control pane
- 7. Entrance door Entrance door with easy action concertina door flyscreen and new larger door bin 8. Aerial point
- New: Aerial point in battery box for portable satellite dish connection and site 'piped' TV
- 9. Shock absorbers Shocker absorbers give more stable smooth towing