

Serie 6/6FF


CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis, extra-wide rear track and drop down ceiling bed in option B

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (791FF AL-KO: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



| Engine equipment/chassis | FIAT 2,0* | FIAT 2,0* | FIAT 2,3** | FIAT 2,3** | FIAT 2,3** | FIAT 2,3** |
|--------------------------------------------------------|-------------------------|-------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Number of cylinders | 4 | 4 | 4 | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 1956 | 1956 | 2287 | 2287 | 2287 | 2287 |
| Maximum power (kw CEE) | 85 | 85 | 96 | 96 | 96 | 96 |
| DIN power (HP) | 115 | 115 | 130 | 130 | 130 | 130 |
| At RPM | 3700 | 3700 | 3600 | 3600 | 3600 | 3600 |
| Maximum torque (Nm) | 280 | 280 | 320 | 320 | 320 | 320 |
| Maximum torque rate (RPM) | 1500-2500 | 1500-2500 | 2000-3000 | 2000-3000 | 2000-3000 | 2000-3000 |
| Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 | Euro 5 | Euro 5 | Euro 5 |
| Wheelbase (m) | 3,8 | 3,8 | 4,04 | 4,04 | 4,04 | 4,04 |
| Wider rear track (m) | 1,98 | 1,98 | 1,98 | 1,98 | 1,98 | 1,98 |
| Gross vehicle weight | 3500 | 3500 | 3500/(3650) (or 4250)*** | 3500/(3650) (or 4250)*** | 3500/(3650) (or 4250)*** | 3500/(3650) (or 4250)*** |
| Permissible GCW (Gross Combined Weight) | 5000 | 5000 | 5000 | 5000 | 5000 | 5000 |
| Unladen weight (+/- 5 %) | 2870 | 2860 | 3080 | 2940 | 3020 | 3120 |
| Overall length (m) | 6,47 | 6,47 | 7,37 | 6,97 | 7,37 | 7,37 |
| Overall width (m) | 2,35 | 2,35 | 2,35 | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 | 2,76 | 2,76 | 2,76 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,76 | 2,76 | 2,76 ^a | 2,76 ^a | 2,76 ^a | 2,87 ^a |
| Capacity of fresh water tank (litres) | 120 | 120 | 120 | 120 | 120 | 120 |
| Number of seatbelts | 4 | 4 | 4 | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 | 4 | 4 | 4 | 4 | 4 |
| Number of dining seats | 4 | 4 | 5 | 5 | 5 | 6 |
| Possible sleeping spaces | 2+I / 3+I ^b | 2+I / 3+I ^b | 2+I | 2+2 / 3+2 ^b | 2+2 | (Child's occasional bed) |
| Polyester Bodywork | P | P | P | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH |
| Refrigerator capacity (litres) | 150 | 150 | 150 | 150 | 150 | 150 |
| Battery capacity (Ah) | 100 | 100 | 100 | 100 | 100 | 100 |
| BED SIZES (mm) | | | | | | |
| Rear bed | 2040 x 1350 | 1980 x 1350 | (1980 x 800) + (2010 x 800) | 1930 x 1350 | 1930 x 1400 | 1400 x 1900 |
| Extra dinette bed | 2090 x 600 | 2100 x 850 | 2100 X 1050 | 2100 x 1050 | 2100 x 1050 | 2100 X 1050 |
| Drop-down bed in lounge area | 750 x 2000 ^b | 750 x 2000 ^b | - | 750 x 2000 ^b | - | 1300 x 1860 |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 96, DIN power: 130, Maximum torque (Nm): 320, Standard EURO 5

- Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

** OPTION (additional cost): Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

*** Heavy chargis: CVW - 1350 kg (ontin) and additional cost): Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

^{***} Heavy chassis: GVW = 4250 kg (option at additional cost)
a: Overall height = +45 mm with 16" wheels (42 Heavy)
b: Optional drop-down ceiling bed on 643 B, 646 B, 690 B, electric single bed (at additional cost) (Weight = 40 kg)

Empty weight: the value shown in the catalogue based on a mechanical gearbox and entry level engines without GCW

Serie 7

CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis, extra-wide rear track and drop down bed

| | 700FF | 773FF | 776FF | 2012 791FF AL-KO |
|--------------------------------------------------------|-------------------|-----------------------------|-----------------------------|-----------------------------|
| T | | | | |
| Engine equipment/chassis | FIAT 2,3* | FIAT 2,3* | FIAT 2,3* | FIAT 2,3** / AL-KO |
| Number of cylinders Cubic capacity (cm ³) | 2287 | 4 | 4 | 4 2287 |
| Maximum power (kw CEE) | | 2287 | 2287 | |
| DIN power (HP) | 96 | 96 | 96 | 96 |
| At RPM | 130 | 130 | 130 | 130 |
| Maximum torque (Nm) | 3600 | 3600 | 3600 | 3600 |
| | 320 | 320 | 320 | 320 |
| Maximum torque rate (RPM) Anti-pollution standard | 2000-3000 | 2000-3000 | 2000-3000 Euro 5 | 2000-3000 |
| Wheelbase (m) | Euro 5 | Euro 5 | | Euro 5 |
| Wider rear track (m) | 3,8 1,98 | 1,98 | 4,04 1,98 | 4,30 1,98 |
| Wider rear track (III) | 1,96 | | | |
| Gross vehicle weight | 3500/(3650) | 3500/(3650) (or 4250)*** | 3500/(3650) (or 4250)*** | 3500/(3700) (or 4250)*** |
| Permissible GCW (Gross Combined Weight) | 5000 | 5000 | 5000 | 5500 |
| Unladen weight (+/- 5%) | 3000 | 3150 | 3050 | 3130 |
| Overall length (m) | 5,99 | 6,99 | 6,99 | 7,77 |
| Overall width (m) | 2,35 | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 | 2,76 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,90 ^a | 2,90 ^a | 2,90 ^a | 2,98 ^a |
| Capacity of fresh water tank (litres) | 100 | 100 | 100 | 50/120 ^b |
| Number of seatbelts | 4 | 4 | 4 | 5 |
| Number of seats (vehicle certificate) | 4 | 4 (3) of to of to of t | 4 (3) operate at each | 4 (5)**** |
| Number of dining seats | 6 | 6 | 6 | 6 |
| Possible sleeping spaces | 2+2 | 4 | 4 | 4 |
| Polyester Bodywork | P | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH |
| Refrigerator capacity (litres) | 160 | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 | 100 |
| BED SIZES (mm) | | | | |
| Rear bed | - | 2000 X I330 | 1980 x 1350 | 1930 x 1400 |
| Extra dinette bed | 2100 X 1350 | - | - | 2100 X 1200 |
| Drop-down bed in lounge area | 1950 x 1350 | 1910 x 1350 | 1910 x 1350 | 1910 x 1350 |

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



GT GB.indd 3

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION (additional cost): Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

** OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm²): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

- Fiat 3,0 - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

*** Heavy chassis: GVW = 4250 kg (option at additional cost)

^{**** 4} registered seats without towing capability / 3 registered seats with towing capability / GVW 3650, 3700 kg = 4 registered seats / 791FF AL-KO: GVW 3700, 4250 kg = 5 registered seats a: Overall height = +45 mm with 16" wheels (42 Heavy) b: Fresh water tank can be filled up to 120 l, which results in a lower payload.

Serie 6/6FF-7FF

EQUIPMENT AND COMFORT

Serie 6/6FF : Low-profile models with special chassis, extra-wide rear track (ceiling bed: Option « B » / Serie FF) Serie 7FF: Low-profile models with special chassis, extra-wide rear track and drop down bed

| LOW PROFILE | Serie 6/6FF Serie | | | ie 7FF | | | | | | |
|-----------------------------------------------------------------------------------------------------------------|-------------------|-----|-----|--------|-----|-------|------|-------|-------|----------|
| LOW PROFILE | | | | lı . | | | | | | |
| | 843 | 646 | 866 | 690 | 69, | S91FF | 700F | 773FF | 776FF | A L'A |
| BODYWORK AND OPENINGS | | | | | | | | | | |
| Panels all reinforced polyester with gutter | - | - | - | - | - | - | • | • | • | • |
| Panels all reinforced polyester | • | • | • | • | • | • | - | - | - | - |
| Hail-resistant polyester roof | • | • | • | • | • | • | • | • | • | • |
| Roof covering all edges | - | - | - | - | - | - | • | • | • | • |
| "Champagne grey" colour skirts | - | - | - | - | - | - | • | • | • | • |
| "STYLE" vehicle front (smile + foglights) Panoramic opening cab roof | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| Double glazing bays with "blind / fly-screen" combination (except for the bathroom S6) | • | | • | | • | | | | • | |
| Panoramic bay in the bedroom | - | | - | | • | | | - | - | |
| Cab door(s) with electric windows | | | | • | • | • | | | | • |
| Opening bay on living area entrance door | - | - | - | | - | - | | | • | |
| Transparent skylights with fly-screen and blind | | | | | | | | | • | |
| Midi HEKI skylight with double-fold blind (700 x 500) | - | - | - | - | - | - | • | • | • | |
| Skylight with interior wood trim (700 x 500) | • | | • | | • | | - | - | - | - |
| LIVING SPACE | | | | | | | | | | |
| Permanent bed with slat bed-frame and BULTEX® foam mattress | • | • | • | • | • | • | - | • | • | • |
| Electrically raisable unlockable living room bed (single berth 643 B, 646 B, 690 B) (2 berths 700FF) (40 kg) | 0 | 0 | - | 0 | - | - | • | - | - | - |
| Mechanically raisable living room bed | - | - | - | - | - | • | - | • | • | • |
| Permanent bed mechanically height-adjustable from inside(= 17 cm) | - | - | - | - | - | - | - | • | - | - |
| DELUX bed head (50 years model) | - | - | - | - | - | - | - | - | - | 50 years |
| Living room table with telescopic foot, movable forwards, backwards, sideways and rotation | • | • | • | • | • | • | • | - | - | - |
| Living room table with fixed foot, movable forwards, backwards, sideways and rotation | - | - | - | - | - | - | - | • | • | • |
| Netting to bedroom and living room bays | • | • | • | • | • | • | - | - | - | - |
| Bedroom netting / ship blinds with living room bays | - | - | - | - | - | - | • | • | • | • |
| Dividing door | • | - | - | - | - | - | - | - | - | - |
| Flexible partition Rigid partition | - | - | • | • | - | - | - | - | • | - |
| Walls 30 mm thick with STYROFOAM insulation (walls + roof), floor 40 mm | - | • | • | | | ÷ | - | • | • | |
| 3-point safety belt(s) in the living space | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| 15-inch flat screen TV unit (TV not supplied) | • | • | • | • | • | • | | • | • | • |
| "Harmony" furniture | • | | | | | | - | - | - | - |
| "Harmony" solid wood furniture | - | - | - | - | - | - | | | • | |
| Choice of Cilegio or Pino Varese furniture | • | | • | | | | - | - | - | - |
| BOSTON trim (50 years model) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| KITCHEN | | | | | | | | | | |
| Embossed stainless steel sink | • | • | • | • | • | • | • | • | • | • |
| Embossed stainless steel cooking hob with 2 covers and piezzo ignition: number of burners | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2nd sink with waste bin and drainer | - | - | - | - | - | - | • | - | • | • |
| Laminated work top | • | • | • | • | ٠ | • | • | • | • | • |
| Built-in window with ambience lighting (50 years model) | - | - | - | - | - | - | - | - | - | 50 years |
| Large storage space under kitchen unit (only if variant without oven) | - | • | - | - | ٠ | • | • | - | • | • |
| Refrigerator with freezer compartment (Serie 6 = 150 litres AES / Serie 7FF = 160 litres AES) | • | • | • | • | • | • | • | • | • | • |
| Extraction hood above the kitchen Refrigerator grill covers (for winter use) | • | • | • | | • | • | • | -: | • | |
| BATHROOM | • | • | • | • | • | • | • | • | • | • |
| Bathroom with wooden furnishings | | | | | | | | | | |
| Shower with wooden grating | - | | - | - | - | - | - | | - | - |
| Independent shower | - | | | - | | | - | | - | |
| Telescopic clothes rack in the toilets | | | | | | | | - | | |
| Chrome finish bathroom accessories | | | | | | | | | • | |
| Stainless steel basin | • | | | • | | • | | - | • | |
| White basin | • | • | • | • | • | • | - | • | - | - |
| Camping toilet with removable tank, telescopic handle and castors | • | • | • | • | | • | ٠ | • | • | |
| WATER | | | | | | | | | | |
| Capacity of freshwater tank (litres) | 120 | 120 | 120 | 120 | 120 | 120 | 100 | 100 | 100 | 50/120 |
| Capacity of waste water tank (litres) | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| External shower with hot and cold water and mixer tap | - | - | - | - | - | - | | • | • | • |
| HEATING TRUMA Combi 4 combined water - air heating (UK Pack : Combi 6 EH Gas + Electric) | | | | | | | | | | |
| 1 NOMA COMDI 4 COMDINEU WATER - All HEALING (UN PACK : COMDI 0 EM GAS + EJECTRIC) | • | • | • | • | • | • | • | • | • | • |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, $\bullet = Original$, - = Not available



4 Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 4 01/08/11 11:48

Serie 6/6FF-7FF

EQUIPMENT AND COMFORT

Serie 6/6FF: Low-profile models with special chassis, extra-wide rear track (ceiling bed: Option « B » / Serie FF)
Serie 7FF: Low-profile models with special chassis, extra-wide rear track and drop down bed

| LOW PROFILE | | | S | erie (| 6/6F | F | | Serie 7FF | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------|------------------|-----------|---------|-----------------|-------|-----------|---------|---------|----------|
| | | 843 | 646 | Ses | 690 | gg ₃ | 691FF | 700K | 773FF | 778FF | A L'KO |
| ENERGY | | | | | | | | | | | |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) Cutting transformer - charger | | 16A | 16A | 16A | 16A | • 16A | 16A | 16A | 16A | 16A | 16A |
| Two-pole magneto - thermal circuit breaker | | • | • | • | • | • | • | • | • | • | • |
| Digital control panel with instant consumption measuring | | - | - | - | - | - | - | • | • | • | • |
| Control panel with LED Centralised Fuse box with protected "accessories" exits | | • | - : | • | • | • | -: | • | • | - | - |
| External 230 V connection - internal 230 V plug | | • | • | • | • | • | • | • | • | • | • |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not suppli | ied) | - | - | - | - | - | - | • | • | • | • |
| Flat screen TV space, (pre-cabling on S6) with 12 V - coaxial pre-cabling (TV not supplements in the living area | olied) | - | - | - | - | - | - | - | • | - | - |
| External lighting above the living area door | | • | | • | | • | | • | • | • | • |
| LED lighting (roof, wooden ceiling decoration, bathroom) halogen lighting under the roof and in the | he bedroom | - | - | - | - | - | - | • | • | • | • |
| Halogen lighting Garage lighting with portable LED light | | - | - | - | - | - | - | - | - | - | - |
| Lighting inside the wardrobe | | - | - | - | | - | | • | · | • | |
| Ambience LED lighting in the bedroom and living room (50 years model) | | - | - | - | - | - | - | - | - | - | 50 years |
| Automatic FAVEX® inverter, enabling you to travel with the heating on | | • | • | • | • | • | • | • | • | • | • |
| CARRIER AND CAB EQUIPMENT Cruise control | | • | | • | | • | | | | • | |
| Engine cold start assistance (Blow-by) | | | | • | · | • | · | • | i | • | • |
| Engine immobiliser | | • | • | • | • | • | • | • | • | • | • |
| Driver's air bag ABS braking | | • | -:- | • | -:- | • | • | • | | • | |
| Original rotating cab seats with fabric to match the living area | | • | • | • | • | • | • | • | • | • | · |
| Cab air-conditioning | | • | • | • | • | • | • | • | • | • | • |
| Tinted windows Cab door(s) with electric windows | | • | -:- | • | • | • | - | • | -:- | • | • |
| MP3 car radio / CD player (PIONEER®) | | • | -:- | | -:- | • | -:- | • | ÷ | • | |
| Dashboard with walnut burr effect (50 years model) (option on other models) | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| Carpeted floor in cab | | - | - | - | - | - | - | • | • | • | • |
| Electric de-frosting side mirrors Inside rear mirror | | • | - :- | • | -:- | • | -:- | | -:- | • | |
| Cab curtains | | • | • | • | • | • | • | • | • | • | · |
| Heat-insulating cab bay blinds | | - | - | - | - | - | - | • | • | • | • |
| Heat-insulating blind, leaf-type for bays and on rails in front cab Wheel repair kit | | 0 | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 50 years |
| Alloy wheels 15" (50 years model) | | - | - | - | - | - | - | - | - | - | 50 years |
| LIVING AREA EQUIPMENT | | | _ | _ | _ | _ | _ | | _ | _ | |
| Living area door mosquito screen (50 years model) Insulated, ventilated step built into the floor | | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | 50 years |
| Stabilising jacks at the back or in the wheelbase | 5 kg | 0 | 0 | 0 | 0 | 0 | 0 | • | · | • | |
| Remote control locking and unlocking of doors (2 PLIP) | _ | • | • | • | • | • | • | • | • | • | • |
| UK PACK 2012 28-litre oven with grill | WEIGHT (kg) 14,5 | PACK | PACK | DACV | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| Living area carpet kit | 9 | PACK | PACK | PACK - | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| Living area and cab carpet kit | 11 | PACK | PACK | PACK | PACK | PACK | PACK | - | - | - | - |
| TRUMA Combi 6 "E-H" (electrical resistance hot water and heating) | 0,6 | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| LIVING AREA OPTIONS 2 burner cooking hob | WEIGHT (kg) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reversing camera with control screen built into dashboard | 2,6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Compartment and cabling for 3rd battery (battery not supplied) | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Living area door mosquito screen Ladder | 4 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| GPS navigation | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Heat-insulating blind, leaf-type for bays and on rails in front cab | 4,6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| Winter exterior insulation Dashboard with walnut burr effect | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GENEVA ambiance (Alcantara®) | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) CARRIER OPTIONS | WEIGHT (L) | | | | | | | | | | |
| Passenger air bag | WEIGHT (kg) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E S P with "Traction+" | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2.3-litre 130 hp engine (Weight 130hp/115hp) | p engine (Weight 130hp/115hp) 40 | | 0 | S | S | S | S | S | S | S | S |
| litre 150 hp engine (with passenger air bag included) (Weight 150hp/130hp) 3 litre 180 hp engine (requires Heavy model and passenger air bag) (Weight 180hp/150hp) 55 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| at MTA robotised automatic gearbox | | | 0 | | | | | | | | |
| ead times: 150 hp = Feb 2012 / 180 hp = available) | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| "STYLE" vehicle front (smile + foglights) Motorcycle carrier* (option weight ± 5kg) | - | O 85 | O 85 | 0 | O 85 | 0 | 0 | O 85 | O 85 | O 85 | 50 years |
| Tow bar* (1500 kg) (option weight ± 5kg) | - | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 85 70 |
| Motorcycle carrier + Tow bar* (option weight ± 5kg) | - | 111 | 111 | - | 111 | - | - | 111 | 111 | 111 | 111 |
| Chassis 35L: possibility GVW 3.650 T (3.7 T for 791FF) | - | • | • | • | • | • | • | • | • | • | • |
| Chassis 42H = GVW 4,250 T FIAT chassis: definition of the carriers different from the original commercial definition | ons of the ch | assis ma | ı - nufacture | O | 0 | 0 | 0 | - | 0 | 0 | 0 |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*If tow bar fitted: possible reduction in registered seats

O = Option, ● = Original, - = Not available



Serie 70


CHARACTERISTICS AND CARRIERS BY MODEL

AL-KO low-profile models with extra-wide rear track and independent wheel suspension (with a double floor only on the dF models)

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



| Engine equipment/chassis | FIAT 2,3* | FIAT 2,3** | FIAT 2,3** |
|-----------------------------------------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Number of cylinders | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2287 | 2287 | 2287 |
| Maximum power (kw CEE) | 96 | 96 | 96 |
| DIN power (HP) | 130 | 130 | 130 |
| At RPM | 3600 | 3600 | 3600 |
| Maximum torque (Nm) | 320 | 320 | 320 |
| Maximum torque rate (RPM) | 2000-3000 | 2000-3000 | 2000-3000 |
| Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 |
| Wheelbase (m) | 4,31 | 4,31 | 4,31 |
| Wider rear track (m) | 1,98 | 1,98 | 1,98 |
| Gross vehicle weight | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis |
| Permissible GCW (Gross Combined Weight) | 5500 | 5500 | 5500 |
| Unladen weight (+/- 5 %) | 3100 | 3100 | 3100 |
| Overall length (m) | 7,39 | 7,39 | 7,39 |
| Overall width (m) | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 |
| Overall height (m) - (Tolerance +/- 3%) ^{a} | 2,83 | 2,83 | 2,83 |
| Capacity of fresh water tank (litres) | 50/120 ^b | 50/120 ^b | 50/120 ^b |
| Number of seatbelts | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 (3)**** | 4 (3)***** | 4 (3)***** |
| Number of dining seats | 5 | 5 | 5 |
| Possible sleeping spaces | 2+I | 2+I | 2+I |
| Polyester Bodywork | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH |
| Refrigerator capacity (litres) | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 |
| BED SIZES (mm) | | | |
| Rear bed | 2 x (1980 x 800) | 1930 x 1400 | 1980 x 1350 |
| Extra dinette bed | 2100 X 1200 | 2100 X 1100 | 2100 X 1200 |

 $FIAT\ chassis:\ definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chassis\ manufacturers$

If GVV 3700 kg = 4 registered seats



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 6 01/08/11 12:03

^{*} OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 10,9 DIN power: 1,48, Maximum torque (Nm): 350, Standard EURO 5
- Fiat 3,0 (requires GVW = 4,25 t Heavy) - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

^{**} Heavy chassis: GVW = 4250 kg (option at additional cost) (only with 148 hp / 177 hp) *** 4 registered seats without towing capability / 3 registered seats with towing capability

a: Overall height = +45 mm with 16" wheels (42 Heavy) b: Fresh water tank can be filled up to 120 l, which results in a lower payload.

CHARACTERISTICS AND CARRIERS BY MODEL

AL-KO low-profile models with extra-wide rear track and independent wheel suspension (with a double floor only on the dF models)

| | 2012 ALDE Option | ALDE Option 7090dF | 7095dF |
|--------------------------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| | | | |
| Engine equipment/chassis | FIAT 2,3* | FIAT 2,3* | FIAT 2,3* |
| Number of cylinders | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2287 | 2287 | 2287 |
| Maximum power (kw CEE) | 96 | 96 | 96 |
| DIN power (HP) | 130 | 130 | 130 |
| At RPM | 3600 | 3600 | 3600 |
| Maximum torque (Nm) | 320 | 320 | 320 |
| Maximum torque rate (RPM) | 2000-3000 | 2000-3000 | 2000-3000 |
| Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 |
| Wheelbase (m) | 4,31 | 4,31 | 4,3I |
| Wider rear track (m) | 1,98 | 1,98 | 1,98 |
| Gross vehicle weight | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis |
| Permissible GCW (Gross Combined Weight) | 5500 | 5500 | 5500 |
| Unladen weight (+/- 5 %) | 3100 | 3100 | 3100 |
| Overall length (m) | 7,39 | 7,39 | 7,39 |
| Overall width (m) | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 |
| Overall height (m) - (Tolerance +/- 3 %) ^a | 2,86 | 2,86 | 2,86 |
| Capacity of fresh water tank (litres) | 50/120 ^b | 50/120 ^b | 50/120 ^b |
| Number of seatbelts | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 (3)**** | 4 (3)*** | 4 (3)*** |
| Number of dining seats | 5 | 5 | 6 |
| Possible sleeping spaces | 2+I | 2+I | 2+I |
| Polyester Bodywork | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH |
| Refrigerator capacity (litres) | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 |
| BED SIZES (mm) | | | |
| Rear bed | 2x (1980 x 800) | 1930 x 1380 | 1930 x 1380 |
| Extra dinette bed | 2100 X 1200 | 2100 X 1100 | 2100 x 1230 |

 $FIAT\ chassis:\ definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chassis\ manufacturers$

^{*} OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5
- Fiat 3,0 (requires GVW = 4,25 t Heavy) - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

^{**} Heavy chassis: GVW = 4250 kg (option at additional cost) (only with 148 hp / 177 hp) **** 4 registered seats without towing capability / 3 registered seats with towing capability a: Overall height = +45 mm with 16" wheels (42 Heavy) b: Fresh water tank can be filled up to 120 l, which results in a lower payload.

If GVV 3700 kg = 4 registered seats

Serie 70-70dF

EQUIPMENT AND COMFORT

AL-KO low-profile models with extra-wide rear track and independent wheel suspension (with a double floor only on the dF models)

| LOW PROFILE | 9 | Serie 70 |) | Serie 70dF | | |
|---------------------------------------------------------------------------------------------|------------------|------------------|----------------------------------------------------|-------------------|--------|--------|
| | ⁷ 065 | ⁷ 090 | Z ^Z S ^Z S ^Z | ^{7065dF} | 7090dF | 7095aF |
| BODYWORK AND OPENINGS | | | | | | |
| Hail-resistant polyester roof covering all edges | • | | • | • | • | • |
| Panels all reinforced polyester with gutter | • | • | • | • | • | • |
| "Champagne grey" colour skirts and rear pillars | • | • | • | • | • | • |
| Panoramic opening cab roof | • | • | • | • | • | • |
| Double glazing bays with "blind / fly-screen" combination | • | • | • | • | • | • |
| Panoramic bay in the bedroom | - | • | - | - | • | • |
| Cab doors with electric windows | • | • | • | • | • | • |
| Transparent skylights with fly-screen and blind | • | • | • | • | • | • |
| Opening bay on living area entrance door | • | • | • | • | • | • |
| Midi HEKI skylight with double-fold blind (700 x 500) | • | • | • | • | • | • |
| LIVING SPACE | | | | | | |
| Permanent bed(s) with slat bed-frame and BULTEX® foam mattress | • | • | • | • | • | • |
| Permanent bed(s) with tilt-adjustable head sections | • | • | - | • | • | • |
| Memory foam BULTEX® mattress 130mm thick | - | | - | - | • | • |
| Living room table with telescopic foot, movable forwards, backwards, sideways and rotation | • | • | • | • | • | • |
| Bedroom netting / ship blinds with living room bays | • | • | • | • | • | • |
| Specific bedroom trim (netting, door and furniture coverings) | - | • | - | - | • | • |
| Dividing door | - | • | - | - | • | - |
| Rigid partition | • | - | • | • | - | • |
| Walls 30 mm (70dF) / 35 mm (70) thick with STYROFOAM insulation (walls + roof), floor 40 mm | • | • | • | • | • | • |
| 3-point safety belt(s) in the living space | 2 | 2 | 2 | 2 | 2 | 2 |
| 15-inch flat screen TV unit (TV not supplied) | • | • | • | • | • | • |
| ELEGANCE furniture | • | • | • | • | • | • |
| DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS | | | | • | • | • |
| 3rd level locker | - | - | - | • | • | • |
| KITCHEN | | | | | | |
| Embossed stainless steel sink | • | • | • | • | • | • |
| Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition | • | • | • | • | • | • |
| 2-burner hob | 0 | 0 | 0 | 0 | 0 | 0 |
| 2nd sink with waste bin and drainer | • | • | • | • | • | • |
| Laminated work top | • | • | • | • | • | • |
| Large storage space under kitchen unit (only if variant without oven) | • | • | • | • | • | • |
| Refrigerator with freezer compartment (160 litres AES) | • | • | • | • | • | • |
| Extraction hood above the kitchen | • | • | • | • | • | • |
| Refrigerator grill covers (for winter use) | • | • | • | • | • | • |
| BATHROOM | | | | | | |
| Bathroom with wooden furnishings | • | • | • | • | • | • |
| Independent shower | - | • | - | - | • | - |
| Wooden grating | • | • | • | • | • | • |
| Chrome laundry line | • | • | • | • | • | • |
| Chrome finish bathroom accessories | • | • | • | • | • | • |
| Frosted mirror | • | • | • | • | • | • |
| Stainless steel basin | • | • | - | • | • | • |
| White basin | - | - | • | - | - | - |
| Camping toilet with removable tank, telescopic handle and castors | • | • | • | | • | • |
| WATER | | | | | | |
| Capacity of freshwater tank (litres) | 50/120 | 50/120 | 50/120 | 50/120 | 50/120 | 50/120 |
| Capacity of waste water tank (litres) | 100 | 100 | 100 | 100 | 100 | 100 |
| External shower with hot and cold water and mixer tap | • | • | • | • | • | • |
| HEATING | | | | | | |
| TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric) | • | • | • | • | • | • |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. Fresh water tank can be filled up to 120 l, which results in a lower payload.

O = Option, ● = Original, - = Not available



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 8 01/08/11 12:10

Serie 70-70dF

EQUIPMENT AND COMFORT

AL-KO low-profile models with extra-wide rear track and independent wheel suspension (with a double floor only on the dF models)

| LOW PROFILE | | 9 | Serie 7C | | Serie 70dF | | | |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------|--------------|------------------|--------------|--------------|--------------|--|
| | | ⁷ 065 | 7090 | ⁷ 099 | 7065aF | 7090ak | 7095aF | |
| ENERGY | | | | | | | | |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) | | • | • | • | • | • | • | |
| Cutting transformer - charger Two-pole magneto - thermal circuit breaker | | 16A | 16A | 16A | 16A | 16A | 16A | |
| Digital control panel with instant consumption measuring | | • | • | • | • | • | | |
| Centralised Fuse box with protected "accessories" exits | | • | • | • | • | • | • | |
| External 230 V connection - internal 230 V plug | | • | • | • | • | • | • | |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not suppli Pre-cabling for 2nd TV in the bedroom | ed) | • | • | • | - | • | • | |
| Speakers in the living area | | • | • | - | • | • | - | |
| LED external lighting above the living area door | | • | • | • | • | • | • | |
| LED living area lighting | | • | • | • | • | • | • | |
| Garage lighting with portable LED light | | - | • | - | - | • | - | |
| Lighting inside the wardrobe Automatic FAVEX® inverter, enabling you to travel with the heating on | | • | • | • | • | • | - | |
| EQUIPMENT OF THE CARRIER AND CAB | | | | | | | | |
| Cruise control | | • | • | • | • | • | • | |
| Engine cold start assistance (Blow-by) | | • | • | • | • | • | • | |
| Engine immobiliser | | • | • | • | • | • | • | |
| Driver's air bag ABS braking | | • | | • | • | • | • | |
| Original rotating cab seats with fabric to match the living area | | • | • | • | • | • | • | |
| Cab air-conditioning | | • | • | • | • | • | • | |
| Tinted windows | | • | • | • | • | • | • | |
| Cab doors with electric windows Reversing camera control screen built into dashboard | | • | • | • | • | • | • | |
| PIONEER® Multimedia car radio 2DIN DVD DIVX MP3 | | • | • | • | • | • | • | |
| Carpeted floor in cab | | • | • | • | • | • | • | |
| Electric de-frosting side mirrors | | • | • | • | • | • | • | |
| Inside rear mirror | | • | • | • | • | • | • | |
| Heat-insulating blind, leaf-type for bays and on rails in front cab Wheel repair kit | | • | • | • | • | • | - | |
| LIVING AREA EQUIPMENT | | | • | • | • | • | • | |
| Reversing camera | | • | • | • | • | • | • | |
| Living area door mosquito screen | | • | • | • | • | • | • | |
| Insulated, ventilated step built into the floor Stabilising jacks at the back or in the wheelbase | | • | • | • | • | • | • | |
| Remote control locking and unlocking of doors (2 PLIP) | | • | -:- | | • | | • | |
| UK PACK 2012 | WEIGHT (kg) | | | | | | | |
| 28-litre oven with grill | 14,5 | PACK | PACK | PACK | PACK | PACK | PACK | |
| Living area carpet kit TRUMA Combi 6 "EH" (electrical resistance hot water and heating) | 9 | PACK PACK | PACK PACK | PACK PACK | PACK PACK | PACK PACK | PACK PACK | |
| LIVING AREA OPTIONS | 0,6 WEIGHT (kg) | PACK | PACK | PACK | PACK | PACK | PACK | |
| 2-burner hob | | 0 | 0 | 0 | 0 | 0 | 0 | |
| Compartment and cabling for 3rd battery (battery not supplied) | 2 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Ladder and cross-beams for roof rack | 10 | 0 | 0 | 0 | 0 | 0 | 0 | |
| GPS navigation ALDE heating | 5 60 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Floor heating in living area | 7 | - | - | - | 0 | 0 | - | |
| Winter exterior insulation | 5 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Dashboard with walnut burr effect | - | 0 | 0 | 0 | 0 | 0 | 0 | |
| FASHION furniture (varnished, with solid maple wood) GENEVA ambiance (ALCANTARA®) | - | 0 | 0 | 0 | 0 | 0 | 0 | |
| BOSTON trim (beige colour) CHICAGO (brown/Amaretta beige colour) | | | | | | | | |
| AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) | | 0 | 0 | 0 | 0 | О | 0 | |
| CARRIER OPTIONS | WEIGHT (kg) | _ | | | - | _ | | |
| Passenger air bag E S P with "Traction+" | 6 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2,3-litre 150 hp engine (with passenger air bag included) (Weight 150hp/130hp) | | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3,0-litre 180 hp engine | | 0 | 0 | 0 | 0 | 0 | 0 | |
| (requires Heavy model and passenger air bag) (weight 180np/150np) | 55 | 0 | | 0 | 0 | 0 | | |
| Fiat MTA robotised automatic gearbox (lead times: 150 hp = Feb 2012 / 180 hp = available) | 10 | 0 | 0 | 0 | 0 | 0 | 0 | |
| "STYLE" vehicle front (smile + foglights) | | 0 | 0 | 0 | 0 | 0 | 0 | |
| 'STYLE" vehicle front (smile + foglights) 'AIR PREMIUM" suspension (Heavy version 4,2t only) 42 | | - | - | - | 0 | 0 | 0 | |
| Alloy wheels 15" (16" in Heavy version) | | 0 | 0 | 0 | 0 | 0 | 0 | |
| Motorcycle carrier* (option weight ± 5kg) | - | 73 | 73 | 73 | 73 | 73 | 73 | |
| Tow bar* (2000 kg) (option weight ± 5kg) | - | 61 | 61 | 61 | 61 | 61 | 61 | |
| Motorcycle carrier + Tow bar* (option weight ± 5kg) Chassis 35L: possibility for GVW 3.7 T | - | 103 | 103 | 103 | 103 | 103 | 103 | |
| Chassis 42H = 4,250 T GVW | - | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | | | | |

*Please note: possible reduction in registered seats

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, ● = Original, - = Not available



Serie 9dF


CHARACTERISTICS AND CARRIERS BY MODEL

A-Class special chassis with extra-wide rear track and technical double floor

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



| Engine equipment/chassis | 2,3** | 2,3** | 2,3**** | 2,3*** | 2,3*** |
|--------------------------------------------------------|------------------|------------------|-----------------------------|---------------------|---------------------|
| Number of cylinders | 4 | 4 | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2287 | 2287 | 2287 | 2287 | 2287 |
| Maximum power (kw CEE) | 96 | 96 | 96 | 96 | 96 |
| DIN power (HP) | 130 | 130 | 130 | 130 | 130 |
| At RPM | 3600 | 3600 | 3600 | 3600 | 3600 |
| Maximum torque (Nm) | 320 | 320 | 320 | 320 | 320 |
| Maximum torque rate (RPM) | 2000-3000 | 2000-3000 | 2000-3000 | 2000-3000 | 2000-3000 |
| Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 | Euro 5 | Euro 5 |
| Wheelbase (m) | 3,45 | 3,8 | 4,04 | 4,04 | 4,04 |
| Wider rear track (m) | 1,98 | 1,98 | 1,98 | 1,98 | 1,98 |
| Gross vehicle weight | 3500 | 3500/3650*** | 3500/3650/4250*** | 3500/3650/4250*** | 3500/3650/4250*** |
| Permissible GCW (Gross Combined Weight) | 5000 | 5000 | 5000 | 5000 | 5000 |
| Unladen weight (+/- 5 %) | 3010 | 3120 | 3140 | 3140 | 3150 |
| Overall length (m) | 5,99 | 6,49 | 6,99 | 6,99 | 7,39 |
| Overall width (m) | 2,35 | 2,35 | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,7 | 2,7 | 2,7 | 2,7 | 2,7 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,84 | 2,84 | 2,84 | 2,84 | 2,84 |
| Capacity of fresh water tank (litres) | 120 | 120 | 50/120 ^b | 50/120 ^b | 50/120 ^b |
| Number of seatbelts | 4 | 4 | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 | 4 (3)***** | 4 (3)***** | 4 (3)******** | 4 (3)***** |
| Number of dining seats | 4 | 4 | 4 | 4 | 5 |
| Possible sleeping spaces | 4 | 4 | 4 | 4 | 4 |
| Polyester Bodywork | P | P | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH | Truma Combi 6 EH |
| Refrigerator capacity (litres) | 100/106 | 160 | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 | 100 | 100 |
| BED SIZES (mm) | | | | | |
| Rear bed | 2030 X I300 | 1980 x 1350 | (1980 x 800) + (1960 x 800) | 2010 X 1330 | 1930 x 1400 |
| Overcab drop-down bed | 1900 x 1400 | 1900 x 1400 | 1900 x 1400 | 1900 x 1400 | 1900 x 1400 |

 $FIAT\ chassis:\ definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chassis\ manufacturers$

b: Fresh water tank can be filled up to 120 l, which results in a lower payload.



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 10 01/08/11 12:53


^{*} OPTION (additional cost): Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

^{**} OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm²): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

⁻ Fiat 3,0 (requires GVW = 4,25 t Heavy) - Cubic capacity (cm²): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

^{***} GVW= 3650 kg (946dF, 966dF, 983dF, 991dF) / Heavy chassis: GVW = 4250 kg (option at additional cost; only with 148 hp / 177 hp) (966dF, 983dF, 991dF)

^{**** 4} registered seats without towing capability / 3 registered seats with towing capability a : Overall height = +50mm with 16" wheels (42 Heavy)





EQUIPMENT AND COMFORT

A-Class special chassis with extra-wide rear track and technical double floor

| A-CLASS | Serie 9dF | | | | |
|------------------------------------------------------------------------------------------------------|------------------|-------|--------|--------|--------|
| | ^{903aF} | 945aF | S65ak | 983aF | S91aF |
| BODYWORK AND OPENINGS | | | | | |
| Hail-resistant polyester roof covering all edges | • | • | • | • | • |
| Panels all reinforced polyester | • | • | • | • | • |
| "Champagne grey" colour skirts and rear pillars | • | • | • | | • |
| Double glazing bays with "blind / fly-screen" combination | • | • | • | • | • |
| Cab door with electric window | • | • | • | • | • |
| Transparent skylights with fly-screen and blind | • | • | • | • | • |
| Fixed bay on living area entrance door | • | • | • | • | • |
| Central locking of opening bays (except bay 800 x 1000) | • | • | • | • | • |
| HEKI skylight double fold blind with interior wood trim | • | • | • | • | • |
| LIVING SPACE | | | | | |
| Permanent bed(s) with slat bed-frame and BULTEX® foam mattress | • | • | • | • | • |
| Permanent bed mechanically height-adjustable from inside (= 17 cm) | • | - | - | • | - |
| Permanent bed with tilt adjustable head sections | - | - | • | - | • |
| Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress | • | • | • | • | • |
| Living room table with fixed foot, movable forwards, backwards, sideways and rotation | • | • | • | • | • |
| Bedroom netting / ship blinds with living room bays | • | • | • | • | • |
| Specific bedroom trim (netting, door and furniture coverings) | - | - | - | - | • |
| Dividing door | - | - | - | | - |
| Flexible partition | • | • | • | - | • |
| Walls 30 mm thick with STYROFOAM insulation (walls + roof), floor 40 mm | • | • | • | | • |
| 3-point safety belt(s) in the living space | 2 | 2 | 2 | 2 | 2 |
| 15-inch flat screen TV unit (TV not supplied) | • | | • | | • |
| "Harmony" solid wood furniture | • | | • | | • |
| 2 internal storage compartments | • | | • | | • |
| DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS | • | • | • | • | • |
| Heated technical double floor heated with thermal insulation | • | • | • | | • |
| KITCHEN | | | | | |
| Embossed stainless steel sink | • | | • | | • |
| Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition | - | | • | | • |
| 2-burner hob | • | 0 | 0 | 0 | 0 |
| and sink with waste bin and drainer | - | | • | | - |
| Laminated work top | • | | | | • |
| Refrigerator (106 L (removable freezer), AES automatic) | • | - | - | - | - |
| Refrigerator with freezer compartment (160 litres AES) | - | | • | | • |
| Extraction hood above the kitchen | • | • | • | | • |
| Refrigerator grill covers (for winter use) | • | | • | | • |
| BATHROOM | | | | | |
| Bathroom with wooden furnishings | • | | • | • | • |
| Separate shower | - | - | - | | • |
| Wooden grating | • | - | • | - | • |
| Chrome finish bathroom accessories | • | • | • | | • |
| Telescopic clothes rack in the toilets | - | • | • | | • |
| Stainless steel basin | | • | • | | - |
| White basin | - | - | - | - | • |
| Camping toilet with removable tank, telescopic handle and castors | • | • | • | • | • |
| WATER | | | | | |
| Capacity of freshwater tank (litres) | 120 | 120 | 50/120 | 50/120 | 50/120 |
| Capacity of waste water tank (litres) | 90 | 90 | 90 | 90 | 90 |
| External shower with hot and cold water and mixer tap | • | • | • | • | • |
| HEATING | | | | | |
| TRUMA Combi 6 combined water - air heating (UK Pack: EH: Gas + Electric) | | | | | • |
| EIAT charging definition of the carriers different from the original commercial definitions of the c | | | | | |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. Fresh water tank can be filled up to 120 l, which results in a lower payload.

O = Option, $\bullet = Original$, - = Not available



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 12 01/08/11 12:56

Serie 9dF

EQUIPMENT AND COMFORT

A-Class special chassis with extra-wide rear track and technical double floor

| A-CLASS | | | | Serie 9dF | = | |
|-----------------------------------------------------------------------------------------------------------------------|--------------------|----------|-------|------------|-------|-------|
| A CLA33 | | 903oF | 946aF | 366aF | 983aF | Solok |
| | | 76 | જેં | ğ | ดั | δj' |
| ENERGY (A1) | | | | | | |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) Cutting transformer - charger | | • 18A | 18A | 18A | 18A | 18A |
| Two-pole magneto - thermal circuit breaker | | • | 10A | • | 10A | 10A |
| Digital control panel with instant consumption measuring | | | • | • | • | • |
| Centralised Fuse box with protected "accessories" exits | | • | | • | | • |
| External 230 V connection - internal 230 V plug | | • | • | • | • | • |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied | ed) | • | | • | | • |
| Speakers in the living area | | • | • | • | • | • |
| LED external lighting above the living area door | | • | • | • | • | • |
| LED living area lighting Garage lighting with portable LED light | | • | | • | - | • |
| Lighting inside the wardrobe | | • | | • | | • |
| Automatic FAVEX® inverter, enabling you to travel with the heating on | | | • | • | | • |
| CARRIER AND CAB EQUIPMENT | | | | | | |
| Cruise control | | • | | • | | • |
| Engine cold start assistance (Blow-by) | | • | • | • | • | • |
| Engine immobiliser | | • | • | • | • | • |
| Driver's air bag | | • | • | • | • | • |
| ABS braking | -14- | • | • | • | • | • |
| Original rotating cab seats with fabric to match the living area and built-in seat be Cab door with automobile handle | peits | • | | • | • | • |
| Cab door with automobile nandle | | • | - | • | | • |
| Tinted windows | | • | | • | • | • |
| Cab doors with electric windows | | | | • | • | • |
| MP3 PIONEER® car radio / CD player | | • | | • | | • |
| Carpeted floor in cab | | • | • | • | • | • |
| Electric, external rear view, de-icing double view mirrors | | • | • | • | • | • |
| Heat-insulating blind on rails in front cab | | • | • | • | | • |
| Mecanical sunshades | | • | • | • | | • |
| Wheel repair kit Fog lights + daytime driving light (in the fog lights) | | • | : | • | • | • |
| LIVING AREA EQUIPMENT | | • | | • | · | |
| Insulated, ventilated step built into the floor | | | | | | |
| Rear stabilising jacks | | • | | • | | • |
| Remote control locking and unlocking of doors (2 PLIPS) | | • | • | • | • | • |
| | WEIGHT (kg) | | | | | |
| 28-litre oven with grill | 14,5 | PACK | PACK | PACK | PACK | PACK |
| Living area carpet kit | 9 | PACK | PACK | PACK | PACK | PACK |
| TRUMA Combi 6 "EH" (electrical resistance hot water and heating) LIVING AREA OPTIONS | 0,6 WEIGHT (kg) | PACK | PACK | PACK | PACK | PACK |
| 2-burner hob | WEIGITI (Kg) | | 0 | 0 | 0 | 0 |
| Reversing camera with control screen built into dashboard | 2,6 | 0 | 0 | 0 | 0 | 0 |
| Compartment and cabling for 3rd battery (battery not supplied) | 2 | 0 | 0 | 0 | 0 | 0 |
| Living area door mosquito screen | 4 | 0 | 0 | 0 | 0 | О |
| Ladder and cross-beams for roof rack | 10 | 0 | 0 | 0 | 0 | 0 |
| GPS navigation | 5 | 0 | 0 | 0 | 0 | 0 |
| Double-glazed side bays in cab | 10 | 0 | 0 | 0 | 0 | 0 |
| Additional cab heating Winter exterior insulation | 6,5 5 | 0 | 0 | 0 | 0 | 0 |
| Dashboard with walnut burr effect | - | 0 | 0 | 0 | 0 | 0 |
| GENEVA ambiance (ALCANTARA®) | - | 0 | 0 | 0 | 0 | 0 |
| BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), | | | | | | |
| AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) | - | О | 0 | 0 | 0 | О |
| | WEIGHT (kg) | | | | | |
| Passenger air bag | 6 | 0 | 0 | 0 | 0 | 0 |
| ESP with "Traction+" | 1 | 0 | 0 | 0 | 0 | 0 |
| 2,3-litre 150 hp engine (with passenger air bag included) (Weight 150hp/130hp) | 3 | О | 0 | 0 | 0 | 0 |
| 3,0-litre 180 hp engine (requires Heavy model and passenger air bag) (Weight 180hp/150hp) | 55 | 0 | 0 | 0 | 0 | О |
| Fiat MTA robotised automatic gearbox | | | | | | |
| (lead times: 150 hp = Feb 2012 / 180 hp = available) | 10 | 0 | 0 | 0 | 0 | О |
| Motorcycle carrier* (weight option ± 5kg) | - | 85 | 85 | 85 | 85 | - |
| Tow bar* (1500 kg) (weight option ± 5kg) | - | 70 | 70 | 70 | 70 | 70 |
| Motorcycle carrier + Tow bar* (weight option ± 5kg) | - | 111 | 111 | 111 | 111 | - |
| Chassis 35L: possibility for GVW 3.650 T | - | - | • | • | • | • |
| Chassis 42H = 4,250 T GVW | - | - | - | 0 | 0 | 0 |

*Please note: possible reduction in registered seats
FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. $O = Option, \bullet = Original, -= Not \ available$

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 13 01/08/11 12:56

Serie god


CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



| Engine equipment/chassis | 2,3** | 2,3* | 2,3** | 2,3* |
|---------------------------------------------------------|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Number of cylinders | 4 | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2287 | 2287 | 2287 | 2287 |
| Maximum power (kw CEE) | 96 | 96 | 96 | 96 |
| DIN power (HP) | 130 | 130 | 130 | 130 |
| At RPM | 3600 | 3600 | 3600 | 3600 |
| Maximum torque (Nm) | 320 | 320 | 320 | 320 |
| Maximum torque rate (RPM) | 2000-3000 | 2000-3000 | 2000-3000 | 2000-3000 |
| Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 | Euro 5 |
| Wheelbase (m) | 3,8 | 4,3 | 4,04 | 4.3 |
| Wider rear track (m) | 1,98 | 1,98 | 1,98 | 1,98 |
| Gross vehicle weight | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis |
| Permissible GCW (Gross Combined Weight) | 5500 | 5500 | 5500 | 5500 |
| Unladen weight (+/- 5 %) | 3100 | 3190 | 3140 | 3190 |
| Overall length (m) | 6,49 | 7,39 | 6,99 | 7,39 |
| Overall width (m) | 2,35 | 2,35 | 2,35 | 2,35 |
| Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 | 2,76 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,86 | 2,86 | 2,86 | 2,86 |
| Capacity of fresh water tank (litres) | 50/120 ^b | 50/120 ^b | 50/120 ^b | 50/120 ^b |
| Number of seatbelts | 4 | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 | 3 (2) ^C | 4 (3) ^d | 3 (2) ^C |
| Number of dining seats | 8 | 5 | 5 | 5 |
| Possible sleeping spaces | 2+2 | 4 | 4 | 4 |
| Polyester Bodywork | P | P | P | P |
| Type of heating (make and model) | Truma Combi 6 EH | Truma Combi 6 EH / (option ALDE) | Truma Combi 6 EH | Truma Combi 6 EH / (option ALDE) |
| Refrigerator capacity (litres) | 160 | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 | 100 |
| BED SIZES (mm) | | | | |
| Rear bed | - | (1980 x 800) + (1885 x 800) | 2100 X 1410 | 1930 x 1380 |
| Dinette bed | 2100 x 1600 | | <u>-</u> | - |
| Overcab drop-down bed | 1900 x 1400 | 1900 x 1400 | 1900 x 1400 | 1900 x 1400 |
| ELAT chassis, definition of the sarriers different from | the original commercial definitions | of the chassis manufacturars | | |

 $FIAT\ chassis:\ definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chassis\ manufacturers$ GVV 3700 kg = 4 registered seats

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 14 01/08/11 13:08

^{*} OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm³): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5
- Fiat 3,0 (requires GVW = 4,25 t Heavy) - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5
** Heavy chassis: GVW = 4250 kg (option at additional cost) (only with 148 hp/177 hp) 4 registered seats
a: Overall height +50mm with 16" wheels (42 Heavy)

Serie 90dF

CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

| Engine equipment/chassis 2,3° 2,4° 2,3° 2,4° 2,3° 2,4° 2,3° 2,4° 2,3° 2,4° 2,2° 2,2° 2,4° 2,2° 2,4° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2,2° 2 | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------|
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | - f | | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.29° 2.29° 2.20° 2.20° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° 3.5° | | | | | |
| Engine equipment/chassis 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2. | | | | | |
| Engine equipment/chassis 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2. | | | <u> </u> | 1 | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3" 2.3" 2.3" 2.3 | | | | | |
| Engine equipment/chassis 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2 | | | | | |
| Engine equipment/chassis 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.3° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2.28° 2. | | | | | |
| Engine equipment/chassis 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2,3° 2 | | | | | |
| Engine equipment/chassis | | | | | |
| Number of cylinders | | 9092dF | 9095dF | 9096dF | 9002dFH |
| Cubic capacity (cm³) 2287 2287 2287 2287 2287 2287 Maximum power (kw CEE) 96 96 96 109 109 1010 power (kHP) 130 130 130 148 148 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 1418 14 | Engine equipment/chassis | 2,3** | 2,3* | 2,3** | 2,3 |
| Maximum power (kw CEE) 96 96 96 109 | Number of cylinders | 4 | 4 | 4 | 4 |
| DIN power (HP) | Cubic capacity (cm ³) | 2287 | 2287 | 2287 | 2287 |
| Att RPM 3600 3600 3600 3600 3600 3600 3600 360 | Maximum power (kw CEE) | 96 | 96 | 96 | 109 |
| Maximum torque (Nm) 320 320 320 350 Maximum torque rate (RPM) 2000-3000 2000-3000 1500-2500 Anti-pollution standard Euro 5 Euro 5 Euro 5 Wheelbase (m) 4.3 4.3 4.7 Wider rear track (m) 1.98 1.98 1.98 Gross vehicle weight 3500/3700/4250 3500/3700/4250 3500/3700/4250 Or 42H*** chássis 01 42H*** chássis 3500/3700/4250 4.25 Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5 %) 3190 3190 3220 3750 Overall length (m) 7.39 7.39 7.39 7.39 7.99 Overall length (m) 2.35 2.35 2.35 2.35 2.35 Overall 'garage' width (m) with rear view mirrors open 2.76 2.76 2.76 2.76 2.76 Overall height (m) - (Tolerance +/- 3 %) 2.86 2.86 2.86 2.89 Capacity of fresh water tank (litres) 5.0/120b <td>DIN power (HP)</td> <td>130</td> <td>130</td> <td>130</td> <td>148</td> | DIN power (HP) | 130 | 130 | 130 | 148 |
| Maximum torque rate (RPM) 2000-3000 2000-3000 2000-3000 1500-2500 Anti-pollution standard Euro 5 Euro 5 Euro 5 Euro 5 Wheelbase (m) 4.3 4.3 4.7 Wider rear track (m) 1.98 1.98 1.98 Gross vehicle weight 3500/3700/4250 3500/3700/4250 3500/3700/4250 Or 42H ¹¹⁰⁰ châssis 0n 42H ¹¹⁰⁰ châssis 0n 42H ¹¹⁰⁰ châssis 0n 42H ¹¹⁰⁰ châssis Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5 %) 3190 3190 3220 3750 Overall length (m) 7,39 7,39 7,39 7,99 Overall length (m) 2,35 2,35 2,35 2,35 Overall 'garage' width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 Overall beight (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120 ^b 50/120 ^b 50/120 ^b 190 Number of seatbel | At RPM | 3600 | 3600 | 3600 | 3600 |
| Anti-pollution standard Euro 5 Euro 5 Euro 5 Euro 5 Wheelbase (m) 4.3 4.3 4.3 4.7 Wider rear track (m) 1.98 1.98 1.98 1.98 Gross vehicle weight 3500/3700/4250 on 42H** chassis 3500/3700/4250 on 42H** chassis 3500/3700/4250 on 42H** chassis 4.25 Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5%) 3190 3190 3220 3750 Overall length (m) 7.39 7.39 7.39 7.99 Overall width (m) with rear view mirros open 2.76 2.76 2.76 2.76 Overall height (m) - (Tolerance +/- 3%) 2.86 2.86 2.86 2.89 Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seatelts 4 4 4 5 Number of seately (which certificate) 3 (2) ^C 3 (2) ^C 3 (2) ^C 5 Number of seatelets 5 5 6 7 | Maximum torque (Nm) | 320 | 320 | 320 | 350 |
| Wheelbase (m) 4.3 4.3 4.3 4.3 4.7 Wider rear track (m) 1,98 1,98 1,98 1,98 Gross vehicle weight 3500/3700/4250 0n 42H™ châssis 3500/3700/4250 0n 42H™ châssis 3500/3700/4250 0n 42H™ châssis 4.25 Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5 %) 3190 3190 3190 3220 3750 Overall length (m) 7,39 7,39 7,39 7,39 7,99 Overall width (m) 2,35 2,35 2,35 2,35 2,35 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,86 2,89 2,0120b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2)° 3 (2)° 5 6 7 Possible sleeping spaces 4 4 4 4 | Maximum torque rate (RPM) | 2000-3000 | 2000-3000 | 2000-3000 | 1500-2500 |
| Wider rear track (m) 1,98 1,98 1,98 1,98 1,98 Gross vehicle weight 3500/3700/4250 on 42H™ châssis 3500/3700/4250 on 42H™ châssis 3500/3700/4250 on 42H™ châssis 3500/3700/4250 on 42H™ châssis 4.25 Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5 %) 3190 3190 3220 3750 Overall length (m) 7,39 7,39 7,39 7,39 7,99 Overall width (m) 2,35 2,35 2,35 2,35 2,35 2,35 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seats (vehicle certificate) 3 (2)° 3 (2)° 3 (2)° 5 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polysester Bodywork P P P P P P P | Anti-pollution standard | Euro 5 | Euro 5 | Euro 5 | Euro 5 |
| Gross vehicle weight 3500/3700/4250 on 42H™ châssis 3500/3700/4250 on 42H™ châssis 4.25 Permissible GCW (Gross Combined Weight) 5500 5500 5500 6000 Unladen weight (+/- 5 %) 3190 3190 3220 3750 Overall length (m) 7,39 7,39 7,39 7,39 7,99 Overall width (m) 2,35 2,35 2,35 2,35 2,35 Overall garage* width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 2,76 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120 50/120 50/120 50/120 50 Number of seatebelts 4 4 4 4 5 5 Number of seates (vehicle certificate) 3 (2)° 3 (2)° 5 Number of dining seats 5 5 5 6 7 Possible sleeping spaces 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Wheelbase (m) | 4,3 | 4,3 | 4,3 | 4,7 |
| Permissible GCW (Gross Combined Weight) S500 S500 S500 S500 G000 Unladen weight (+/- 5 %) 3190 3190 3220 3750 Overall length (m) 739 739 739 739 739 Overall width (m) 2,35 2,35 2,35 2,35 2,35 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) S0/120 ^b S0/120 ^b 50/120 ^b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2) ^c 3 (2) ^c 3 (2) ^c 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4 4 Polyester Bodywork P P P P P P P P P | Wider rear track (m) | 1,98 | 1,98 | 1,98 | 1,98 |
| Unladen weight (+/- 5%) 3190 3190 3220 3750 Overall length (m) 7,39 7,39 7,39 7,99 Overall width (m) 2,35 2,35 2,35 2,35 Overall sgarage* width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 Overall height (m) - (Tolerance +/- 3%) 2,86 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3(2)° 3(2)° 3(2)° 3(2)° 5 Number of dining seats 5 5 6 7 7 Possible sleeping spaces 4 4 4 4+2 4+2 Polyester Bodywork P P P P P P P P P P P P ALDE ALDE ALDE Battery capacity (litres) 160 160 160 | Gross vehicle weight | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 3500/3700/4250 on 42H** châssis | 4,25 |
| Overall length (m) 739 739 739 7,99 Overall width (m) 2,35 2,35 2,35 2,35 Overall grarage width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2)° 3 (2)° 5 Number of seats (vehicle certificate) 3 (2)° 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polysester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 Bear | Permissible GCW (Gross Combined Weight) | 5500 | 5500 | 5500 | 6000 |
| Overall width (m) 2,35 2,35 2,35 2,35 Overall "garage" width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,80 Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seathelts 4 4 4 5 Number of seath (vehicle certificate) 3 (2) ^C 3 (2) ^C 3 (2) ^C 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH (loption ALDE) Truma Combi 6 EH (loption ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 | | 3190 | 3190 | 3220 | 3750 |
| Overall "garage" width (m) with rear view mirrors open 2,76 2,76 2,76 2,76 Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120 b 50/120 b 50/120 b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2) c 3 (2) c 3 (2) c 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - | Overall length (m) | 7,39 | 7,39 | 7,39 | 7,99 |
| Overall height (m) - (Tolerance +/- 3 %) 2,86 2,86 2,86 2,89 Capacity of fresh water tank (litres) 50/120 b 50/120 b 50/120 b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2) c 3 (2) c 3 (2) c 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Overall width (m) | 2,35 | 2,35 | 2,35 | 2,35 |
| Capacity of fresh water tank (litres) 50/120b 50/120b 50/120b 190 Number of seatbelts 4 4 4 5 Number of seats (vehicle certificate) 3 (2) ^C 3 (2) ^C 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Overall "garage" width (m) with rear view mirrors open | 2,76 | 2,76 | 2,76 | 2,76 |
| Number of seatbelts 4 4 4 4 5 Number of seats (vehicle certificate) 3 (2) ^C 3 (2) ^C 3 (2) ^C 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH/(option ALDE) Truma Combi 6 EH/(option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Overall height (m) - (Tolerance +/- 3 %) | | | | |
| Number of seats (vehicle certificate) 3 (2) ^C 3 (2) ^C 3 (2) ^C 5 Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Capacity of fresh water tank (litres) | 50/120 ^b | 50/120 ^b | 50/120 ^b | 190 |
| Number of dining seats 5 5 6 7 Possible sleeping spaces 4 4 4 4+2 Polyester Bodywork P P P P P P Type of heating (make and model) Truma Combi 6 EH/(option ALDE) Truma Combi 6 EH Truma Combi 6 EH/(option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Number of seatbelts | 4 | 4 | 4 | 5 |
| Possible sleeping spaces 4 4 4 4 4+2 Polyester Bodywork P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P D P ALDE ALDE ALDE I60 I60 I60 I60 I60 I60 I60 I60 I00 | Number of seats (vehicle certificate) | 3 (2) ^C | 3 (2) ^C | 3 (2) ^C | 5 |
| Polyester Bodywork P P P P P Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Number of dining seats | 5 | 5 | 6 | 7 |
| Type of heating (make and model) Truma Combi 6 EH / (option ALDE) Truma Combi 6 EH / (option ALDE) ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Possible sleeping spaces | 4 | 4 | 4 | 4+2 |
| Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Polyester Bodywork | P | P | Р | P |
| Battery capacity (Ah) 100 100 100 100 BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Type of heating (make and model) | Truma Combi 6 EH / (option ALDE) | Truma Combi 6 EH | Truma Combi 6 EH / (option ALDE) | ALDE |
| BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - | Refrigerator capacity (litres) | 160 | 160 | 160 | 160 |
| BED SIZES (mm) Rear bed 1930 x 1380 1900 x 1380 2100 x 1410 1930 x 1380 Dinette bed - - - - - - - | Battery capacity (Ah) | 100 | 100 | 100 | 100 |
| Dinette bed | | | | | |
| | Rear bed | 1930 x 1380 | 1900 x 1380 | 2100 X 1410 | 1930 x 1380 |
| Overcab drop-down bed 1000 x 1400 1000 x 1400 1000 x 1400 | Dinette bed | - | - | - | - |
| 1900 X 1400 | Overcab drop-down bed | 1900 x 1400 | 1900 X 1400 | 1900 x 1400 | 1900 x 1400 |

b: Fresh water tank can be filled up to 120 l, which results in a lower payload.

c. 9066/9090/9092/9095/9096: 3 registered seats without towing capability / 2 registered seats with towing capability d 9083: 4 registered seats without towing capability / 3 registered seats without towing capability

Serie 90dF

EQUIPMENT AND COMFORT

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

| A-CLASS | Serie 90dF AL-KO double floor | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------------|--------|----------|----------|----------|--------|---------|
| | 904BdF | 906 _{6dF} | 9083dF | 9090de | 3092ak | 9095dF | 303E0E | 900edFy |
| BODYWORK AND OPENINGS | | | | | | | | |
| Hail-resistant polyester roof covering all edges | • | • | • | • | • | • | • | • |
| Panels all reinforced polyester | • | • | • | • | • | • | • | • |
| "Champagne grey" colour skirts and rear pillars | • | • | • | • | • | • | • | • |
| Double glazing bays with "blind / fly-screen" combination | • | • | • | • | • | • | • | • |
| Panoramic bay in the bedroom (800 x 1000) | - | - | - | • | • | - | • | - |
| Cab door(s) with electric windows Transparent skylights with fly-screen and blind | • | -: | • | • | • | -: | • | • |
| Fixed bay on living area entrance door | • | • | • | • | • | | • | • |
| Central locking of opening bays (except bay 800 x 1000) | • | | | | | | | |
| HEKI skylight double fold blind with interior wood trim | • | • | • | | | • | • | • |
| LIVING SPACE | | | | | | | | |
| Permanent bed(s) with slat bed-frame and BULTEX® foam mattress | - | • | • | • | • | • | • | • |
| Permanent bed mechanically height-adjustable from inside (= 17 cm) | - | - | • | - | - | - | - | - |
| Permanent bed with tilt-adjustable head sections | - | • | - | • | • | • | • | • |
| Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress | • | • | • | • | • | • | • | • |
| Memory foam BULTEX® mattress 130mm thick | - | - | - | • | • | • | - | • |
| DELUX bed head (50 years model) Living room table with fixed foot, movable forwards, backwards, sideways and rotation | - | - | - | 50 years | 50 years | - | - | - |
| (except for 9048dF with double telescopic feet) | - | • | • | • | • | • | • | • |
| Bedroom netting / ship blinds with living room bays | | | • | | | | | |
| Specific bedroom trim (netting, door and furniture coverings) | - | - | - | • | • | | • | - |
| Dividing door | - | - | - | • | • | - | - | - |
| Rigid Japanese partition | - | - | - | - | - | • | - | - |
| Rigid partition | - | - | - | - | - | • | • | • |
| Flexible partition | - | • | • | - | - | - | - | - |
| Walls 30 mm thick with STYROFOAM insulation (walls + roof), floor 40 mm | • | • | • | • | ٠ | • | • | • |
| 3-point safety belt(s) in the living space | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 15-inch flat screen TV unit (TV not supplied) ELEGANCE furniture | | • | • | • | • | -:- | • | • |
| ELEGANCE Idintiture ELEGANCE DELUX furniture (50 years model) | • | <u> </u> | - | 50 years | 50 years | | · | - |
| BOSTON trim (50 years model) | 0 | 0 | 0 | 50 years | 50 years | 0 | 0 | 0 |
| DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS | • | • | • | • | • | • | • | • |
| 3rd level locker | • | • | • | • | • | • | • | • |
| KITCHEN | | | | | | | | |
| Embossed stainless steel sink | • | • | • | • | • | • | • | • |
| Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition | • | • | • | • | • | • | • | • |
| 2-burner hob 2nd sink with waste bin and drainer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | • | • | • | • | • | -: | • | • |
| Laminated work top DELUX resin work top (50 years model) | - | <u> </u> | | 50 years | 50 years | <u> </u> | - | - |
| Built-in window with ambience lighting (50 years model) | - | | - | 50 years | 50 years | | - | - |
| Refrigerator with freezer compartment (160 litres AES) | | • | • | • | • | • | • | • |
| Extraction hood above the kitchen | • | • | • | • | • | • | • | • |
| Refrigerator grill covers (for winter use) | • | • | • | • | • | • | • | • |
| BATHROOM | | | | | | | | |
| Bathroom with wooden furnishings | • | • | • | • | • | • | • | • |
| Independent shower | • | • | • | • | • | - | • | • |
| Wooden grating | - | - | - | - | • | • | - | • |
| Chrome laundry line Chrome finish bathroom accessories | • | • | • | • | • | -:- | • | - |
| Stainless steel basin | | | - | • | | -: | | • |
| White basin | - | - | | - | - | - | - | - |
| Camping toilet with removable tank, telescopic handle and castors WATER | • | • | • | • | • | ٠ | • | • |
| Capacity of freshwater tank (litres) | 50/120 | 50/120 | 50/120 | 50/120 | 50/120 | 50/120 | 50/120 | 190 |
| Capacity of meshwater tank (litres) | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| External shower with hot and cold water and mixer tap | • | • | • | • | • | • | • | • |
| HEATING | | | | | | | | |
| TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric) | • | • | • | • | • | • | • | - |
| Central heating "ALDE Comfort Plus Arctic" | - | О | - | О | О | - | О | • |
| | | | | | | | | |

 ${\it FIAT\ chassis: definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chassis\ manufacturers.}$ Fresh water tank can be filled up to 120 l, which results in a lower payload.

O = Option, $\bullet = Original$, - = Not available



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 16 01/08/11 13:12

Serie 90dF

EQUIPMENT AND COMFORT

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

| A-CLASS Serie 90dF AL-KO double floor | | | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------|--------|--------|----------|----------|---------------|-----------------|---------------|
| | | 9048dF | 3066ak | SOB3dF | 3030ak | 9092ar | 3035ak | 30360E | 9002ath |
| ENERGY | | UĮ | 0/ | UĮ | 0/ | U) | U) | U) | O) |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) | | • | • | • | • | • | • | • | • |
| Compartment and 3rd battery Pre-cabling for fuel cell | | - | - | - | - | - | - | - | |
| Cutting transformer - charger | | 16A | 16A | 16A | 16A | 16A | 16A | 16A | 16A |
| Two-pole magneto - thermal circuit breaker Digital control panel with instant consumption measuring | | • | • | • | - : | • | • | • | |
| Centralised Fuse box with protected "accessories" exits | | • | · | • | | • | · | • | |
| External 230 V connection - internal 230 V plug | | • | • | • | • | • | • | • | • |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplere-cabling for 2nd TV in the bedroom | ied) | • | - | • | : | • | • | • | • |
| Speakers in the living area | | • | • | • | • | • | • | • | |
| LED external lighting above the living area door | | • | • | • | • | • | • | • | • |
| LED living area lighting Garage lighting with portable LED light | | - | : | • | | • | • | • | |
| Lighting inside the wardrobe | | • | • | • | • | • | • | • | • |
| Ambience LED lighting in the bedroom and living room (50 years model) | | - | - | - | 50 years | 50 years | - | - | • |
| Automatic FAVEX® inverter, enabling you to travel with the heating on CARRIER AND CAB EQUIPMENT | | • | • | • | • | • | • | • | • |
| Cruise control | | • | • | • | | • | • | • | • |
| Engine cold start assistance (Blow-by) | | • | • | • | • | • | • | • | • |
| Engine immobiliser Driver's air bag | | • | • | • | - : | • | • | • | |
| ABS braking | | • | | • | · | • | • | • | |
| Original rotating cab seats with fabric to match the living area and built-in seat l | pelts | • | • | • | • | • | • | • | • |
| Cab door with automobile handle Cab air-conditioning | | • | : | • | -: | • | • | • | |
| Tinted windows | | • | • | • | • | • | • | • | • |
| Cab door(s) with electric windows | | • | • | • | • | • | • | • | • |
| Reversing camera control screen built into dashboard PIONEER® Multimedia car radio 2DIN DVD DIVX MP3 | | • | : | • | -:- | • | • | • | |
| Dashboard with walnut burr effect (50 years model) (option on other models) | | 0 | 0 | 0 | 50 years | 50 years | 0 | 0 | 0 |
| Carpeted floor in cab | | • | • | • | • | • | • | • | • |
| Electric, external rear view, de-icing double view mirrors Heat-insulating blind on rails in front cab | | • | : | • | -: | • | • | • | |
| Mecanical sunshades | | • | • | • | • | • | • | • | • |
| Wheel repair kit | | • | • | • | • | • | • | • | • |
| Fog lights + daytime driving light Alloy wheels 15"(50 years model) (16" 9002dFH) | | 0 | 0 | 0 | 50 years | 50 years | 0 | 0 | 0 |
| LIVING AREA EQUIPMENT | | | | | jo years | jo years | | U | |
| Reversing camera | | • | • | • | • | • | • | • | • |
| Living area door mosquito screen Electric retractable step | | : | - | - | - | - | - | - | - |
| Insulated, ventilated step built into the floor | | • | • | • | • | • | • | • | |
| Rear stabilising jacks | | • | • | • | • | • | • | • | • |
| Remote control locking and unlocking of doors (2 PLIPS) UK PACK 2012 | WEIGHT (kg) | • | • | • | • | • | • | • | • |
| 28-litre oven with grill | 14,5 | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| Living area carpet kit | 9 | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| TRUMA Combi 6 "EH" (electrical resistance hot water and heating) LIVING AREA OPTIONS | 0,6 WEIGHT (kg) | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| 2-burner hob | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Compartment and cabling for 3rd battery (battery not supplied) | 2,6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| A-class without cab bed, with table leg retractable for bed position Ladder and cross-beams for roof rack | 10 | - 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GPS navigation | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Double-glazed side bays in cab ALDE heating | 10 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional cab heating | 6,5 | - 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Floor heating in living area | 7 | - | 0 | - | 0 | 0 | 0 | - | 0 |
| Winter exterior insulation | 5 - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dashboard with walnut burr effect (50 years series) FASHION furniture (varnished, with solid maple wood) (except 50 years model) | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GENEVA ambiance (ALCANTARA®) | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CARRIER OPTIONS | WEIGHT (kg) | | | | | | | | |
| Passenger air bag | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E S P with "Traction+" 2,3-litre 150 hp engine (with passenger air bag included) (Weight 150hp/130hp) | 1 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - S |
| 3,0-litre 180 hp engine (Weight 180hp /150hp) | 55 | | | | | | | | |
| (requires Heavy model and passenger air bag) | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fiat MTA robotised automatic gearbox (lead times: 150 hp = Feb 2012 / 180 hp = available) "AIR PREMIUM" suspension (Heavy version 4,2t only) | 10 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Alloy wheels 15" (16" in Heavy version) | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Motorcycle carrier* (weight option ± 5kg) | - | 45 | 65 | 65 | 65 | 65 | 65 | 65 | 44.50 |
| Tow bar* (90dF = 2000 kg) (9002dFH/Heavy 42H = 1750 kg) Motorcycle carrier + Tow bar* (weight option ± 5kg) | - | 33 | 53 | 53 | 53 | 53 | 53 | 53 | 32.50 |
| Chassis 35L: possibility for GVW 3.7 T | - | 75 • | 95 | 95 | 95 | 95 | 95 | 95 | 74.50 |
| Chassis 42H providing a GVW of 4.250 T | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | • |
| *Please note : possible reduction in registered seats | | | | | | O = 0 | Option, ● = 0 | Original, - = 1 | Not available |

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, ● = Original, - = Not available



Serie 10

CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class models with tag axle (GVW = 5T) with ALDE as standard

2012 2012 2012 2012 REMEMBER When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21). It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he ALDE ALDE ALDE ALDE installed or has had installed in the vehicle. 10000 10066 10001 10003 Engine equipment/chassis 2,3* 2,3* 2,3 2,3* Number of cylinders Cubic capacity (cm³) 2287 2287 2287 2287 Maximum power (kw CEE) 109 100 DIN power (HP) 148 148 148 148 At RPM 3600 3600 3600 3600 Maximum torque (Nm) 350 350 350 350 Maximum torque rate (RPM) 1500-2500 1500-2500 1500-2500 1500-2500 Anti-pollution standard Euro 5 Euro 5 Euro 5 Euro 5 Wheelbase (m) 4,3 4,3 4,3 4,3 Wider rear track (m) 1,98 1,98 1,98 1,98 Gross vehicle weight 5000 5000 5000 5000 Permissible GCW (Gross Combined Weight) 6000 6000 6000 6000 Unladen weight (+/- 5 %) 4300 4380 4360 4360 Overall length (m) 8,49 8,49 8,49 8,49 Overall width (m) 2,35 2,35 2,35 2,35 Overall "garage" width (m) with rear view mirrors open 2,7 2,7 2,7 2,7 Overall height (m) - (Tolerance +/- 3 %) 2,89 2,89 2,89 2,89 Capacity of fresh water tank (litres) 275 275 275 275 Number of seatbelts 6 6 6 6 Number of seats (vehicle certificate) 6 6 6 Number of dining seats 8 8 8 Possible sleeping spaces 4+2 4+2 4+2 Polyester Bodywork Р Р Р Type of heating (make and model) ALDE ALDE ALDE ALDE Refrigerator capacity (litres) 160 160 160 160 Battery capacity (Ah) 2 X IOO 2 X IOO 2 X IOO 2 X IOO BED SIZES (mm) Rear bed 1930 x 1380 1930 x 1380 1980 x 800 2000 x 1500 Dinette bed 2000 X 1450 2000 X I450 2000 X I450 2000 X 1450 Overcab drop-down bed 1900 x 1400 1900 x 1400 1900 x 1400 1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

^{*} OPTION (option at additional cost): Fiat 3,0 - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB-18.indd 18 03/08/11 07:44

Serie 10

EQUIPMENT AND COMFORT

Fiat AL-KO A-Class models with tag axle (GVW = 5T) with ALDE as standard

Equipment and comfort :

A-CLASS 10 Series **BODYWORK AND OPENINGS** Hail-resistant polyester roof covering all edges Polyurethane body structure (walls / roof / floor) Panels all reinforced polyester Heavy Design rear end Double glazing bays with "blind / fly-screen" combination * Panoramic bay in the bedroom (800 x 1000) *Only on the 10000 + 10001 Cab door(s) with electric windows Transparent skylights with fly-screen and blind Fixed bay on living area entrance door HEKI skylight double fold blind with interior wood trim LIVING SPACE Permanent bed(s) with slat bed-frame and BULTEX® foam mattress Memory foam BULTEX® mattress 130mm thick Permanent bed height-adjustable *(17cm on 10003 / 30cm on 10001) * Permanent bed with tilt-adjustable head sections (except 10003) Jack-assisted unlockable electric cab bed Cab bed with slatted frame and BULTEX® foam mattress Living room table with retractable feet, movable side ways and rotating Bedroom netting / ship blinds with living room bays Specific bedroom trim (netting, door and furniture coverings) * *Only on the 10000 + 10001 Dividing door Office space with 220V socket *Only on 10003 * Walls 30 mm thick with STYROFOAM insulation (walls + roof), floor 40 mm 3-point safety belt(s) in the living space 4 15-inch flat screen TV unit (TV not supplied) ELEGANCE furniture ELEGANCE DELUX furniture (50 years model) Nappa Leather trim (50 years model) (option on other models) 50 years KITCHEN Embossed stainless steel sink Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition 2-burner hob Ο 2nd sink with waste bin and drainer Laminated work top • DELUX resin work top (50 years model) 50 years Built-in window with ambience lighting (50 years model) 50 year TECHTOWER: refrigerator with freezer compartment (160 litres AES) + 28-litre grill oven Extraction hood above the kitchen External refrigerator grill Refrigerator grill covers (for winter use) External boiler inspection hatch (drain access, maintenance) BATHROOM New bathroom with wooden furnishings Independent shower with door Wooden grating Chrome finish bathroom accessories Chrome laundry line Stainless steel basin / designer glass basin (10001) Double WC cassette (SOG system) Capacity of freshwater tank (litres) 275 Capacity of waste water tank (litres) 150 External shower with hot and cold water and mixer tap HEATING

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

10000 10001 10003 10066

| A-CLASS 10 Series | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------|--|--|--|--|
| ENERGY | | | | | | |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) | | • | | | | |
| Compartment and 3rd battery | | • | | | | |
| Pre-cabling for fuel cell | | • | | | | |
| Cutting transformer - charger | | 16A | | | | |
| Two-pole magneto - thermal circuit breaker | | • | | | | |
| Digital control panel with instant consumption measuring | | • | | | | |
| Centralised Fuse box with protected "accessories" exits | | • | | | | |
| External 230 V connection - internal 230 V plug | | • | | | | |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video | | • | | | | |
| (TV not supplied) | | | | | | |
| Pre-cabling for 2nd TV in the bedroom Speakers in the living area | | • | | | | |
| LED external lighting above the living area door | | • | | | | |
| LED living area lighting | | • | | | | |
| LED ambiance lighting with dimmer | | | | | | |
| Garage lighting with portable LED light | | • | | | | |
| Lighting inside the wardrobe | | • | | | | |
| Automatic FAVEX® inverter, enabling you to travel with the heating on | | • | | | | |
| CARRIER AND CAB EQUIPMENT | | | | | | |
| Cruise control | | • | | | | |
| Engine cold start assistance (Blow-by) | | • | | | | |
| Engine immobiliser | | • | | | | |
| Passenger + Driver's air bag | | • | | | | |
| ABS braking | | • | | | | |
| Original rotating cab seats with fabric to match the living area and built-ir | seat belts | • | | | | |
| Cab door with electric windows | | • | | | | |
| Cab air-conditioning | | • | | | | |
| Tinted windows | | • | | | | |
| Reversing camera control screen built into dashboard | | • | | | | |
| PIONEER® Multimedia car radio 2DIN DVD DIVX MP3 | | • | | | | |
| Dashboard with walnut burr effect (50 years model) (option on other models) | | 50 years | | | | |
| Carpeted floor in cab Electric de-frosting side mirrors | | | | | | |
| Heat-insulating cab bay blinds | | | | | | |
| Sunshade with electric winder | | | | | | |
| Wheel repair kit | | • | | | | |
| Fog lights + daytime driving light | | | | | | |
| Alloy wheels 16" (50 years model) (option on other models) | | 50 years | | | | |
| Tag axle | | • | | | | |
| LIVING AREA EQUIPMENT | | | | | | |
| Reversing camera | | • | | | | |
| Living area door mosquito screen | | • | | | | |
| Insulated, ventilated step built into the floor | | • | | | | |
| Stabilising jacks at the back or in the wheelbase Heavy model specifics | | • | | | | |
| Remote control locking and unlocking of doors (2 PLIPS) | | ٠ | | | | |
| UK PACK 2012 | WEIGHT (kg) | | | | | |
| Living area carpet kit | 9 | PACK | | | | |
| | | | | | | |
| LIVING AREA OPTIONS | WEIGHT (kg) | | | | | |
| LIVING AREA OPTIONS A-class without cab bed | - | 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack | 10 | 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation | - 10 5 | 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab | - 10 5 | 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating | 10 5 10 6,5 | 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area | 10 5 10 6,5 | 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation | 10 5 10 6,5 | 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA®) | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA®) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA®) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA®) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) | - 10 5 10 6,5 7 5 - - | 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS | - 10 5 10 6,5 7 5 WEIGHT (kg) | 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trin (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P 3,0-litre 180 hp engine (Weight 180hp/150hp) | - 10 5 10 6,5 7 5 WEIGHT (kg) | 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P 3,0-litre 180 hp engine (Weight 180hp/150hp) Fiat MTA* robotised automatic gearbox | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA®) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P 3,0-litre 180 hp engine (Weight 180hp/150hp) Fiat MTA® robotised automatic gearbox (lead times: 150 hp = Feb 2012 / 180 hp = available) "AIR PREMIUM" suspension 16" alloy wheels | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P 3,0-litre 180 hp engine (Weight 180hp/150hp) Fiat MTA* robotised automatic gearbox (lead times: 150 hp = Feb 2012 / 180 hp = available) "AIR PREMIUM" suspension 16" alloy wheels Motorcycle carrier (option weight ± 5kg) | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 0 | | | | |
| LIVING AREA OPTIONS A-class without cab bed Ladder and cross-beams for roof rack GPS navigation Double-glazed side bays in cab Additional cab heating Floor heating in living area Winter exterior insulation Dashboard with walnut burr effect FASHION furniture (varnished, with solid maple wood) (except 50 years model) GENEVA ambiance (ALCANTARA*) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), AUCKLAND (black and beige colour)- (LEATHER/TEP polyamide fabric) "Sable" Nappa leather trim (standard on 10001 "50 years" model) CARRIER OPTIONS E S P 3,0-litre 180 hp engine (Weight 180hp/150hp) Fiat MTA* robotised automatic gearbox (lead times: 150 hp = Feb 2012 / 180 hp = available) "AIR PREMIUM" suspension 16" alloy wheels | - 10 5 10 6,5 7 5 | 0 0 0 0 0 0 0 0 0 0 0 | | | | |

O = Option, ● = Original, - = Not available

ALDE Confort central heating plus Arctic

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

19

GT GB.indd 19 01/08/11 13:20

CHARACTERISTICS AND CARRIERS BY MODEL

Mercedes A-class Heavy models with ALDE as standard

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacitywith a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

Emaina aquinmant/ahagaia

| 2012 ALE SER | ALI | DE SE | DE |) |
|--------------------|------------|------------|------------|---|
| 966M | 983M | 992M | 996M | |
| 2,2* | 2,2* | 2,2* | 2,2* | |
| 4 | 4 | 4 | 4 | |
| 2143 | 2143 | 2143 | 2143 | |
| 120 | 120 | 120 | 120 | |
| 163 | 163 | 163 | 163 | |
| 3800 | 3800 | 3800 | 3800 | |
| 360 | 360 | 360 | 360 | |
| 1400-2400 | 1400-2400 | 1400-2400 | 1400-2400 | |
| Euro 5/EEV | Euro 5/EEV | Euro 5/EEV | Euro 5/EEV | |

| Engine equipment/chassis | 2,2** | 2,2** | 2,2** | 2,2** |
|--------------------------------------------------------|-----------------------------|-------------|-------------|-------------|
| Number of cylinders | 4 | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2143 | 2143 | 2143 | 2143 |
| Maximum power (kw CEE) | 120 | 120 | 120 | 120 |
| DIN power (HP) | 163 | 163 | 163 | 163 |
| At RPM | 3800 | 3800 | 3800 | 3800 |
| Maximum torque (Nm) | 360 | 360 | 360 | 360 |
| Maximum torque rate (RPM) | 1400-2400 | 1400-2400 | 1400-2400 | 1400-2400 |
| Anti-pollution standard | Euro 5/EEV | Euro 5/EEV | Euro 5/EEV | Euro 5/EEV |
| Wheelbase (m) | 4,33 | 3,67 | 4,33 | 4,33 |
| Gross vehicle weight | 388o** | 388o** | 3880** | 388o** |
| Permissible GCW (Gross Combined Weight) | 5680 | 5680 | 5680 | 5680 |
| Unladen weight (+/- 5 %) | 3270 | 3190 | 3270 | 3260 |
| Overall length (m) | 7,44 | 6,88 | 7,44 | 7,44 |
| Overall width (m) | 2,37 | 2,37 | 2,37 | 2,37 |
| Overall "garage" width (m) with rear view mirrors open | 2,75 | 2,75 | 2,75 | 2,75 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,86 | 2,86 | 2,86 | 2,86 |
| Capacity of fresh water tank (litres) | 120 | 120 | 120 | 120 |
| Number of seatbelts | 4 | 4 | 4 | 4 |
| Number of seats (vehicle certificate) | 4 | 4 | 4 | 4 |
| Number of dining seats | 5 | 4 | 5 | 6 |
| Possible sleeping spaces | 4 | 4 | 4 | 4 |
| Polyester Bodywork | P | P | P | P |
| Type of heating (make and model) | ALDE | ALDE | ALDE | ALDE |
| Refrigerator capacity (litres) | 160 | 160 | 160 | 160 |
| Battery capacity (Ah) | 100 | 100 | 100 | 100 |
| BED SIZES (mm) | | | | |
| Rear bed | (1980 x 800) + (1920 x 800) | 2100 X 1410 | 1930 x 1380 | 2100 X 1410 |
| Overcab drop-down bed | 1920 X 1350 | 1920 X 1400 | 1920 X 1400 | 1920 X 1400 |
| | | | | |

 $Merce des\ chass is: definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chass is\ manufacturers$

^{**} GVV 3880 kg = 4 registered seats



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 20 01/08/11 13:33

^{*} OPTION: MERCEDES 3,0 1 - V6 - 190 HP

CHARACTERISTICS AND CARRIERS BY MODEL

Mercedes A-class Heavy models with ALDE as standard

| | 2012 966MH | 992MH | 996MH | SE SERIE SERIE |
|--------------------------------------------------------|-----------------------------|-------------------|-------------------|-------------------|
| Engine equipment/chassis | 2,2* | 2,2* | 2,2* | 2,2* |
| Number of cylinders | 4 | 4 | 4 | 4 |
| Cubic capacity (cm ³) | 2143 | 2143 | 2143 | 2143 |
| Maximum power (kw CEE) | 120 | 120 | 120 | 120 |
| DIN power (HP) | 163 | 163 | 163 | 163 |
| At RPM | 3800 | 3800 | 3800 | 3800 |
| Maximum torque (Nm) | 360 | 360 | 360 | 360 |
| Maximum torque rate (RPM) | 1400-2400 | 1400-2400 | 1400-2400 | 1400-2400 |
| Anti-pollution standard | Euro 5/EEV | Euro 5/EEV | Euro 5/EEV | Euro 5/EEV |
| Wheelbase (m) | 4,325 | 4,325 | 4,325 | 4,325 |
| Gross vehicle weight | 4600/(5 t option) | 4600/(5 t option) | 4600/(5 t option) | 4600/(5 t option) |
| Permissible GCW (Gross Combined Weight) | 6000 | 6000 | 6000 | 6000 |
| Unladen weight (+/- 5 %) | 3870 | 3870 | 3820 | 4020 |
| Overall length (m) | 7,45 | 7,45 | 7,45 | 7,95 |
| Overall width (m) | 2,37 | 2,37 | 2,37 | 2,37 |
| Overall "garage" width (m) with rear view mirrors open | 2,75 | 2,75 | 2,75 | 2,75 |
| Overall height (m) - (Tolerance +/- 3 %) | 2,96 | 2,96 | 2,96 | 2,96 |
| Capacity of fresh water tank (litres) | 200 | 200 | 170**** | 200 |
| Number of seatbelts | 4 | 4 | 4 | 5 |
| Number of seats (vehicle certificate) | 4 | 4 | 4 | 5 |
| Number of dining seats | 5 | 5 | 6 | 6 |
| Possible sleeping spaces | 4 | 4 | 4 | 4+I |
| Polyester Bodywork | P | P | P | P |
| Type of heating (make and model) | ALDE | ALDE | ALDE | ALDE |
| Refrigerator capacity (litres) | 160 | 160 | 160 | 160 |
| Battery capacity (Ah) | 2 X IOO | 2 X IOO | 2 X IOO | 2 X IOO |
| BED SIZES (mm) | | | | |
| Rear bed | (1980 x 800) + (1920 x 800) | 1930 x 1380 | 2100 X 1410 | 1940 x 1440 |
| Overcab drop-down bed | 1920 X 1350 | 1920 x 1400 | 1920 X 1400 | 1920 x 1400 |

^{***} Fresh water for 996MH: the water tank must be emptied completely by gravity and by the pump for winter storage



EQUIPMENT AND COMFORT

Mercedes A-class Heavy models with ALDE as standard

| A-CLASS | Serie 9M MERCEDES | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|------------|------------|------------|------------|------------|----------|
| | BESM | BB3M | BBEM | BBGM | BEEMH | BBEMH | BBEMH | NHWOSE |
| BODYWORK AND OPENINGS | | | | | | | | o, |
| Coated hail-resistant polyester roof | • | • | • | • | • | • | • | • |
| Aluminium structure (walls / roof / floor) | • | • | • | • | • | • | • | • |
| Polyester sub-floor Panels all reinforced polyester | • | • | • | • | • | | • | • |
| Storage drawer(s) integrated in the skirts | • | | • | | • | | • | |
| Quartz grey metallic pain on front face / skirts (ABS/PMMA) with metallic colours; gutter rail (aluminium); grey colour polyester panels | • | • | • | • | • | • | • | • |
| Double glazing bays with "blind / fly-screen" combination | • | • | • | • | • | • | • | • |
| Cab door(s) with electric windows | • | • | • | • | • | • | • | • |
| Transparent skylights with fly-screen and blind | • | • | • | • | • | • | • | • |
| Fixed bay on living area entrance door | • | • | • | • | • | • | • | • |
| Central locking of opening bays (except for bay 800 x 1000) HEKI 3 skylight double fold blind with interior wood trim | • | - : | • | • | • | | • | |
| Heavy Design rear end | - | - | - | - | • | | • | |
| Rear pillars | | | | | - | - | - | - |
| LIVING SPACE | | | | | | | | |
| Permanent bed(s) with slat bed-frame and BULTEX® foam mattress | • | • | • | • | • | • | • | • |
| Permanent bed electrically height-adjustable (= 17cm) | - | • | - | • | - | - | • | - |
| Permanent bed(s) with tilt-adjustable head sections | • | - | • | - | • | • | - | • |
| Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress | • | • | • | • | • | • | • | • |
| Memory foam BULTEX® mattress 130mm thick DELUX bed head (50 years model) | • | • | • | - | • | - | • | • • |
| Living room table with fixed foot, movable forwards, backwards, sideways and rotation | - | - | - | - | • | - | - | 50 years |
| Bedroom netting / ship blinds with living room bays | • | • | • | • | • | • | • | • |
| Specific bedroom trim (netting, door and furniture coverings) | | - | | - | | | - | |
| Dividing door | - | - | - | - | - | - | - | |
| Rigid Japanese partition | • | - | • | • | • | • | • | - |
| Flexible partition | - | • | - | - | - | - | - | - |
| Walls 30 mm thick with STYROFOAM insulation (walls + roof), floor 40 mm | • | • | • | • | • | • | • | • |
| 3-point safety belt(s) in the living space 15-inch flat screen TV unit (TV not supplied) | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| Majesty furniture | | -: | • | -:- | | -: | • | • |
| MAJESTY DELUX furniture (50 years model) | - | - | - | - | - | - | _ | 50 years |
| Nappa Leather trim (50 years model) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 years |
| KITCHEN | | | | | | | | |
| Embossed stainless steel sink | • | • | • | • | • | • | • | • |
| Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition | • | • | • | • | • | • | • | • |
| and sink | • | • | • | • | • | • | • | • |
| Double waste bin for selective sorting Laminated work top | • | -:- | • | • | • | - | • | • |
| DELUX resin work top (50 years model) | | | | - | | | - | 50 years |
| Built-in window with ambience lighting | | | | | | | | • |
| Kitchen with space for coffee machine | | • | | • | • | • | | |
| Refrigerator with freezer compartment (160 litres AES) | • | • | • | • | • | • | • | • |
| Extraction hood above the kitchen | • | • | • | • | • | • | • | • |
| Refrigerator grill covers (for winter use) | • | • | • | • | • | • | • | • |
| BATHROOM | | | | | | | | |
| Bathroom with wooden furnishings | • | • | • | • | • | • | • | • |
| Independent shower Wooden grating | • | - | • | • | • | • | • | • |
| Chrome finish bathroom accessories | | | • | • | | | | |
| Chrome laundry line | - | - | - | - | - | - | - | |
| Frosted mirror in the bathroom | | | • | | | • | • | • |
| Back-lit frosted mirror | • | - | • | • | • | • | • | • |
| Back-lit soap holder | • | • | • | • | • | • | • | • |
| Designer glass basin | • | • | • | • | • | • | • | • |
| Camping toilet with removable tank, telescopic handle and castors | • | • | • | • | ٠ | • | • | • |
| WATER Capacity of freshwater tank (litres) | 120 | 120 | 120 | 120 | 200 | 200 | 170 | 200 |
| Capacity of reshwater tank (litres) Capacity of waste water tank (litres) | I20 I00 | I20 I00 | 120 100 | I20 I00 | 200 I00 | 200 I00 | 170 100 | 100 |
| External shower with hot and cold water and mixer tap | • | • | • | • | • | • | • | • |
| HEATING | | | | | | | | |
| Central heating "ALDE Comfort Arctic Plus" | • | • | • | • | • | • | • | • |
| Managed as a paging definition of the against different from the animal commencial definitions of the | | | | | | | | |

 $Merce des\ chass is:\ definition\ of\ the\ carriers\ different\ from\ the\ original\ commercial\ definitions\ of\ the\ chass is\ manufacturers.$

O = Option, $\bullet = Original$, - = Not available



Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

GT GB.indd 22 01/08/11 13:37

EQUIPMENT AND COMFORT

Mercedes A-class Heavy models with ALDE as standard

| ENERGY Semi-stationary auxiliary battery with coupler and separator (100 Ah) Compartment and 3rd battery Battery cut-out Pre-cabling for fuel cell Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | • 20A | BBEN | MS68 | PEGNAH. | BBENIH | BBEMH | VHWOE6 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------|-------------------------|-------------|------|---------|---------|---------|----------|
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) Compartment and 3rd battery Battery cut-out Pre-cabling for fuel cell Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | - - 20A | • - • - 20A | · - • | • | ٠ | | ŎΊ | g |
| Semi-stationary auxiliary battery with coupler and separator (100 Ah) Compartment and 3rd battery Battery cut-out Pre-cabling for fuel cell Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • - 20A • • | - • - 20A | - | - | • | | | |
| Compartment and 3rd battery Battery cut-out Pre-cabling for fuel cell Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • - 20A • • | - 20A | - | | | • | • | |
| Pre-cabling for fuel cell Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | - 20A • • | - 20A • | - | | • | • | • | • |
| Cutting transformer - charger Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | 20A • | - | | • | • | • | • |
| Two-pole magneto - thermal circuit breaker Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | • | | - | • | • | • | • |
| Digital multiplex control panel with instant consumption measuring Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | | 20A | 20A | 20A | 20A | 20A | 20A |
| Centralised Fuse box with protected "accessories" exits External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | • | • | • | • | • | • | |
| External 230 V connection - internal 230 V plug Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light |) | • | • | | • | • | • | • | • |
| Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied) Pre-cabling for 2nd TV in the bedroom Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting LED ambiance lighting Garage lighting with portable LED light |) | | • | • | • | • | • | • | • |
| Speakers in the living area LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light | | • | • | • | • | • | • | • | • |
| LED external lighting above the living area door LED living area lighting LED ambiance lighting Garage lighting with portable LED light | | • | - | • | - | • | • | - | • |
| LED living area lighting LED ambiance lighting Garage lighting with portable LED light | | • | • | • | • | • | • | • | • |
| LED ambiance lighting Garage lighting with portable LED light | | • | • | • | • | • | • | • | • |
| Garage lighting with portable LED light | | • | • | • | -:- | • | | • | |
| 8 8 8 1 | | • | • | | • | • | • | • | • |
| Lighting inside the wardrobe | | • | • | • | • | • | • | • | • |
| Automatic FAVEX® inverter, enabling you to travel with the heating on | | • | • | • | • | • | • | • | • |
| CARRIER AND CAB EQUIPMENT | | | | | | | | | |
| Tempomat | | • | • | • | • | • | • | • | • |
| Engine immobiliser Driver's air bag | | • | • | • | • | • | • | • | • |
| Particle filter | | • | • | • | -:- | • | -:- | • | |
| Reinforced rear suspension | | • | • | • | • | • | • | • | • |
| ABS - ASR - ESP | | • | • | • | • | • | • | • | • |
| "Grand Confort" rotating cab seats with fabric to match the living area and built-in seat | t belts | • | • | • | • | • | • | • | • |
| Dashboard with walnut burr effect and real varnished wood | | • | • | • | • | • | • | • | • |
| Cab door(s) with electric windows | | • | • | • | • | • | • | • | • |
| Cab air-conditioning | | • | • | • | • | • | • | • | • |
| Tinted windows Reversing camera with control screen built into dashboard | | • | • | • | • | • | • | • | • |
| PIONEER® Multimedia car radio 2DIN DVD DIVX MP3 | | • | | • | - | • | • | • | • |
| Carpeted floor in cab | | • | • | • | • | • | • | • | • |
| Electric, external rear view, de-icing double view mirrors | | • | • | • | • | • | • | • | • |
| Heat-insulating blind on rails in front cab | | • | • | • | • | • | • | • | • |
| Sunshade with electric winder | | • | • | • | • | • | • | • | • |
| Wheel repair kit Fog lights + daytime driving light | | • | • | • | • | : | • | • | • |
| Chrome hubcaps (50 years model) | | · | - | i i | | 0 | 0 | 0 | 50 years |
| Twin wheels | | - | - | - | - | • | • | • | • |
| LIVING AREA EQUIPMENT | | | | | | | | | |
| Reversing camera | | • | • | • | • | • | • | • | • |
| Living area door mosquito screen | | • | • | • | • | • | • | • | • |
| Insulated step built into the floor | | • | • | • | • | • | • | • | • |
| Rear stabilising jacks Remote control locking and unlocking of doors (2 PLIPS) | | • | • | • | • | • | • | • | • |
| | EIGHT (kg) | • | • | | • | • | • | • | • |
| 22-litre oven with grill | 14,5 | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| Living area carpet kit | 9 | PACK | PACK | PACK | PACK | PACK | PACK | PACK | PACK |
| LIVING AREA OPTIONS | | | | | | | | | |
| 2-burner hob | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Compartment and cabling for 3rd battery (battery not supplied) A-class without cab bed, with table leg retractable for bed position | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ladder and cross-beams for roof rack | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GPS navigation | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Double-glazed side bays in cab | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Additional cab heating | 6,5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Floor heating in living area | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter exterior insulation | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GENEVA ambiance (ALCANTARA®) BOSTON trim (beige colour), CHICAGO (brown/Amaretta beige colour), | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ## Sable Nappa leather trim | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | EIGHT (kg) | U | U | U | U | U | U | U | U |
| Passenger air bag | 6 (kg) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3,0-litre V6 190 hp engine | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mercedes automatic gearbox (requires passenger air bag) | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Alloy wheels | - | 0 | 0 | 0 | 0 | - | - | - | - |
| Motorcycle carrier (option weight ± 5kg) | - | 73 | 73 | 73 | 73 | 50 | 50 | 50 | 50 |
| Tow bar (1800 kg) (option weight ± 5kg) Motorcycle carrier + Tow bar (option weight ± 5kg) | - | 51 | 51 | 51 | 51 | 28 | 28 | 28 | 28 |
| Chassis 5 t | - | 93 | 93 | 93 | 93 | 70 O | 70 O | 70 O | 70 O |

O = Option, $\bullet = Original$, - = Not available

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



GT GB.indd 23 01/08/11 13:37



WWW.RAPIDO.FR

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

(i) PROTEIBRE B. PRS I aval 4.00 784, 599 ; Dh. v. D. PERMANN Letock Entolia Thinketock Phovoir - Styliems v. C. G.FGLI N. ± Édition 10/2014 IGRI