











Swift Caravans · Dunswell Road · Cottingham · East Yorkshire HU16 4JX
Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk
A member of the Swift Group

For more information and to find your nearest retailer visit us at » www.swiftcaravans.co.uk

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2011







The New Challenger

Where luxury meets affordability, this popular mid-range offers a perfect combination of style and specification.

With its stunning looks that have taken touring caravan design to a new level, the award-winning Challenger offers an inspired range of six models, including a new island bed model, to suit couples and families alike.

The panoramic sunroof in the sweeping front panel now comes as standard as does the AL-KO ATC stability control system which, added to the standard shock absorbers, make these models some of the most aerodynamic and safest to tow.



Challenger interiors enjoy all the benefits that quality, advanced design and attention to detail can bring.

'Mali Acacia' woodgrain offers richer colouring with a defined woodgrain texture and the contour of the front panel allows for maximum headroom and roof-locker space throughout. The panoramic front sunroof gives a great view out. Pleated blinds and low energy lighting which includes new kitchen down lighters lets you set the mood.

Stylish and practical granite effect sink with removable drainer >>




Chest of drawers design makes it easy to create a small table without disturbing items on top >>












A choice of flexible seating and sleeping arrangements combined with well equipped kitchens and washrooms.

Microwave oven with digital controls built in at an easily accessible level >>





«Dual fuel hob with 800W electric hotplate and 3 gas burners and separate grill with glass-fronted oven





«6 x 230V sockets to
cater for modern needs,
including two in the neat
and convenient front
shelf pod





«Locker mounted eye level power supply unit and power management for easy access













Large front door with double gas struts for easy access and step on hitch cover for easy cleaning of front windows



BBQ point for alfresco cooking



Heavy duty rear corner steadies and profiled skirts



New bed make-up system with slats retained on track



AL-KO ATC trailer control system as standard



Hankook tyres with a minimum of 150kg extra load margin for improved performance and safety on stylish alloy wheels



30 litre internal fresh water tank in twin axle models with front windows for a clearer additional pump for tank filling or direct feed to taps



view out



Semi-recessed awning channel on both sides for flexibility





Gas regulator with stainless steel braided hose for improved reliability



480 530







2	4
1	1
4.74m / 15' 7"	5.50m / 18' 1"
2.31m / 7' 7"	2.31m / 7' 7"
2.62m / 8' 7"	2.67m / 8' 9"
1.95m / 6' 5"	1.95m / 6' 5"
6.46m / 21' 2"	7.22m / 23' 8"
9.12m / 29' 11"	9.88m / 32' 5"
1285kg / 25.3cwt	1452kg / 28.6cwt
1410kg / 27.8cwt	1605kg / 31.6cwt
125kg / 2.5cwt	153kg / 3.0cwt
125kg / 2.5cwt	153kg / 3.0cwt
185 R14C 102 Q	195/70 R15C 104 R
THREE	THREE
209cm x 186cm / 6'10" x 6'1"	209cm x 176m/6'10" x 5'9"
186cm x 71cm / 6'1" x 2'4"	176cm x 71cm / 5'9" x 2'4"
186cm x 71cm / 6'1" x 2'4"	186cm x 71cm / 6'1" x 2'4"
	180cm x 69cm / 5'11" x 2'3"
	176cm x 59cm / 5'9" x 1'11"

You can be reassured when you buy a Swift Caravan that they all come with the following market leading features

> Areas under beds and seats warmed by

> Front chest of drawers with convenient

> Large dining table (1000mm x 600mm)

Positive overhead locker catches for

Dual fuel hob with 800W electric hotplate

> Ventilated microwave oven with digital

now with two 230V settings - 850W or

Separate shower mixers with adjustable

Solar panel connection provision

High flow rate in-board pump with chrome

finish brass taps for reliable, high performance

and 3 gas burners with electronic ignition

> New: Dual fuel Truma Ultrastore water heater,

insulated to minimise heat loss

slide-out extending top

for full-size place settings

controls built in at low level

1300W for rapid heat-up

secure storage

water supply

head positions

blown air system and underfloor ducting

Swift Plus Points


- > European Whole Vehicle Type Approval ensures compliance with strict weight,
- dimension and safety regulations > EN1645 Grade 3 classification for heating and thermal insulation (Cold chamber tested)
- > 1.95m (6'5") headroom
- > One-piece. 5000 Series marine grade aluminium sidewalls > Strong redwood body and floor framing
- specially treated to resist moisture and fungal attack
- > Hankook branded tyres for improved performance and safety
- > Higher tyre rating a minimum of 150kg extra load margin at 130kph (law permitting)
- > Shock absorbers for a smoother more
- > Step-on hitch cover for easy access to clean front
- > Gas regulator fitted with stainless steel braided hose for improved reliability
- > High security entrance lock for peace of mind > High impact, scratch resistant floor line > Aerial point in battery box for portable satellite > Large capacity door waste bin
- dish connection > Two TV stations with 230V, 12V and aerial sockets in most models (see floorplans
- New: Bed make-up system with slats
- retained on track Seat bases with spaceframe construction. full front access and space for larger items
- for detail)

Additional features

Exterior

- > 2.31m (7'7") overall width for a more spacious interior
- > Panoramic front roof window with automotive style roof locker system
- > Full height front with wide door made with strong closed-mould GRP
- > Bain water deflector over front windows incorporating brand badge > Imposing rear panel with latest generation
- rear light clusters > Roof capping rails integrating with front and
- rear panels
- > Semi-recessed body coloured awning channel on both sides
- Profiled side skirts in tough self coloured uPVC with integrated awning channel
- Extra strong, thermally efficient 32mm thick
- fully bonded walls and roof Wheel arches insulated with high density foam to prevent cold spots in storage areas
- 'Storm' exclusive allov wheels in high-power silver and gloss black
 - Heavy duty corner steadies all round
 - BBQ point Larger entrance door - 45mm (2") wider and > Removable carpet with 45oz pile weight
 - 80mm (3") taller than standard size External access door under front
 - nearside seat Large external access door under fixed
 - beds (model specific) Exterior access battery box and mains electric inlet (battery not included)
- - maximise strength and storage space

- > AL-KO galvanised steel chassis with Euro-Axle
- > 44mm 'sandwich' floor with pre-treated plywood and Styrofoam insulation core
- AL-KO AKS 3004 stabiliser with new
- operating handle > AL-KO Euro overrun device with two-way
- assisted handbrake
- > 13-pin 'Jaeger' 12V car connector > Spare wheel (steel) and underslung carrier
- > LED awning light
- > Entrance step > Door flyscreen with easy concertina action
- > Granite effect kitchen sink with integrated
- occasional drainer and removable extension drainer
- Heki Deluxe large tilting panoramic roof window with flynet and pleated blind
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear roof light with flyscreen and blind (model specific)
- Large overhead lockers with injectionmoulded spaceframe construction and
- > 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models
- Lined washroom cubicles in all models. > Fixed beds with aluminium frames to
- > Hinged seat and bed tops supported in open position for easy access



- > Seat and backrest ventilation boards
- > Two large scatter cushions

565

5.60m / 18' 4'

2.31m / 7' 7"

2.67m / 8' 9"

1.95m / 6' 5"

7.32m / 24' 0'

9.98m / 32' 9"

1451kg / 28.6cwt

1605kg / 31.6cwt

154kg / 3.0cwt

154kg / 3.0cwt

THREE

195/70 R15C 104 R

209cm x 156cm / 6'10" x 5'1

156cm x 71cm / 5'1" x 2'4"

156cm x 71cm / 5'1" x 2'4"

190cm x 71cm / 6'3" x 2'4"

181cm x 72cm / 5'11" x 2'4"

- > Twin curtain track for improved hanging and ease of use
- > Food grade nylon chopping board with dedicated storage
- > Slide-out storage rack
- > Moulded cutlery drawer on smooth steel runners
- > 32mm thick lightweight washroom door with metal domestic style handle
- > Thetford C250 toilet with 18 litre wheeled holding tank

Equipment

- > Low energy lighting system throughout with ambient over-locker lights and LED task lights
- > New: LED down lighters set in plinth over kitchen locker
- > Six 230V sockets including two in compact new front shelf pod > Locker mounted eye level power supply unit &
- power management for easy access > 30 litre internal fresh water tank (Twin Axles
- Only) with additional external pump for filling or direct feed to taps > External 230V mains socket
- > User friendly 12V control panel with battery
- selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls set in moulded housing with key shelves

- > 107 litre fridge with metallic finish, electronic ignition and digital controls
- > Thermostatic oven and separate grill
- > Glass hob lid with safety cut-out feature
- > Dual fuel 3kW gas and 2kW electric space heater

570

5.60m / 18' 4'

2.31m / 7' 7"

2.67m / 8' 9"

1.95m / 6' 5"

7.32m / 24' 0'

9.98m / 32' 9"

1446kg / 28.5cw

1600kg / 31.5cwt

154kg / 3.0cwt

154kg / 3.0cwt

THREE

195/70 R15C 104 R

209cm x 156cm / 6'10" x 5'1

156cm x 71cm / 5'1" x 2'4"

156cm x 71cm / 5'1" x 2'4"

188cm x 133cm / 6'2" x 4'4"

- > Inboard semi-rigid fresh water pipes > Isolation taps for gas appliances
- > Large bore underslung rigid waste pipes
- > 25 Amp switchmode charger/transformer
- Status 530 directional Digital / Analogue TV/ FM aerial and booster
- > Radio/CD/MP3 player with iPod/MP3 player connection
- > 25 metre mains hook-up cable

Safety and Security

- New: AL-KO ATC trailer stability control fitted as standard
- > Passive infra-red alarm system with tilt sensor and key fob operation > Receiver for optional AL-KO Secure
- wheel lock > Smoke alarm
- New: Carbon Monoxide alarm
- > CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within carayan

Factory-Fit Option

'Impala' stain-resistant, easy-clean seating fabric with soft nubuck texture

Dealer-Fit Options

580

5.83m / 19' 2

2.31m / 7' 7'

2.67m / 8' 9'

1.95m / 6' 5'

7.55m / 24' 9'

10.21m / 33' 6'

1454kg / 28.6cw

1610kg / 31.7cwt*

195/70 R15C 104 R

209cm x 156cm / 6'10" x 5'1

156cm x 71cm / 5'1" x 2'4"

156cm x 71cm / 5'1" x 2'4'

185cm x 133cm / 6'1" x 4'4"

156kg / 3.1cwt

156kg / 3.1cwt

THREE

- > AL-KO Secure wheel lock > AL-KO side lift jack
- > Wrap-around seating in addition to


AWNING SIZES: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

* = Estimated Weight

Bed Sizes: Please note that the front double bed sizes quoted are for seating configurations without chest of drawers.
The front double bed width for a layout with a chest of drawers fitted will be reduced. by 0.4m(1'4") from that stated.

Weights: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance. Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different ma



2

6.27m / 20' 7

2.31m / 7' 7"

2.62m / 8' 7"

1.95m / 6' 5"

7.99m / 26' 3"

10.65m / 34' 11"

1634kg / 32.2cwf

1814kg / 35.7cwt

180kg / 3.5cwt

180kg / 3.5cwt

THREE

185/70 R14 88 T

209cm x 156cm / 6'10" x 5'1

156cm x 71cm / 5'1" x 2'4"

186cm x 71cm / 6'1" x 2'4"

188cm x 133cm / 6'2" x 4'4"

180cm x 69cm / 5'11" x 2'3"

176cm x 59cm / 5'9" x 1'11"