



Powered by the greener and more fuel efficient Euro 5 Engine



**Bessacarr Motorhomes**  
Dunswell Road, Cottingham  
East Yorkshire HU16 4JX  
Tel 01482 847332  
Fax 01482 841042  
email [enquiry@swiftgroup.co.uk](mailto:enquiry@swiftgroup.co.uk)

For more information and to find your nearest retailer visit us at [www.swiftgroup.co.uk](http://www.swiftgroup.co.uk)

Swift Group Ltd provides a ten year bodyshell integrity warranty and a three year manufacturers warranty on the coachbuilt element of the motorhome - see [www.swiftgroup.co.uk](http://www.swiftgroup.co.uk) for more details. Terms and conditions apply. Fiat provide a three-year warranty for the base vehicle and three-year pan European Camper Assistance, road side assistance and breakdown cover operated in conjunction with the RAC, ask your dealer for more details.



# Bessacarr Motorhomes

E400 | E500

[www.swiftgroup.co.uk](http://www.swiftgroup.co.uk)



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued September 2012





Powered by the greener and more fuel efficient Euro 5 Engine

**FREE**  
Swift Group Backed Warranty

**10 YEAR**  
Bodyshell integrity warranty

# Tried, tested and fully approved.

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing programme in the industry to ensure the design team can create products that set the industry standard for style, safety, value and practicality.

From the detail of which timber is best for the furniture to how to protect the chassis and exterior cladding from the elements, simulated crash tests to prove the safety of the anchoring points for all passenger seats and fitting the most suitable domestic equipment for mobile use.

Rigorous product testing at Millbrook Proving Ground, cold chamber testing down to -15°C and beyond, put prototypes through conditions most products will never have to experience in a life time, all part of the Swift ethos to deliver the best product possible to you.



Page **03**



E400

Page **11**



E500







# E400

The all new E400 Series reclaims its position as the sector leader for style, value and performance thanks to a wide range of upgrades and improvements for 2013.

New sporty exterior graphics highlight the modern aerodynamic moulded overcab shape which features either high-line or low-line profiles. Longer models are now built on an AL-KO chassis for better handling, there are 3 new models all with seat belts for up to 4 people, every model gets the 130bhp engine as standard and an automatic gearbox is an option across the range.



Find a model



To find an E400 display model visit [swiftgroup.co.uk](http://swiftgroup.co.uk)



Optional 'Impala' fabric





Join us online   
Social Network for Motorhome Enthusiasts  
[swift-talk.co.uk](http://swift-talk.co.uk)

**About Swift Talk...**

Swift Talk is Swift Group's dedicated social media site where members can seek advice, upload videos, photos and create their own social groups.

Swift Group staff monitor the forum and answer questions daily, providing invaluable help and support where they can to customers.





# E400 Features

All Bessacarr motorhomes come with an impressive array of features.

## Bessacarr Plus Points

You can be reassured when you buy a Bessacarr Motorhome that they all come with the following market leading features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Cab battery isolation switch to prevent discharge in storage
- Driver and passenger airbags
- Concertina windscreen blind and side window blinds
- Cab carpet (removable)
- Heavy duty rear chassis members ready for optional towbar
- Fiat 'Fix and Go' puncture repair and tyre inflation kit
- One-piece, 5000 Series marine grade aluminium side-walls finished in white
- Full GRP rear panel with high-level brake light and housing for optional camera
- Key fob operated remote central locking of cab doors and entrance door
- 44mm 'sandwich' floor with WBP plywood and Styrofoam insulation core
- Strong redwood body and floor framing
- Fixing points for rear-mounted cycle rack
- 12V exterior power point for pump filling of water tank (pump not supplied)
- Roof and wiring prepared for solar panel installation easy-access eye-level consumer unit
- Dual fuel hob with 800W electric hotplate and 3 gas burners
- **New** Dometic 8-Series fridge with automatic energy selection
- Granite-look GRP kitchen sink
- High impact, scratch resistant floor lino
- Sprung interior fixed bed mattress
- Lounge seat and bed tops with sprung support for easy access
- Concertina action door flyscreen
- Removable carpets in living area
- Push-button locks on overhead locker doors
- **New** Thatcham approved tracker fitted as standard

## Additional features

### Chassis-Cab

- Fiat Euro 5 130bhp, 2.3 litre engine
  - 9% improvement in fuel economy,
  - 7% lower CO<sub>2</sub> emissions than Euro 4 130bhp engine
- Dashboard design with fully integrated factory-fit Radio/CD/MP3 player with switch-off timing adjustable up to 3 hours
- Up-rated front suspension with higher ride height and comfortable handling
- Rear axle anti-roll bar
- Driver and passenger seats in E412, E452, E454 and E444 with:
  - Swivels
  - Position, height and rake adjustment
  - Two armrests
  - Fully upholstered covers
  - Base surrounds
- Driver and passenger seats in E462, E464, E434 and E496 with:
  - Position and rake adjustment (driver's seat also has height adjustment)
  - Armrest
  - Fully upholstered covers
  - Base surrounds
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electric operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- Lockable (laptop PC size) central storage box
- Two DIN sockets

### Body and Exterior equipment

- Five Low line models with a sleek low-line profile housing large overcab locker set in smart moulded fascia
- Three High line models with a spacious luton housing a large, comfortable lift-up luton bed, gas strut assisted.
- **New** Dynamic graphics
- Roof capping rails join the front GRP overcab to the GRP back panel for a fully integrated look
- GRP moulded skirts
- Gloss white finished front bumper
- Stepwell for easy access
- Electrically operated single entrance step with buzzer warning and automatic retraction
- Service door for underseat/bed storage

- Underfloor storage bin (E452, E454 and E462)
- **New** Rear Stowage access door (E496)
- Double glazed opening windows with night-latch ventilation
- **New** LED awning light
- 32mm sandwich construction walls with high density styrene core and one-piece aluminium skin
- 32mm sandwich construction roof with high density styrene core and one-piece aluminium skin
- Compartment for two 7kg gas bottles with fitted butane/propane regulator and propane hose
- **New** AL-KO long wheel base chassis highline conversion of E444 and E496

### Living Area

- 'Italian Ash' wood grain
- **New** 'Sheridan' standard fabric scheme and optional scheme in stain resistant, easy-clean Impala fabric
- Lap and diagonal seat belts on all designated passenger seats
- Swift Group 'spaceframe' locker construction
- Bed mattresses and lounge bench seat cushions supported by beech slats for extra comfort
- Seat backrest ventilation boards
- Electric operated and tinted cab windows
- **New** Free-standing table with dedicated storage location. Travelling seating has folding table and rotating extension (E444 and E454)
- Midi-Heki skylight with flynet and adjustable blind
- Multi-directional clear rooflight with pleated flyscreen and blind
- Cassette flyscreens and blinds on all windows
- Two luton windows in high line models for good light and ventilation
- Domestic style mortice locks on washroom and wardrobe doors
- Removable aluminium ladder to the over-cab bed (High-line models)
- Fitted rubber mat in entrance step well
- Smoke alarm
- Carbon monoxide alarm
- **New** Ergonomically shaped rear travelling seats E434, E444, E454 and E496

### Kitchen

- **New** Dometic 8-Series, 96 or 110 litre automatic energy selection fridge with removable freezer compartment

- Full oven, separate grill and dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Built-in microwave oven with digital controls
- Granite-look GRP kitchen sink and removable drainer with dedicated storage
- **New** Acrylic splash back
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout

### Washroom

- New Washroom designs with tip up bowl (Not in E444, E452 and E454)
- 35mm thick door
- Plastic lined shower area
- Folding doors to create dry area for toilet, towels etc.
- Lower cupboard with built-in washbasin (E452, E454 and E444)
- Thetford cassette toilet with electric flush and 18 litre wheeled tank
- Chrome finish brass shower and mixer taps
- Multi-directional clear rooflight with pleated flyscreen and blind (except E464 which has an extractor)

### Heating and Plumbing

- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures)
- **New** Truma Combi 4 Combi boiler with gas and electric blown air heating and hot water with touch screen control
- Truma "Drivesafe" regulator for en-route use of heating and water heating
- 90 litre under-floor, insulated fresh water tank with level sensor (94 litre E462 and E464)
- Pressurised fresh water system with self-priming pump
- 68 litre waste water tank with level sensor (60 litre E462 and E464)
- Butane/propane regulator and connection hose for propane

### Electrical

- Mains 230V supply via easy-access consumer unit to sockets, fridge, microwave oven, heater, water heater and battery charger/transformer
- 25amp charger/transformer for leisure batteries

- 95 amp-hour (Dir 2006/66/EC) leisure battery in underfloor compartment (Space for 2nd battery, not supplied)
- Five 230V sockets in E444, E452, E454 and E496; four in E412, E434, E462 and E464
- Easy to use 12V control panel over doorway with touch controls for:
  - Vehicle/Leisure battery selection and display of:
  - Tank heaters (optional)
  - Tank levels
  - Vehicle and leisure battery state
- **New** enhanced ultra low energy lighting system:-
  - LED spotlights and downlighters
  - Over-locker low-wattage ambient lighting
  - Low-level night lights (operable when travelling)
- Power supply for satellite dish installation
- 25 metre mains hook-up cable
- TV station with flatscreen bracket 230V, 12V supply and co-ax link to outside connector

### Options

- **New** Comfort-Matic automatic gearbox with Fiat Euro 5 130bhp, 2.3 litre Variable Geometry Turbo engine (only available in conjunction with Driver's Pack)
- **Special value Drivers Pack with:**
  - Upgraded radio/CD player with Bluetooth mobile phone connectivity, USB iPod/MP3 device connection and steering wheel controls
  - Twin view colour reversing camera allowing use en-route
  - Factory-fitted 'Techno' silver dashboard trim
  - Cab air-conditioning
  - Cruise control
- **Winter Pack with:**
  - Fresh and waste water tank heaters
  - Waste pipe insulation
  - Fridge vent covers
- Full length roll-out awning
- 'Impala' stain resistant, easy-clean fabric



Find a model

To find an E400 display model visit [swiftgroup.co.uk](http://swiftgroup.co.uk)



The two largest E400 models come with the benefit of the AL-KO low line chassis as standard. Building on this chassis gives the advantage of lower weight giving extra payload, a more rigid construction and car standards of ride and handling.





All models have the Truma Combi boiler for dual powered hot water and blown air heating which is controlled by a programmable, touch screen control panel, exclusive to Swift.



All 2013 E400s are fitted with a Thatcham Approved Tracker Retrieve system as standard. Recognised by all UK Police forces, the unit is self powered and comes with an initial 3 month subscription which can be extended to 5 years on a single competitive payment.

1. Heavy duty rear chassis members ready for optional towbar
2. Driver and passenger airbags
3. Dashboard design with fully integrated factory-fit Radio/CD/MP3 player (picture shows Drivers pack with 'Techno' silver dashboard)
4. Pleated window and one-piece cab side blinds for shade and privacy
5. **New** Truma Combi boiler with gas and electric blown air heating and hot water with touch screen control and drive safe regulator for en-route use
6. Cab battery isolation switch to prevent discharge in storage
7. New Washroom design with a stylish fold-away basin creating more space for showering (most models)
8. New Stylish locker design with contrasting cream inlay and chrome fittings
9. Lower level built-in microwave oven with digital controls
10. Ultra low energy lighting with new overlocker ambient lighting, LED spotlights and new low level night lights
11. **New** Digital control Dometic fridge with removable freezer compartment
12. Easy access consumer unit
13. Twin view colour reversing camera allowing en-route use (part of Drivers pack)
14. Seat bases with spaceframe construction, full front access and space for larger items
15. Useful underfloor stowage (model specific)






	E412		E434		E444		E452		E454		E462		E464		E496	
	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto	130	130 Auto
<b>Engine Capacity</b>	2287cc		2287cc		2287cc		2287cc		2287cc		2287cc		2287cc		2287cc	
<b>Engine Power</b>	96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm		96kW @ 3600rpm	
<b>Engine Torque</b>	320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm		320Nm @ 1800rpm	
<b>Roof Profile</b>	Low line		High line		Low line		Low line		Low line		Low line		High line		High line	
<b>Wheel Base</b>	3.00m / 9'10"		3.45m / 11'4"		4.48m / 14'8"		4.04m / 13'3"		4.04m / 13'3"		3.45m / 11'4"		3.45m / 11'4"		4.48m / 14'8"	
<b>Seat belts (inc. driver)</b>	2		4		4		2		4		2		4		6	
<b>Berths (Sleeping Positions)</b>	2		5		4		4		4		2		4		6	
<b>Overall Length (Excluding Ladder)*</b>	6.00m / 19'8"		6.58m / 21'7"		7.80m / 25'7"		7.12m / 23'4"		7.12m / 23'4"		6.58m / 21'7"		6.58m / 21'7"		7.80m / 25'7"	
<b>Overall Width (Mirrors Folded)</b>	2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"		2.24m / 7'4"	
<b>Overall Height*</b>	2.90m / 9'6"		3.07m / 10'1"		2.90m / 9'6"		2.90m / 9'6"		2.90m / 9'6"		2.90m / 9'6"		3.07m / 10'1"		3.05m / 10'0"	
<b>Maximum Technical Permissible Laden Mass (A)</b>	3300kg		3500kg		4250kg		3500kg		3650kg		3500kg		3500kg		4250kg	
<b>Mass in Running Order (B)</b>	2925kg	2942kg	3128kg	3145kg	3190kg	3207kg	3150kg	3167kg	3175kg	3192kg	3020kg	3037kg	3143kg**	3160kg**	3365kg	3382kg
<b>Maximum User Payload (A-B)</b>	375kg	358kg	372kg	355kg	1060kg	1043kg	350kg	333kg	475kg	458kg	480kg	463kg	357kg**	340kg**	885kg	868kg
<b>Essential Habitation Equipment</b>	9kg		9kg		9kg		9kg		9kg		9kg		9kg		9kg	
<b>Thermal Grade Insulation</b>	THREE		THREE		THREE		THREE		THREE		THREE		THREE		THREE	
<b>Maximum Recommended Trailer Weight</b>	1600kg		1600kg		2000kg		1600kg		1600kg		1600kg		1600kg		2000kg	
<b>Gross Train Weight</b>	4900kg		5100kg		6000kg		5100kg		5250kg		5100kg		5100kg		6000kg	

<b>Front Double</b>	2.04m x 1.30m / 6'8" x 4'3"	1.88m x 1.24m / 6'2" x 4'1"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	2.04m x 1.21m/1.04m / 6'8" x 4'0"/3'5"	1.90m x 1.24m / 6'3" x 4'1"
<b>Or Front Nearside Single</b>	1.87m x 0.70m / 6'2" x 2'4"	1.88m x 0.66m / 6'2" x 2'2"															
<b>And Front Offside Single</b>	1.87m x 0.70m / 6'2" x 2'4"	1.88m x 0.92m / 6'2" x 3'0"															1.90m x 0.92m / 6'3" x 3'0"
<b>Rear Double</b>					1.90m x 1.26m / 6'3" x 4'2"												2.04m x 1.39m / 6'8" x 4'7"
<b>Rear Nearside Single</b>							1.88m x 1.25m / 6'2" x 4'1"	1.88m x 1.25m / 6'2" x 4'1"	2.04m x 1.89m / 6'8" x 6'2"	2.04m x 1.89m / 6'8" x 6'2"	1.89m x 0.66m / 6'2" x 2'2"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"
<b>Rear Offside Single</b>									1.89m x 0.66m / 6'2" x 2'2"	1.89m x 0.66m / 6'2" x 2'2"	1.89m x 0.66m / 6'2" x 2'2"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"	1.89m x 0.63m / 6'2" x 2'1"
<b>Overcab Bed</b>			1.91m x 1.37m / 6'3" x 4'6"										1.91m x 1.37m / 6'3" x 4'6"	1.91m x 1.37m / 6'3" x 4'6"	1.91m x 1.37m / 6'3" x 4'6"	1.91m x 1.37m / 6'3" x 4'6"	1.91m x 1.37m / 6'3" x 4'6"

**Notes**  
 \* For optional roof ladder add 60mm to length and 120mm to Low Line height.  
 \*\* Estimated weights  
 1. The Maximum User Payload includes:  
 a) the conventional load (this is the allowance for passengers)  
 b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)  
 c) optional equipment (items available from the manufacturer over and above the standard specification)  
 d) personal effects (those items not covered by the above)  
 2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.  
 3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.  
 4. Warning - under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.



Key: Berths (sleeping positions) Seat belts (inc. driver)





# E500

This stylish range moves up a gear again for 2013 with streamlined design, improved engine options and an even better level of specification.

Both 130bhp and 150bhp engines are now available with Fiat's Comfort-Matic automatic gearbox for the ultimate in driving comfort and performance.







Join us online   
Social Network for Motorhome Enthusiasts  
[swift-talk.co.uk](http://swift-talk.co.uk)

The Alde heating and hot water system, still unique in this price bracket, has a new touch screen control system, exclusive to Swift, and the Winter Pack option makes the E500 suitable for year round use.

All models have an AL-KO chassis conversion, normally only associated with more expensive motorhomes, and with upgraded 8-Series 190 litre Dometic fridges with removable freezer compartment leading a range of other improvements the E500 continues to set the pace.



# E500 Features

All Bessacarr motorhomes come with an impressive array of features.

## Bessacarr Plus Points

You can be reassured when you buy a Bessacarr Motorhome that they all come with the following market leading features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- Cab battery isolation switch to prevent discharge in storage
- Driver and passenger airbags
- Concertina windscreen blind and side window blinds
- Cab carpet (removable)
- Heavy duty rear chassis members ready for optional towbar
- Spare wheel and tyre
- One-piece, 5000 Series marine grade aluminium side-walls finished in white
- Full GRP rear panel with high-level brake light and camera housing
- Key fob operated remote central locking of cab doors and entrance door
- 44mm 'sandwich' floor with WBP plywood and Styrofoam insulation core
- Strong redwood body and floor framing
- Fixing points for rear-mounted cycle rack
- 12 volt exterior power point for pump filling of water tank (pump not supplied)
- Roof and wiring prepared for solar panel installation
- Easy-access eye-level consumer unit
- Dual fuel hob with 800W electric hotplate and 3 gas burners
- **New** Dometic 8-Series fridge with automatic energy selection
- Granite-look GRP kitchen sink
- High impact, scratch resistant floor lino
- Concertina action door flyscreen
- Removable carpets in living area
- Push-button locks on overhead locker doors
- **New** Thatcham approved tracker fitted as standard

## Additional features

### Chassis-Cab

- Fiat Euro 5 130bhp, 2.3 litre engine
  - 9% improvement in fuel economy,
  - 7% lower CO<sub>2</sub> emissions than Euro 4 (E520, E540, E562, E564)
- Fiat Euro 5 150bhp, 2.3 litre Variable Geometry Turbo engine
  - similar fuel consumption to 130bhp but stronger performance (E572, E582 and E584)
- Fully integrated factory-fit Radio/CD/MP3 player with switch-off timing adjustable up to 3 hours
- Factory-fitted Burl wood effect dashboard trim
- Extra wide rear track
- Driver and passenger seats both with:
  - Swivels
  - Height and rake adjustment
  - Two armrests
  - Fully upholstered covers
  - Base surrounds
- ABS brakes
- EBD (electronic brake force distribution)
- Immobiliser with rolling code
- Variable power steering
- Electric operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Adjustable steering wheel position
- Lockable (laptop PC size) central storage box
- Two 12V power sockets (inc lighter socket)

### Body and Exterior equipment

- Fiat/AL-KO low line chassis with wide track giving superior ride and handling
- Double glazed cab sunroof with adjustable pleated blind
- Full length recessed awning
- Integrated longitudinal roof bars (load carrying cross bars and ladder optional)
- Strong extruded aluminium skirts
- **New** GRP edge trim
- Strong window-line graphics
- LED marker lights
- Service door for underseat/bed storage
- 34mm sandwich construction GRP roof
- Front bumper finished in body colour
- **New** LED awning light
- Compartment for two 7kg gas bottles with fitted butane/propane regulator and propane hose

## Living Area

- Ergonomically shaped rear travelling seats (E564 and E584)
- 'Italian Ash' woodgrain
- Cassette flyscreens and pleated blinds on all windows
- Entrance doorway grab-handle
- 'Dover' standard fabric scheme and optional scheme in stain resistant, easy-clean Impala fabric
- Swift Group 'spaceframe' locker construction
- Bed mattresses and lounge bench seat cushions supported by beech slats for extra comfort
- Bolster cushion
- Seat backrest ventilation boards
- Free-standing table with dedicated storage location (except E564 and E584)
- Wall mounted table in E564 and E584
- Midi-Heki skylight with flynet and adjustable blind
- Domestic style mortice locks on washroom and wardrobe doors
- Removable stepwell mat
- Smoke alarm
- Carbon monoxide alarm

## Kitchen

- **New** Dometic 8-Series 190 litre fridge/freezer with automatic energy selection
- Mini-Heki skylight with flynet and adjustable blind
- Lower level built-in microwave oven with digital controls
- Back-lit acrylic splash back
- Granite-look GRP kitchen sink and removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Thermostatic oven and separate grill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection

## Washroom

- Shower cubicle or fully lined shower area
- Lower cupboard with built-in washbasin
- Overhead storage locker (except E540)
- Thetford C250 swivel cassette toilet with electric flush
- Chrome finish brass shower and mixer taps
- Skylight with flyscreen

## Heating and Plumbing







- Alde dual fuel radiator central heating and water heating with daily programming, **new** LCD control panel and 1kW, 2kW and 3kW setting
- Heated towel radiator also fitted in E540, E572, E582 and E584
- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures)
- Truma 'Drivesafe' regulator for en-route operation with connection hose for propane
- 94 litre under-floor, insulated fresh water tank with level sensor
- Pressurised fresh water system with self-priming pump
- 100 litre waste water tank with level sensor
- Large bore rigid waste pipes (optionally insulated for winter use)

## Electrical

- Mains 230V supply via easy-access eye-level consumer unit to sockets, fridge, microwave oven, combi-boiler and battery charger/transformer
- 25amp charger/transformer for leisure batteries
- 95 amp-hour (Dir 2006/66/EC) leisure battery in underfloor compartment (space for 2nd battery, battery not supplied)
- 5 mains 230V sockets in E520, E572, E582 and E584; 4 in E540, E562 and E564
- Easy to use 12V control panel over doorway with touch controls for:
  - Vehicle/Leisure battery selection
  - Tank heaters (optional)
  - Tank levels display
  - Vehicle and leisure battery state
- Ultra low energy lighting system:-
  - LED spotlights and downlights
  - Over-locker low-wattage ambient lighting
  - Adjustable LED cab reading lights
  - Low-level night lights (operable when travelling)
- Power supply for satellite dish installation
- 25 metre mains hook-up cable
- TV station with flatscreen bracket 230V, 12V supply and co-ax link to outside connector

## Options

- Comfort-Matic automatic gearbox with 150bhp, 2.3 litre engine (only available in conjunction with Elegance Pack)
- **New** Comfort-Matic automatic gearbox with 130bhp, 2.3 litre engine E520, E540, E562 and E564 (only available in conjunction with Elegance Pack)
- 'Impala' stain-resistant, easy-clean seating fabric with soft nubuck texture
- **Special value Elegance Pack with:**
  - Upgraded radio/CD player with Bluetooth mobile phone connectivity, USB iPod/MP3 device connection and steering wheel controls
  - Twin view colour reversing camera allowing use en-route
  - Cab air-conditioning
  - Cruise control
- **Winter Pack with:**
  - Fresh and waste water tank heaters
  - Waste pipe insulation
  - Fridge vent covers



Find a model

To find an E500 display model visit [swiftgroup.co.uk](http://swiftgroup.co.uk)

1. Fiat/AL-KO lowline chassis with wide track giving superior ride and handling
2. Dashboard design with fully integrated factory-fit Radio/CD/MP3 player and factory fitted Burl wood effect dashboard trim
3. Twin view colour reversing camera allowing en-route use (part of Elegance pack)
4. Alde radiator central heating with daily programming, **New** LCD touch screen control and drive safe regulator for en-route use
5. Heated towel radiator in washroom (model specific)
6. **New** 8-Series Dometic 190 litre automatic energy selection fridge/freezer
7. Granite effect GRP sink with removable drainer co-ordinated with the worktops
8. Ultra low energy lighting system including, over locker ambient lighting, LED spotlights, low level night lights and adjustable cab reading lights
9. Lower level built-in microwave oven with digital controls
10. Double glazed cab sunroof with adjustable pleated blind
11. Easy access eye level consumer unit
12. Pleated window and one-piece cab side blinds for shade and privacy
13. Seat tops with gas struts for easy access to storage
14. Roll out canopy awning
15. Cab battery isolation switch to prevent discharge in storage

**AL-KO**

All E500 models come with the benefit of the AL-KO low line chassis as standard. Building on this chassis gives the advantage of lower weight giving extra payload, a more rigid construction and car standards of ride and handling.


**Alde**

The Alde heating and hot water system fitted as standard in all E500 models now features an exclusive, easy to use touch screen pad for operation and can be programmed over 24 hours. Some models also benefit from a heated towel radiator in the washroom.

**TRACKER**  
secure • inform • protect

All 2013 E500s are fitted with a Thatcham Approved Tracker Retrieve system as standard. Recognised by all UK Police forces, the unit is self powered and comes with an initial 3 month subscription which can be extended to 5 years on a single competitive payment.






	E520			E540			E562			E564			E572		E582		E584				
	Standard		Optional	Standard		Optional	Standard		Optional	Standard		Optional	Standard		Optional	Standard		Optional			
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto	150 Auto	130	130 Auto	150 Auto	130	130 Auto	150 Auto	130	130 Auto	150 Auto	150	150 Auto	150	150 Auto	150	150 Auto			
<b>Engine Capacity</b>	2287cc			2287cc			2287cc			2287cc			2287cc		2287cc		2287cc				
<b>Engine Power</b>	96kW @ 3600rpm		109kW @ 3600rpm	96kW @ 3600rpm		109kW @ 3600rpm	96kW @ 3600rpm		109kW @ 3600rpm	96kW @ 3600rpm		109kW @ 3600rpm	109kW @ 3600rpm		109kW @ 3600rpm		109kW @ 3600rpm				
<b>Engine Torque</b>	320Nm @ 1800rpm		350Nm @ 1500rpm	320Nm @ 1800rpm		350Nm @ 1500rpm	320Nm @ 1800rpm		350Nm @ 1500rpm	320Nm @ 1800rpm		350Nm @ 1500rpm	350Nm @ 1500rpm		350Nm @ 1500rpm		350Nm @ 1500rpm				
<b>Roof Profile</b>	Low line			Low line			Low line			Low line			Low line		Low line		Low line				
<b>Wheel Base</b>	4.04m / 13'3"			4.04m / 13'3"			4.04m / 13'3"			4.04m / 13'3"			4.40m / 14'5"		4.40m / 14'5"		4.40m / 14'5"				
<b>Seat belts (inc. driver)</b>	2			2			2			4			2		2		4				
<b>Berths (Sleeping Positions)</b>	2			2			4			4			4		4		4				
<b>Overall Length (Excluding Ladder)*</b>	7.04m / 23'1"			7.04m / 23'1"			7.04m / 23'1"			7.04m / 23'1"			7.71m / 25'3"		7.71m / 25'3"		7.71m / 25'3"				
<b>Overall Width (Mirrors Folded)</b>	2.35m / 7'9"			2.35m / 7'9"			2.35m / 7'9"			2.35m / 7'9"			2.35m / 7'9"		2.35m / 7'9"		2.35m / 7'9"				
<b>Overall Height</b>	2.77m / 9'1"			2.77m / 9'1"			2.77m / 9'1"			2.77m / 9'1"			2.77m / 9'1"		2.77m / 9'1"		2.77m / 9'1"				
<b>Maximum Technical Permissible Laden Mass (A)</b>	3500kg			3500kg			3500kg			3500kg			4250kg		4250kg		4250kg				
<b>Mass in Running Order (B)</b>	3190kg	3207kg		3130kg	3147kg		3150kg	3167kg		3222kg	3239kg		3315kg	3332kg		3280kg	3297kg		3345kg	3362kg	
<b>Maximum User Payload (A-B)</b>	310kg	293kg		370kg	353kg		350kg	333kg		478kg	461kg		935kg	918kg		970kg	953kg		905kg	888kg	
<b>Essential Habitation Equipment</b>	8kg			8kg			8kg			8kg			8kg		8kg		8kg				
<b>Thermal Grade Insulation</b>	THREE			THREE			THREE			THREE			THREE		THREE		THREE				
<b>Maximum Recommended Trailer Weight</b>	2000kg			2000kg			2000kg			2000kg			2000kg		2000kg		2000kg				
<b>Gross Train Weight</b>	5500kg			5500kg			5500kg			5500kg			6000kg†		6000kg†		6000kg†				
<b>Front Double</b>				2.08m x 1.81m/1.33m / 6'10" x 5'11"/4'4"			2.08m x 1.23m/1.05m / 6'10" x 4'0"/3'5"						2.08m x 1.23m/1.05m / 6'10" x 4'0"/3'5"		2.08m x 1.05m / 6'10" x 3'5"		2.08m x 1.20m/1.05m / 6'10" x 3'11"/3'5"				
<b>Or Front Nearside Single</b>				1.93m x 0.71m / 6'4" x 2'4"																	
<b>And Front Offside Single</b>				1.81m x 0.71m / 5'11" x 2'4"																	
<b>Rear Double</b>	2.08m x 1.78m / 6'10" x 5'10"						1.90m x 1.30m / 6'3" x 4'3"			1.90m x 1.30m / 6'3" x 4'3"					1.88m x 1.33m / 6'2" x 4'4"		1.88m x 1.33m / 6'2" x 4'4"				
<b>Rear Nearside Single</b>	1.86m x 0.71m / 6'1" x 2'4"												1.89m x 0.71m / 6'2" x 2'4"								
<b>Rear Offside Single</b>	1.78m x 0.71m / 5'10" x 2'4"												1.89m x 0.71m / 6'2" x 2'4"								

**Notes**

- \* For optional roof ladder add 100mm to length
- 1. The Maximum User Payload includes:
  - a) the conventional load (this is the allowance for passengers)
  - b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
  - c) optional equipment (items available from the manufacturer over and above the standard specification)
  - d) personal effects (those items not covered by the above)
- 2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.
- 3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- 4. Warning - under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.
- † With this vehicle configuration it will be necessary to reduce the payload carried inside the van when towing a trailer at maximum trailer weight to ensure that the Maximum Gross Train Weight and maximum axle loads are not exceeded.



Key: Berths (sleeping positions) Seat belts (inc. driver)