



Powered by the greener and more fuel efficient Euro 5 Engine



Swift Motorhomes  
Dunswell Road, Cottingham  
East Yorkshire HU16 4JX  
Tel 01482 847332  
Fax 01482 841042  
email enquiry@swiftgroup.co.uk

For more information and to find your nearest retailer visit us at [www.swiftgroup.co.uk](http://www.swiftgroup.co.uk)



Escape

[www.swiftgroup.co.uk](http://www.swiftgroup.co.uk)



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued September 2012

# Escape

The award-winning Escape range, manufactured by the market leading Swift Group, provides the ideal starting point for anyone looking for their first new motorhome.

For 2013 the range gets a new up market all white exterior which is further enhanced with sporty blue and grey modern graphics.



Scatter cushions shown throughout brochure are no longer part of the specification



The latest Fiat 2.3 litre 130bhp Euro 5 Turbo diesel with 6 speed gearbox is now standard in all models, a big advantage over the lower powered competition. You can even specify the optional Comfort-Matic automatic gearbox for an even more relaxed driving experience.

With three high-line and one low-line model, the Escape is ideal for 'three generation families' as two of the models have four belted seats and two have six, ideal for children and grandchildren.



# Features and specification

## Key features

- Fiat Euro 5 130bhp engine 9% improvement in fuel economy and 7% lower CO<sub>2</sub> emissions than Euro 4 130bhp engine
- Fully integrated factory-fit Radio/CD/MP3 player with switch-off timing adjustable up to 3 hours
- Heavy duty chassis extensions ready for optional homologated towbar
- Electrically operated and tinted cab windows
- Remote central locking of cab doors and immobiliser with rolling code
- Thermal cab window covers
- One-piece, 5000 Series marine grade aluminium sidewalls
- Lap and diagonal seat belts on all designated passenger seats
- Secure positive catches on all furniture doors
- Seat tops with beech slats, spring-assisted for easy access (except travelling seats)
- Heavy duty, durable floor vinyl
- Removable carpets
- Heki rooflight in lounge area with flyscreen and adjustable pleated blind
- Combination thermostatic oven and grill with electronic ignition
- Three 230V sockets
- 300 Watt charger/transformer for 12V supply
- 70 amp-hour leisure battery in exterior access locker
- 65 litre internal fresh water tank with level sensor
- 68 litre waste water tank with level sensor
- New Thatcham approved tracker fitted as standard

## Additional features

### Chassis-Cab

- Fiat Chassis-cab
- ABS brakes with EBD (electronic brake force distribution)
- Variable power steering
- Adjustable steering wheel position
- Driver's airbag
- Headlamp height adjustment
- Lockable (Laptop PC size) central storage box
- Door pockets with bottle holders
- Two DIN sockets
- Driver and passenger seats in 622, 624, 696 & 686 models with:
  - Position and rake adjustment (driver's seat also has height adjustment)
  - Armrest
  - Full upholstered covers
  - Base surrounds

- Driver and passenger seats in 664 model with:
  - Position, height and rake adjustment
  - Swivels
  - Two armrests
  - Full upholstered covers
  - Base surrounds
- Cab carpet (removable)
- Fiat 'Fix and Go' puncture repair and tyre inflation kit
- Cab battery isolation switch to prevent discharge in storage

## Body and Exterior equipment

- Full wheel trims
- New Dynamic graphics coordinated with White cab
- Low energy LED exterior light.
- High gloss moulded skirts
- High gloss moulded lower rear panel
- High level brake light
- Exterior door with burstproof locking
- Single key for all habitation doors
- Stepwell and manually retractable step with buzzer warning
- Exterior access locker door - 664 model only
- 'Garage' door 696 model only
- Double glazed opening windows with night-latch ventilation
- Compartment for 2 x 7kg gas bottles
- Gas regulator fitted with stainless steel braided hose for improved reliability
- Fixing points for rear-mounted cycle rack
- 32mm 'sandwich' walls with HD polystyrene insulation core
- 32mm 'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with WBP plywood and Styrofoam insulation core
- Strong redwood body and floor framing

## Living Area

- 'Mali Acacia' woodgrain finish with trim details in leather look
- High resilience foam in seats and backrests (150mm/6")
- Sprung fixed bed mattress in 664 model
- 75mm/3" high resilience foam luton bed mattress (High-line models) and 696 bunk mattresses
- Removable aluminium ladder to the over-cab bed (High-line models)
- Kitchen rooflight with flyscreen and blind
- Cassette flyscreens and blinds on all windows
- Removable entrance mat

- Smoke alarm
- Carbon monoxide alarm
- Kitchen**
- Granite effect moulded kitchen sink
- New Dometic 8-Series, 85 litre automatic energy selection fridge with 230V, gas and 12V operation
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- 3 burner gas hob with electronic ignition
- Glass hob lid

## Washroom

- 35mm thick entrance door with domestic style mortice lock and handle
- Thetford C250 cassette toilet with electric flush and 18 litre wheeled holding tank
- Generously sized washbasin with two door cupboard
- Overhead towel locker
- Chrome finish brass mixer taps and shower taps
- Rooflight with flyscreen (686 & 696 only)
- Opening window (except 686 & 696)

## Heating and Plumbing

- Trumastore gas and electric water heater
- New Truma 3kW gas space heater
- Grade 2 classification for heating and thermal insulation (for low ambient temperatures)
- Pressurised fresh water system with self-priming pump & accumulator


## Electrical

- Mains consumer unit with mains isolators and 12V fuse board
- Large, easy to read 12V control panel near entrance doorway with controls for:
  - 12V power on/off
  - Battery selection and charge state
  - Water pump
  - Tank levels
- External aerial connection point in battery locker
- TV station with 230V and 12V sockets, aerial socket for connection to customer's own aerial.
- 25 metre mains hook-up cable

## Key options


- New Fiat Comfort-Matic automatic gearbox (only available in conjunction with Comfort Pack)
- Special Value Comfort Pack consisting of:**
  - New Cab air-conditioning
  - Electric entrance step with automatic drive-away retraction
  - Easy action concertina door flyscreen
  - Ultraheat dual fuel blown air heating system ducted to living, sleeping and washroom areas
  - Pleated windscreen blind

624




	Standard	Optional
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto
<b>Engine Capacity</b>	2287cc	
<b>Engine Power</b>	96kW @ 3600rpm	
<b>Engine Torque</b>	320Nm @ 1800rpm	
<b>Roof Profile</b>	High line	
<b>Wheel Base</b>	3.45m / 11'4"	
<b>Seat Belts (inc. driver)</b>	4	
<b>Berths (Sleeping Positions)</b>	5	
<b>Overall Length (Excluding Ladder)</b>	6.30m / 20'8"	
<b>Overall Width (Mirrors Folded)</b>	2.24m / 7'4"	
<b>Overall Height</b>	2.94m / 9'8"	
<b>Maximum Technical Permissible Laden Mass (A)</b>	3300kg	
<b>Mass in Running Order (B)</b>	2899kg	2916kg
<b>Maximum User Payload (A-B)</b>	401kg	384kg
<b>Essential Habitation Equipment</b>	9kg	
<b>Thermal Grade Insulation</b>	TWO	
<b>Maximum Recommended Trailer Weight</b>	1600kg*	
<b>Gross Train Weight</b>	4900kg	
<b>Front Double</b>	1.89m x 1.22m / 6'2" x 4'0"	
<b>Or Front Nearside Single</b>	1.85m x 0.68m / 6'1" x 2'3"	
<b>And Front Offside Single</b>	1.89m x 0.92m / 6'2" x 3'0"	
<b>Rear Double</b>	1.85m x 1.25m / 6'1" x 4'1"	
<b>Rear Nearside Single</b>		
<b>Rear Offside Single</b>		
<b>Overcab Bed</b>	2.08m x 1.37m / 6'10" x 4'6"	

664




	Standard	Optional
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto
<b>Engine Capacity</b>	2287cc	
<b>Engine Power</b>	96kW @ 3600rpm	
<b>Engine Torque</b>	320Nm @ 1800rpm	
<b>Roof Profile</b>	Low line	
<b>Wheel Base</b>	3.80m / 12'6"	
<b>Seat Belts (inc. driver)</b>	4	
<b>Berths (Sleeping Positions)</b>	4	
<b>Overall Length (Excluding Ladder)</b>	6.72m / 22'1"	
<b>Overall Width (Mirrors Folded)</b>	2.24m / 7'4"	
<b>Overall Height</b>	2.85m / 9'4"	
<b>Maximum Technical Permissible Laden Mass (A)</b>	3500kg	
<b>Mass in Running Order (B)</b>	2919kg	2936kg
<b>Maximum User Payload (A-B)</b>	581kg	564kg
<b>Essential Habitation Equipment</b>	9kg	
<b>Thermal Grade Insulation</b>	TWO	
<b>Maximum Recommended Trailer Weight</b>	1600kg*	
<b>Gross Train Weight</b>	5100kg	
<b>Front Double</b>	2.08m x 1.24m/0.93m / 6'10" x 4'1"/3'1"	
<b>Or Front Nearside Single</b>		
<b>And Front Offside Single</b>		
<b>Rear Double</b>	1.85m x 1.25m / 6'1" x 4'1"	
<b>Rear Nearside Single</b>		
<b>Rear Offside Single</b>		
<b>Overcab Bed</b>	2.08m x 1.37m / 6'10" x 4'6"	

686



	Standard	Optional
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto
<b>Engine Capacity</b>	2287cc	
<b>Engine Power</b>	96kW @ 3600rpm	
<b>Engine Torque</b>	320Nm @ 1800rpm	
<b>Roof Profile</b>	High line	
<b>Wheel Base</b>	4.04m / 13'3"	
<b>Seat Belts (inc. driver)</b>	6	
<b>Berths (Sleeping Positions)</b>	6	
<b>Overall Length (Excluding Ladder)</b>	6.92m / 22'8"	
<b>Overall Width (Mirrors Folded)</b>	2.24m / 7'4"	
<b>Overall Height</b>	2.94m / 9'8"	
<b>Maximum Technical Permissible Laden Mass (A)</b>	3650kg†	
<b>Mass in Running Order (B)</b>	3000kg	3017kg
<b>Maximum User Payload (A-B)</b>	650kg	633kg
<b>Essential Habitation Equipment</b>	9kg	
<b>Thermal Grade Insulation</b>	TWO	
<b>Maximum Recommended Trailer Weight</b>	1600kg*	
<b>Gross Train Weight</b>	5250kg	
<b>Front Double</b>	1.84m x 1.22m / 6'0" x 4'0"	
<b>Or Front Nearside Single</b>		
<b>And Front Offside Single</b>		
<b>Rear Double</b>	1.84m x 0.92m / 6'0" x 3'0"	
<b>Rear Nearside Single</b>	2.08m x 1.34m / 6'10" x 4'5"	
<b>Rear Offside Single</b>		
<b>Overcab Bed</b>	2.08m x 1.37m / 6'10" x 4'6"	

696







	Standard	Optional
<b>Fiat MultiJet Diesel Engine</b>	130	130 Auto
<b>Engine Capacity</b>	2287cc	
<b>Engine Power</b>	96kW @ 3600rpm	
<b>Engine Torque</b>	320Nm @ 1800rpm	
<b>Roof Profile</b>	High line	
<b>Wheel Base</b>	4.04m / 13'3"	
<b>Seat Belts (inc. driver)</b>	6	
<b>Berths (Sleeping Positions)</b>	6	
<b>Overall Length (Excluding Ladder)</b>	6.92m / 22'8"	
<b>Overall Width (Mirrors Folded)</b>	2.24m / 7'4"	
<b>Overall Height</b>	2.94m / 9'8"	
<b>Maximum Technical Permissible Laden Mass (A)</b>	3650kg†	
<b>Mass in Running Order (B)</b>	3002kg	3019kg
<b>Maximum User Payload (A-B)</b>	648kg	631kg
<b>Essential Habitation Equipment</b>	9kg	
<b>Thermal Grade Insulation</b>	TWO	
<b>Maximum Recommended Trailer Weight</b>	1600kg*	
<b>Gross Train Weight</b>	5250kg	
<b>Front Double</b>	2.08m x 1.36m / 6'10" x 4'6"	
<b>Or Front Nearside Single</b>		
<b>And Front Offside Single</b>		
<b>Rear Double</b>	1.84m x 0.92m / 6'0" x 3'0"	
<b>Rear Nearside Single</b>	1.96m x 0.75m / 6'5" x 2'6"	
<b>Rear Offside Single</b>	1.93m x 0.73m / 6'4" x 2'5"	
<b>Overcab Bed</b>	2.08m x 1.37m / 6'10" x 4'6"	



All 2013 Escapes are fitted with a Thatcham Approved Tracker Retrieve system as standard. Recognised by all UK Police forces, the unit is self powered and comes with an initial 3 month subscription which can be extended to 5 years on a single competitive payment.

- 3 burner gas hob, combination thermostatic oven and grill, all with electronic ignition
- Pressurised fresh water system with self-priming pump & accumulator
- Granite-look kitchen sink
- New Dometic 8-Series, 85 litre automatic energy selection fridge with 230V, gas and 12V operation
- Cab window blinds
- Seat tops with beech slats, spring-assisted for easy access (except travelling seats)
- Three 230V sockets
- Fully integrated factory fit Radio/CD/MP3 player with switch-off timing adjustable to 3 hours
- Heki rooflight in lounge area with flyscreen and adjustable pleated blind
- Cassette flyscreen and blinds on all windows
- Secure positive catches on all furniture doors
- 'Garage' door 696 model only



- Notes**
- \* With this vehicle configuration it will be necessary to reduce the payload carried inside the van when towing to ensure that the MTPLM and maximum axle loads are not exceeded.
  - † The MTPLM on the 686 and 696 can be downgraded to 3500kg with the removal of one rear seat prior to first registration. Consult your dealer for further information.
- The Maximum User Payload includes:
    - the conventional load (this is the allowance for passengers)
    - essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
    - optional equipment (items available from the manufacturer over and above the standard specification)
    - personal effects (those items not covered by the above)
  - The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.
  - Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motor caravan, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
  - Warning - under no circumstances should the maximum technical permissible laden mass of this motor caravan be exceeded.

Key: Berths (sleeping positions)   
 Seat belts (inc. driver)