

















Content



Show



P





















Further upgrades for 2013 include fitting the Truma Combi boiler which operates from both gas and 230V mains power for the hot water and blown air system and is controlled by a programmable, touch screen control panel, exclusive to Swift.

The size of a conventional water heater, it enables the space that previously housed the room heater to be used for additional storage.















Content



Zoom






















































Show Menu











Amazingly, Sterling designers have been able to massively increase the specification on top of these substantial reductions in weight. Top of the list of improvements is the Alde radiator central heating system, with touch screen controls, exclusive to the Swift Group. A first in this market sector.

Other improvements include a 20 Watt roof mounted solar panel, the latest 110 litre Dometic fridge with removable freezer compartment, new locker design and complimentary fabrics. With six single axle and one twin axle model there is a layout to suit every need.















Print



















































Content

Show Menu

Print

Zoom





brochure, designed to perfectly co-ordinate with your caravan is available from Jonic Ltd.

For full details visit www.jonic-uk.co.uk

For 2013 the Alde central heating and hot water system gets a user friendly touch screen control system that is exclusive to Swift. The latest Dometic fridges come with either a removable freezer compartment or a separate freezer depending on the model.

Keeping the leisure battery charged is made easy with the new roof mounted solar panel which delivers 20watts of power and the aerodynamic exterior, with distinctive panoramic roof window, continues to be the most stylish shape on the market.

The list of luxury, safety and practical features is almost endless. Infact these models are so complete that they are only missing one thing... you.

















Content



Menu



Print





Zoom











Features

All Sterling tourers come with an impressive array of features.





All Eccles SE and Elite models come fitted with the latest Alde radiator heating and hot water system for optimum comfort. All other models have the Truma Combi boiler for dual powered hot water and blown air heating.

All tourers in this brochure come fitted with the AL-KO ATC trailer control system as standard. This enhances the towing experience and provides extra safety

while towing at higher speeds. They also come with the added safety of the AL-KO


AKS 3004 stabiliser.



• protect All Swift Group tourers are fitted with the self powered Tracker Retrieve system. This is one of the most effective tracking systems available, recognised by all police forces. Powered by its own battery, it is ideal while the caravan is in use or in storage. Activation of the system is via a specially negotiated annual subscription.























- 1. Shock absorbers for a smoother towing
- 2. Step on hitch cover for easy cleaning of
- 3. Gas Regulator with stainless steel braided hose for improved reliability

 4. 20W roof mounted solar panel for enhanced
- independence (Except Sport models)
- 5. External shower point (Elite only)



- 6. BBQ point for alfresco cooking (Except Sport models)
- 7. Ventilated microwave oven with digital control built in at an easily accessible level
- 8. Dual fuel hob with 800W electric hotplate and 3 gas burners combined with separate grill and glass fronted oven
- Stylish and practical granite effect sink with removable drainer and pull up sink extension



- 10. Separate shower mixers with adjustable head positions
- ${\bf 11.}\ {\bf Bed}\ {\bf make}\text{-up}$ system with slats retained on
- track

 12. User friendly 12V control panel
- 13. Pull out chest of drawers with convenient front shelf pod
- Seat bases with spaceframe construction, full front access and space for larger items



- 15. Positive locker catches for secure storage on the move
- 16. Omnivent three speed, two way roof fan (Except Sport models)

 17. Rollo pleated blinds (Except Sport models)
- ALDE towel radiator in washroom (Model specific in Eccles SE models, not included in Sport models)
- 19. Low Energy lighting system featuring: - Over locker lights and LED task lighting - LED kitchen splash back panel and
- worktop drip lighting (Except Sport models)
- LED Low level lighting in end of beds (Except Sport models) LED backlights in washroom mirrors (Except Sport models)
- 20. 230V Exterior socket (Except Sport models)
- 21. 30 litre internal fresh water tank with additional pump for tank filling or direct feed to taps
 (Except Sport and single axle SE models)
- 22. Optional 'Impala' stain-resistant, easy clean seating fabric with soft nubuck texture


































Show






442




1 514



1111 544

1111 524



ŤŤŤŤ

| Berths | 2 | 4 | 4 | 4 |
|--|-----------------------------|-----------------------------|------------------------------|-----------------------------|
| Number of Axles | 1 | 1 | 1 | 1 |
| Internal Length (at bed box height) | 4.40m / 14' 5" | 5.23m / 17' 2" | 5.29m / 17' 4" | 5.60m / 18' 4" |
| Overall Width | 2.25m / 7' 5" | 2.25m / 7' 5" | 2.25m / 7' 5" | 2.25m / 7' 5" |
| Overall Height (inc. TV Aerial) * | 2.64m / 8' 8" | 2.65m / 8' 8" | 2.65m / 8' 8" | 2.65m / 8' 8" |
| Maximum Internal Headroom | 1.95m / 6' 5" | 1.95m / 6' 5" | 1.95m / 6' 5" | 1.95m / 6' 5" |
| Overall Length | 6.06m / 19' 11" | 6.88m / 22' 7" | 6.94m / 22' 9" | 7.25m / 23' 9" |
| Awning A/A Dimension | 8.79m / 28' 10" | 9.62m / 31' 7" | 9.68m / 31' 9" | 9.99m / 32' 9" |
| Mass in Running Order (inc. tolerance) | 1114kg / 21.9cwt | 1230kg / 24.2cwt | 1265kg / 24.9cwt | 1282kg / 25.2cwt |
| Maximum Technical Permissible Laden Mass | 1235kg / 24.3cwt | 1380kg / 27.2cwt | 1415kg / 27.9cwt | 1435kg / 28.2cwt |
| Total User Payload | 121kg / 2.4cwt | 150kg / 3.0cwt | 150kg / 3.0cwt | 153kg / 3.0cwt |
| Personal Effects Payload | 121kg / 2.4cwt | 150kg / 3.0cwt | 150kg / 3.0cwt | 153kg / 3.0cwt |
| Tyre Size | 185 R14C 102 Q | 185 R14C 102 Q | 185 R14C 102 Q | 185 R14C 102 Q |
| Thermal Insulation Grade | THREE | THREE | THREE | THREE |
| Front Double | 202cm x 180cm/6'8" x 5'11" | 202cm x 153cm / 6'8" x 5'0" | 202cm x 180cm / 6'8" x 5'11" | 202cm x 159cm / 6'8" x 5'3" |
| Or Front Nearside Single | 190cm x 72cm / 6'3" x 2'4" | 153cm x 72cm / 5'0" x 2'4" | 180cm x 72cm / 5'11" x 2'4" | 160cm x 72cm / 5'3" x 2'4" |
| And Front Offside Single | 180cm x 72cm / 5'11" x 2'4" | 160cm x 72cm / 5'3" x 2'4" | 190cm x 72cm / 6'3" x 2'4" | 160cm x 72cm / 5'3" x 2'4" |
| Rear Double | | 198cm x 133cm / 6'6" x 4'4" | | 191cm x 133cm / 6'3" x 4'4" |
| Side Single Offside | | | 180cm x 62cm / 5'11" x 2'0" | |
| Side Single Nearside | | | | |
| Side Bunk Nearside | | | | |
| Side Bunk Offside | | | 176cm x 59 / 5'9" x 1'11" | |
| Side Fixed Lower Bunk | | | | |
| Side Fixed Upper Bunk | | | | |
| | | | | |

Sterling Plus Points

You can be reassured when you buy a Sterling Caravan that they all come with the following market leading features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating
- and thermal insulation • 1.95m (6'5") headroom
- One-piece, 5000 Series marine grade aluminium sidewalls
- Higher tyre rating a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing
- · Step-on hitch cover for easy cleaning of front windows
- Gas regulator fitted with stainless steel
- braided hose for improved reliability
- High security entrance lock for peace of mind Aerial point in battery box for portable satellite dish connection
- TV station with 230V, 12V and aerial sockets (two in 586, 564 and 584 models)
- · Bed make-up system with slats retained
- on track
- full front access and space for larger items
- · Seat bases with spaceframe construction,

- Areas under beds and seats warmed by blown air system and underfloor ducting insulated to minimise heat loss
- · Front chest of drawers with convenient
- slide-out extending top Large dining table (960mm x 600mm) for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition

- Ventilated microwave oven with digital controls built at an easily accessible level
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- · Separate shower mixers with adjustable head
- High impact, scratch resistant floor lino
- Large capacity (15 litre) waste bin on
- lower door Freestanding solar panel connection
- (provision only)
- New Panoramic front sunroof now standard New Thatcham approved tracker fitted as

Additional Features

- Aerodynamic front in closed-mould GRP with wide front door
- Full height moulded rear panel
- Fully bonded roof for extra strength and Semi-recessed body colour awning rail
- both sides
- Overall body width 2.25m/7'41/9"
- AL-KO galvanised steel chassis with Euro-axle Al_-KO Euro overrun device with two-way
- assisted handbrake Exclusive alloy wheels
- Steel spare wheel and carrier
- 13-pin 'Jaeger' 12V car connector Status 530 directional digital and analogue
- TV aerial

 Fully double-glazed opening windows (no single-glazed cold areas)
- New LED awning light
- Exterior two-part door with interior moulded liner, window and blind
- Exterior access battery box with mains electric inlet (battery not included)
- Entrance step
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm 'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core

- New 'Italian Ash' woodgrain with

- cupboard
- sprung hinged tops for extra comfort and easy access
- adjustable concertina blind · Cassette flyscreens and blinds on
- · Multi-directional clear roof lights in
- Twin curtain track for improved hanging
- Sprung interior mattresses in fixed bed models
- maximise strength and storage space
- Two scatter cushions

- contemporary colouring and defined woodgrain texture with complementary
- · Granite effect kitchen sink with removable extension drainer
- Kitchen worktop extensions
- (except 524 and 636 models) · Cutlery drawer on smooth-action steel
- Two pull-out wire baskets in kitchen
- Door flyscreen with easy concertina action · Beech slat seat and bed bases with
- · Midi-Heki roof window with flynet and
- kitchens, bedrooms and washrooms
- and ease of use
- Fixed beds with steel bed frames to
- · Seat and backrest ventilation boards
 - separate grill

• Two bolster cushions

· Removable carpets

THREE

191cm x 133cm / 6'3" x 4'4"

· Retained embroidered entrance mat

TTTT

554

564

1111 584

1 1

5.60m / 18' 4" 5.60m / 18' 4" 5.83m / 19' 2"

1.95m / 6' 5" 1.95m / 6' 5" 1.95m / 6' 5"

7.25m / 23' 9" 7.25m / 23' 9" 7.48m / 24' 6"

9.99m / 32' 9" 9.99m / 32' 9" 10.22m / 33' 6"

1277kg / 25.1cwt 1290kg / 25.4cwt 1308kg / 25.7cwt

1430kg / 28.1cwt 1443kg / 28.4cwt 1464kg / 28.8cwt

192cm x 71cm / 6'4" x 2'4"

183cm x 75cm / 6'0" x 2'6"

THREE THREE

2.25m / 7' 5" 2.25m / 7' 5"

2.65m / 8' 8" 2.65m / 8' 8"

ŤŤŤŤ

585

- Thick washroom doors with domestic style locks and handles · Removable drainer with dedicated
- storage Food grade nylon chopping board with dedicated storage

Equipment New Truma dual fuel combi boiler

- with programmable timing for heating and hot water and touch screen control
- User-friendly large 12V control panel with battery selection, battery state meter and water pump circuit control
- Fully protected mains electric system • 25 Amp switchmode charger/
- Radio/CD/MP3 player with iPod
- New Thetford 113ltr fridge/freezer with electronic ignition, LED controls and a black effect finish
- Thetford C260 toilet with electric flush and 18 litre wheeled waste · Thetford thermostatic oven and

- Glass hob lid with safety cut-out Blown air ducted to living, sleeping and washroom areas
- · Isolation taps for gas appliances · Low energy over-locker lighting in

Factory-fit Option

Dealer-fit Options

AL-KO side lift jack

to drawer chest

bed lavouts

Alternative fabric scheme

AL-KO Secure wheel lock


Alarm system (infra-red with tilt

sensor and key-fob operation)

· Wrap-around seating in addition

· Coordinated bedding set for fixed

- seating and bedroom areas • Low energy LED lights in main
- habitation area (not washrooms) Four 230V sockets including twin in
- front shelf pod • 25 metre mains hook-up cable Safety and Security
- AL-KO ATC trailer stability contro fitted as standard
- AKS 3004 Stabiliser Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- CRiS indentity number etched to
- windows and caravan chassis Concealed security data chip within caravan construction
- High security entrance lock
- Carbon monoxide detector New Thatcham approved tracker fitted as standard




ŤŤŤŤŤŤ

586



ŤŤŤŤŤŤ

636



TTTTT

| 6 | 6 | 6 |
|------------------|----------------------------------|------------------|
| 1 | 1 | 2 |
| 5.60m / 18' 4" | 5.83m / 19' 2" | 6.27m / 20' 7" |
| 2.25m / 7' 5" | 2.25m / 7' 5" | 2.25m / 7' 5" |
| 2.65m / 8' 8" | 2.65m / 8' 8" | 2.62m / 8' 7" |
| 1.95m / 6' 5" | 1.95m / 6' 5" | 1.95m / 6' 5" |
| 7.25m / 23' 9" | 7.48m / 24' 6" | 7.93m / 26' 0" |
| 9.99m / 32' 9" | 10.22m / 33' 6" | 10.66m / 35' 0" |
| 1312kg / 25.8cwt | 1381kg / 27.2cwt | 1470kg / 28.9cwt |
| 1485kg / 29.2cwt | 1557kg / 30.6cwt 1650kg / 32.5cw | |
| 173kg / 3.4cwt | 176kg / 3.5cwt 180kg / 3.5cwt | |
| 4701 (0.4.) | 1701 (0.5.) | 1001 /05 1 |

153kg / 3.0cwt 153kg / 3.0cwt 156kg / 3.1cwt 153kg / 3.0cwt 153kg / 3.0cwt 156kg / 3.1cwt 173kg / 3.4cwt 176kg / 3.5cwt 180kg / 3.5cwt 185 R14C 102 Q 185 R14C 102 Q 185 R14C 102 Q 185 R14C 102 Q 195/70 R15C 104 R 185/70 R14 88 T THREE THREE $202 \text{cm} \times 159 \text{cm} / 6'8" \times 5'3" \qquad 202 \text{cm} \times 159 \text{cm} / 6'8" \times 5'3" \qquad 202 \text{cm} \times 159 \text{cm} / 6'8" \times 5'3" \qquad 202 \text{cm} \times 180 \text{cm} / 6'8" \times 5'11" \qquad 202 \text{cm} \times 180 \text{c$ $160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 180 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \qquad 190 \text{cm} \times 72 \text{cm} / 6'3" \times 2'4" \qquad 180 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \qquad 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'11" \times 2'11" \times 2'1$ $160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 160 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \qquad 180 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \qquad 180 \text{cm} \times 72 \text{cm} / 5'11" \times 2'4" \qquad 190 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \sim 190 \text{cm} \times 72 \text{cm} / 5'3" \times 2'4" \sim 190 \text{c$ 185cm x 133cm / 6'1" x 4'4" 180cm x 62cm / 5'11" x 2'0" 180cm x 67cm / 5'11" x 2'2" 176cm x 59cm / 5'9" x 1'11" 176cm x 59cm / 5'9" x 1'11"

180cm x 82cm / 5'11" x 2'8"

176cm x 59cm / 5'9" x 1'11" 183cm x 57cm / 6'0" x 1'10" 183cm x 57cm / 6'0" x 1'10" 181cm x 57cm / 5'11" x 1'10" 183cm x 57cm / 6'0" x 1'10" 183cm x 57cm / 6'0" x 1'10" 181cm x 56cm / 5'11" x 1'10"

> WEIGHTS: The method of calculating AWNING SIZES: Due to varying awning the Mass in Running Order (MRO) and user payload figures has changed in ord to bring it in line with European Vehicle designs and sizes the awning sizes given are approximate only. Specific awning sizes

Allowances for essential equipment (e.g., gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it just calculated in a different manner.

dimensions of their touring caravan be committing to anything that could be impacted by theses dimensions

BED SIZES: Please note that the front

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

must be confirmed by your dealer or awning manufacturer prior to purchase.

configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced b 0.4m (1'4") from that stated.

















Menu











Out














Eccles SE

Specification and Features







Topaz

Sterling Plus Points

You can be reassured when you buy a Sterling Caravan that they all come with the following market leading features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating
- and thermal insulation • 1.95m (6'5") headroom
- One-piece, 5000 Series marine grade aluminium sidewalls
- Higher tyre rating a minimum of 150kg
- extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing
- Step-on hitch cover for easy cleaning of front windows
- Gas regulator fitted with stainless steel braided hose for improved reliability
- Aerial point in battery box for portable satellite dish connection
- Two TV stations with 230V, 12V and aerial
- Bed make-up system with slats retained
- on track Seat bases with spaceframe construction. full front access and space for larger items
- · High security entrance lock for peace of mind
 - High impact, scratch resistant floor lino · Large capacity (15 litre) waste bin on
 - New 20 Watt solar panel fitted as standard

Areas under beds and seats warmed by Alde radiator system

• Front chest of drawers with convenient

Large dining table (960mm x 600mm) for

· Positive overhead locker catches for secure

Dual fuel hob with 800W electric hotplate

Ventilated microwave oven with digital

and 3 gas burners with electronic ignition

controls built at an easily accessible level

High flow rate in-board pump with chrome finish brass taps for reliable, high performance

Separate shower mixers with adjustable head

slide-out extending top

full-size place settings

storage on the move

water supply

- · Panoramic front sunroof
- New Thatcham approved tracker fitted as

Additional Features

Moonstone

MIII Solitaire

ŤŤŤŤ

Ruby

- New Exterior profile with Aerodynamic front in closed-mould GRP with wide
- · Full height moulded rear panel
- Fully bonded roof for extra strength
- and flatness Semi-recessed body colour awning rail both sides
- Panoramic front sunroof
- 2.25m (7'4½") overall width for a more spacious interior
- 25mm 'sandwich' side walls with HD polystyrene insulation core
- 32mm 'sandwich' roof with HD
- polystyrene core 44mm 'sandwich' floor with high rigidity Styrofoam core
- Wheel arches insulated with high density foam to prevent cold spots in storage
- New exclusive design alloy wheels
- · Heavy duty corner steadies all round, lockable at rear
- BBQ point
- Exterior two part door with interior moulded liner window and blind (45mm / 2" wider and 50mm / 3" taller than standard size)

- External access door under front
- Large external access door under fixed beds (model specific)

- ssisted handbrake

- New LED awning light with key fob control
- Entrance step
- Interior
- with new complementary fabrics
- spaceframe construction and new and chrome effect handles
- available in Amethyst & Moonstone)

- nearside seat
- Exterior access battery box and mains electric inlet (battery not included)
- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way
- 13-pin 'Jaeger' 12V car connector
- Spare wheel (steel) and underslung carrie

- Door flyscreen with easy concertina action
- 'Itailian Ash' woodgrain with contemporary colouring and defined woodgrain texture
- Overhead lockers with injection-moulded re-styled furniture doors with cream infill
- Granite effect kitchen sink with larger integrated drainer and removable extension drainer
- New Additional lift up sink extension (Not
- Heki 2 Deluxe large tilting panoramic roof window with flynet and pleated blind

- Multi-position 'Mini-Heki' or 'Midi-Heki' clear roof light with flyscreen and blind in kitchen, bedrooms and
- Pleated blinds and fly nets to all windows
- New Removable wear resistant harewood quality carpet
- 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models
- Lined washroom cubicle in all separate washrooms Fixed beds with steel frames to
- maximise strength and storage
- Hinged seat and bed tops supported in open position for easy
- New Access flaps in fixed bed surrounds and day seat ends
- Mattresses and seat cushions supported by beech slats for extra
- · Seat and backrest ventilation boards
- Two scatter cushions
- Twin curtain track for improved hanging and ease of use
- New Luxury curtains with double width fabric on all windows Food grade nylon chopping board dicated storag
- - worktop liahtina
 - mirrors
 - kitchen locker

- Slide-out storage rack
- New Second moulded cutlery drawer on smooth steel runne above fridge

202cm x 156cm / 6'8" x 5'1" 202cm x 156cm / 6'8" x 5'1" 202cm x 156cm / 6'8" x 5'9" 156cm x 72cm / 5'1" x 2'4" 156cm x 72cm / 5'1" x 2'4" 156cm x 72cm / 5'1" x 2'4" 176cm x 72cm / 5'9" x 2'4"

156cm x 72cm / 5'1" x 2'4" 156cm x 72cm / 5'1" x 2'4" 156cm x 72cm / 5'1" x 2'4" 186cm x 72cm / 6'1" x 2'4"

192cm x 130cm / 6'4" x 4'3" 194cm x 130cm / 6'4" x 4'3" 185cm x 133cm / 6'1" x 4'4" 192cm x 130cm / 6'4" x 4'3"

 32mm thick lightweight washroom door with metal domestic style handle

TTT Quartz

MM Amethyst

ŤŤŤŤŤŤ

6.27m / 20' 7"

10.64m / 34' 11"

1570kg / 30.9cwt**

1750kg / 34.4cwt**

180kg / 3.5cwt

180kg / 3.5cwt

180cm x 69cm / 5'11" x 2'3"

176cm x 59cm / 5'9" x 1'11"

185/70 R14 88 T

TTT Jade

- New Washroom hanging rail
- New Fabric blinds to washroom User friendly 12V control panel window (model specific) Equipment New ALDE radiator central heating and water heating with daily programming with LCD touch
- screen control and choice of 1KW, 2KW or new 3KW setting
- New ALDE towel radiator in washroom (except Amethyst) New 20 Watt solar panel fitted as

5.60m / 18' 4"

2.25m / 7' 5"

2.65m / 8' 8"

1.95m / 6' 5"

7.25m / 23' 9"

153kg / 3.0cwt

THREE

1342kg / 26.4cwt 1342kg / 26.4cwt**

9.96m / 32' 8"

153kg / 3.0cwt

185 R14C 102 Q 185 R14C 102 Q 195/70 R15C 104 R

1495kg / 29.4cwt**

- standard Low energy lighting system throughout with ambient over-locker lights, LED task lights and **new** low
- level night lights New LED back-lit acrylic sink splash back and kitchen under
- New LED backlights in washroom
- · LED down lighters set in plinth over

New Light in wardrobe

5.83m / 19' 2"

7.48m / 24' 6"

10.19m / 33' 5"

THREE

1357kg / 26.7cwt**

1513kg / 29.8cwt**

156kg / 3.1cwt

153kg / 3.0cwt

- Six 230V sockets including two in compact front shelf pod
- 30 litre internal fresh water tank (Twin Axles Only) with additional external pump for filling or direct feed to taps
- External 230V mains socket
- with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls, set in new decorative housing
- New 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment.
- black effect finish and digital controls Thermostatic oven and separate grill
 Carbon monoxide detector Glass hob lid with safety cut-out
- feature New Omnivent three speed, two way roof fan
- Thetford C260 toilet with 18 litre wheeled holding tank
- Inboard semi-rigid fresh water pipes
- Isolation taps for gas appliances • Large bore underslung rigid waste
- 25 Amp switchmode charger/

- Status 530 directional Digital / Analogue TV/FM aerial and booster Radio/CD/MP3 player with iPod/
- MP3 player connection • 25 metre mains hook-up cable
 - texture
- Safety and Security AL-KO ATC trailer stability control fitted as standard
- AKS 3004 Stabiliser Receiver for optional AL-KO Secure wheel lock
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction · High security entrance lock

Smoke alarm

- Passive infra-red alarm system with tilt sensor and key fob operation
- New Thatcham approved tracker

Find a mode To find a Sterling demonstration model visit swiftgroup.co.uk

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas payload allowance.

BED SIZES: Please note that the front double

bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated. AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning

- manufacturer prior to purchase.
- * The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.
- ** Estimated weight Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by theses dimensions

Factory-Fit Option • Alternative fabric scheme including the 'Impala' stain-resistant, easy-clean seating fabric with soft nubuck

Dealer-Fit Options

- AL-KO Secure wheel lock
 AL-KO side lift jack
- Wrap-around seating in addition to drawer chest
- Coordinated bedding set for fixed























Out
















Elite

Specification and Features





| Berths | 2 | 4 | 4 |
|--|-----------------------------|-----------------------------|-----------------------------|
| Number of Axles | 1 | 1 | 1 |
| Internal Length (at bed box height) | 4.74m / 15' 7" | 5.50m / 18' 1" | 5.60m / 18' 4" |
| Overall Width | 2.31m / 7' 7" | 2.31m / 7' 7" | 2.31m / 7' 7" |
| Overall Height (inc. TV Aerial)* | 2.62m / 8' 7" | 2.67m / 8' 9" | 2.67m / 8' 9" |
| Maximum Internal Headroom | 1.95m / 6' 5" | 1.95m / 6' 5" | 1.95m / 6' 5" |
| Overall Length | 6.46m / 21' 2" | 7.22m / 23' 8" | 7.32m / 24' 0" |
| Awning A/A Dimension | 9.12m / 29' 11" | 9.88m / 32' 5" | 9.98m / 32' 9" |
| Mass in Running Order (inc. tolerance) | 1355kg / 26.7cwt | 1517kg / 29.9cwt | 1516kg / 29.8cwt |
| Maximum Technical Permissible Laden Mass | 1480kg / 29.1cwt | 1670kg / 32.9cwt | 1670kg / 32.9cwt |
| Total User Payload | 125kg / 2.5cwt | 153kg / 3.0cwt | 154kg / 3.0cwt |
| Personal Effects Payload | 125kg / 2.5cwt | 153kg / 3.0cwt | 153kg / 3.0cwt |
| Tyre Size | 185 R14C 102 Q | 195/70 R15C 104 R | 195/70 R15C 104 R |
| Thermal Insulation Grade | THREE | THREE | THREE |
| Front Double | 207cm x 186cm / 6'9" x 6'1" | 207cm x 176cm / 6'9" x 5'9" | 207cm x 156cm / 6'9" x 5'1" |
| Or Front Nearside Single | 186cm x 72cm / 6'1" x 2'4" | 176cm x 72cm / 5'9" x 2'4" | 156cm x 72cm / 5'1" x 2'4" |
| And Front Offside Single | 186cm x 72cm / 6'1" x 2'4" | 186cm x 72cm / 6'1" x 2'4" | 156cm x 72cm / 5'1" x 2'4" |
| Rear Double | | | |
| Side Single Offside | | 180cm x 69cm / 5'11" x 2'3" | 192cm x 72cm / 6'4" x 2'4" |
| Side Single Nearside | | | 183cm x 73cm / 6'0" x 2'5" |
| Side Bunk Offside | | 176cm x 59cm / 5'9" x 1'11" | |

Diamond

Sterling Plus Points

You can be reassured when you buy a Sterling Caravan that they all come with the following market leading features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating
- and thermal insulation • 1.95m (6'5") headroom
- One-piece, 5000 Series marine grade ıminium sidewalls
- Higher tyre rating a minimum of 130kg
- extra load margin at 130kph (law permitting) Shock absorbers for a smoother towing
- Step-on hitch cover for easy cleaning of
- front windows
- Gas regulator fitted with stainless steel braided hose for improved reliability
- High security entrance lock for peace of mind
- · Aerial point in battery box for portable satellite dish connection • Two TV stations with 230V, 12V and aerial
- Bed make-up system with slats retained
- on track Seat bases with spaceframe construction, full front access and space for larger items

- Areas under beds and seats warmed by Alde radiator system
- Front chest of drawers with convenient slide-out extending top Large dining table (960mm x 600mm) for
- · Positive overhead locker catches for secure
- storage on the move
 Dual fuel hob with 800W electric hotplate
- and 3 gas burners with electronic ignition
- Ventilated microwave oven with digital
- controls built at an easily accessible level High flow rate in-board pump with chrome finish brass taps for reliable, high performance
- water supply Separate shower mixers with adjustable head
- positions High impact, scratch resistant floor lino
- · Large capacity (15 litre) waste bin on
- New 20 Watt solar panel fitted as standard
- · Panoramic front sunroof
- New Thatcham approved tracker fitted as

Additional Features

III Emerald


TITT Opal

ŤŤŤŤ

- Exterior
- 2.31m (7'7") overall width Metallic silver finish side walls
- · AL-KO Secure wheel lock (two on twin
- AL-KO side-mounted jack
- Panoramic front roof window with automotive style roof locker system as standard
- Full height front with wide door made with strong closed-mould GRP
- Rain water deflector over front windows incorporating brand badge
- Imposing rear panel with latest generation rear light clusters · Roof capping rails integrating with front
- and rear panels Semi-recessed body coloured awning
- channel on both sides Extra strong, thermally efficient 32mm thick fully bonded walls and roof
- 44mm 'sandwich' floor with pre-treated plywood and Styrofoam insulation core
- Wheel arches insulated with high density foam to prevent cold spots in storage
- Profiled side skirts in tough self coloured uPVC with integrated awning channel New exclusive design alloy wheels in glitter silver finish

- Heavy duty corner steadies all round lockable at rear
- BBQ point
- New External shower point
- Exterior two part door with interior moulded liner window and blind (45mm (2") wider and 50mm (3") taller than
- External access door under front nearside
- Large external access door under fixed
- AL-KO galvanised steel chassis with Euro
- sisted handbrake
- Spare wheel (steel) and underslung carrier
- . New LED awning light with key fob control • Entrance step
- Interior

- standard size)
- beds (model specific)
- Exterior access battery box and mains electric inlet (battery not included)
- AL-KO Euro overrun device with two-way
- 13-pin 'Jaeger' 12V car connector
- Exclusive shape double-glazed opening windows with night ventilation position
- Door flyscreen with easy concertina action
- 'Italian Ash' woodgrain with contemporary colouring and defined woodgrain texture with new complementary fabrics



Searcher

Amber

ŤŤŤŤ

Explorer

swift-talk.co.uk swiftgroup.co.uk

ŤŤŤŤ

Join us online Social Network for Caravan Enthusiast



WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner. BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by theses dimensions

- · Large overhead lockers with injection-moulded spaceframe construction and curved doors with new cream infill
- Granite effect kitchen sink with larger
 Removable sink drainer with integrated drainer and removable extension drainer
- Heki Deluxe large tilting panoramic roof window with flynet and pleated blind
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear roof light with flyscreen and blind (model specific)
- Removable wear resistant Harewood quality carpet
- 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models · Lined washroom cubicles in all
- Fixed beds with aluminium frames nise strength and storage
- space Hinged seat and bed tops supported in open position for easy
- New Access flaps in fixed bed surrounds and dayseat ends
- · Mattresses and seat cushions supported by beech slats for extra
- · Seat and backrest ventilation boards Two scatter cushions

- New Luxury curtains with double width fabric on all windows
- Twin curtain track for improved.
- dedicated storage · Food grade nylon chopping board with dedicated storage
 - Slide-out storage rack
 - New Additional cutlery drawer on smooth steel runner above fridge 32mm thick lightweight washroom
 - door with metal domestic style handle New Washroom hanging rail
 - · New Fabric blinds to washroom window (model specific)
 - Equipment ALDE radiator central heating
 - and water heating with daily programming, **new** LCD touch screen control and choice of 1kW,
 - ALDE towel radiator in washrooms New 20W solar panel fitted as
 - additional external pump for filling or direct feed to taps
 - 2kW or new 3kW setting
 - standard 30 litre internal fresh water tank with
 - Low energy lighting system throughout with ambient over-locker lights, LED task lights and **new** low level night lights

- New LED back-lit acrylic sink splash back and kitchen under worktop lighting
- New LED backlights in washroom LED down lighters set in plinth over
- Light in wardrobe Six 230V sockets including two in
- compact new front shelf pod Locker mounted eye level power supply unit & power management
- for easy access User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls set in decorative housing
- New 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls (190 litre in twin axles incorporating 35 litre freezer compartment)
- Thermostatic oven and separate grill
 AL-KO secure wheel lock Glass hob lid with safety cut-out
- New Omnivent three speed, two way roof fan Thetford C260 toilet with 18 litre
- wheeled holding tank Inboard semi-rigid fresh water pipes · Isolation taps for gas appliance

- Large bore underslung rigid waste 25 Amp switchmode charger/
- Status 530 directional Digital /
- Analogue TV/FM aerial and booster Radio/CD/MP3 player with iPod/
- MP3 player connection New Speakers in washrooms • 25 metre mains hook-up cable
- External 230V mains socket Safety and Security Al -KO ATC trailer stability contro
- fitted as standard AKS 3004 Stabiliser
- Passive infra-red alarm system with tilt sensor and key fob operation Smoke alarm
- Carbon Monoxide alarm CRiS identity number etched to windows and caravan chassis Concealed security data chip within
- caravan construction New Thatcham approved tracket fitted as standard

Factory-Fit Option

 Alternative fabric scheme including the 'Impala' stain-resistant eas clean seating fabric with soft nubuck

Dealer-Fit Options

bed layouts

- · Wrap-around seating in addition to drawer chest Dometic B2200 roof-mounted air
- conditioner (twin-axle models only) Coordinated bedding set for fixed



























Out











