"EVERY DAY'S A NEW EXPERIENCE."





1997 MODEL YEAR TOURING CARAVANS

EXPERIENCE A NEW WAY TO TRAVEL."

Travel is all about experiencing something new. Something exciting, something that will

really take your breath away. With Elddis, that experience begins as soon as you enter the showroom. We've been refining the art of caravan design for over thirty

years, and our new range for 1997 offers the very best in style, dependability, and quality. After all, it's our belief that our customers are as proud of their caravans as they are of their homes. All our caravans carry many luxury features as standard,

so whatever your budget, you can be assured that your caravan is packed with value for money.

And we only use the finest materials and fittings, assembled with the highest levels of craftsmanship. So whether you're a confirmed enthusiast, or you just

enjoy taking the occasional weekend trip, an Elddis caravan will be your home from home, wherever you go.



"THE CARAVAN YOU'RE LOOKING FOR."

Elddis has created three superb ranges of caravans to cater for a wide variety of customers. Each comes with an enormous range of features, fixtures and fittings, so whichever way you look at it, the choice is outstanding. We think you'll find the caravan you really want, whether it's your first or you've decided to move onto one of



our top of the range models.

As much thought goes into choosing our dealers as building our caravans. That's why you'll always receive excellent first-class service, whether it's before or after purchase, from a dealer who knows your Elddis caravan inside out. A comprehensive 12 month warranty ensures you have peace of mind and all our tourers additionally include a 3 year body seal warranty. With Elddis you can be sure your caravanning will always be carefree.







The Elf is a compact caravan packed with all the features of a much larger model. The exterior design mirrors the Vogue in style and colour. With seven

Vogue models to choose from, the range has something for everyone.

Storage areas have been designed to give maximum capacity whilst occupying the minimum amount of room, and features such as 4-burner hobs and Fanmaster heating are fitted as standard.

For our 1997 caravans, we have aimed to reduce weight wherever possible, while maintaining competitive pricing and superb levels of product specification. New soft furnishings have been installed, including new Swish Visa Plus curtain tracks to provide a much neater hang. So even when you're travelling off the beaten track, you'll travel

in style and absolute comfort.






"ELF AND VOGUE RANGE SPECIFICATIONS."


Model - Elf & Vogue 1997	Ef	Whirlwind	Mistral	Hurricane	Shamal	Slipstream	Typhoon	Cyclone
Number of Berths	2	2	2	2	4	4	4	5
Body Length mm (ins)	3542 (11'7 1/4")	3655 (12'0")	4034 (13'2")	4552 (14'11")	4454 (14'7")	4752 (15'7")	5047 (16'6 1/4")	5047 (16'6 3/4")
Shipping Length	4980 (16'4")	505B (16'7")	5470 (17"11 '/±")	5995 (19'8")	5907 (19'4 ½")	6195 (20'4")	6500 (21'3 1/2")	6500 (21' 3 ½")
Overall Width mm (ins)	1980 (6'6")	2083 (6'10")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")
Overall Height mm (ins)	2394 (7'10 1/4")	2394 (7'10 '/4")	2410 (7'11")	2410 (7"11")	2410 (7'11")	2410 (7'11")	2410 (7"11")	2410 (7'11")
Max Headroom mm (ins)	1867 (6'1 '/2")	1867 (6'1 1/2")	1867 (6'1 1/2")	1867 (6'1 1/2")	1867 (6' 1 1/1")	1867 (6"1 1/2")	1867 (6' 1 1/2")	1867 (6' 1 1/2")
Interior Width mm (ins)	1832 (6'0")	1932 (6'4")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")
Wheel Rim	4 1/2/13	4 1/2/13	4 1/2/13	5.113	5J13	5/13	5113	5)13
Tyre Size	155RR13/165SR13	165 RR13/175 SR13	165 RR13/175 SR13	175C 6 PLY	175C 6 PLY	175R6PLY	175C 6 PLY	175C 6 PLY
Tyre Pressure	42/36 PSI	45/36 PSI	45/36 PSI	44 PSI	44 PSI	45 PSI	50 PSI	50 PSI
Brake Size	200/50	200/50	200/50	200/50	200/50	230/50	200/50	200/50
Hitch Ball Height Fully Laden	422	422	427	427	427	427	437	437
Awning Sizes Ground to Ground mm	7397	7460	7930	8430	8330	8630	8950	8950
Bed Sizes Option 1	1 x Single 1880 x 610 (6'2" x 2'0") 1 x Single 1778 x 610 (5"11" x 2'0")	2 x Single 1830 x 650 (6'0" x 2'2")	2 x Single 1880 x 673 (6'2" x 2'2")	1 x Single 1880 x 673 (6'2" x 2'2") 1 x Single 1830 x 673 (6'0" x 2'2")	2 x Single 1854 x 673 (61" x 2'2") 1 x Single 1980 x 685 (6'6" x 2'2") 1 x Single 1980 x 584 (6'6" x 1'9")	2 x Single 1830 x 610 (6'0" x 2'0") 1 x Double 1980 x 1435 (6'6" x 4'8")	2 x Single 1880 x 673 (6"2" x 2'2") 1 x Double 1830 x 673 (6"0" x 2'2") 2 x Single 1830 x 609 (6"0" x 2'0")	2 x Single 1880 x 673 (6'2" x 2'2") 1 x Double 1980 x 1219 (6'6" x 4'0") 1 x Single 2000 x 584 (6'6" x 1'9")
Bed Sizes Option 2	1 x Double 1800 x 1400 (6'0" x 4'7")	1 x Double 1880 x 1422 (6'2" x 4'8")	1 x Double 1980 x 1422 (6'6" x 4'8")	1 x Double 1980 x 1422 (6'6" x 4'8")	1 x Double 1980 x 1420 (6'6" x 4'8") 1 x Single 1980 x 685 (6'6" x 2'2") 1 x Single 1980 x 584 (6'6" x 1'9")		1 x Double 1980 x 1422 (6'6" x 4'8") 2 x Single 1830 x 610 (6'0" x 2'0")	1 x Double 1980 x 1422 (6'6" x 4'8") 1 x Double 1980 x 1219 (6'6" x 4'0") 1 x Single 2000 x 584 (6'6" x 1'9")
Max Authorised Weight Kg (cwt)	900 (17.7)	950 (18.7)	1050 (20.7)	1100 (21.6)	1100 (21.6)	1100 (21.6)	1250 (24.6)	1250 (24.6)
Ex Works Weight Kg (cwt)	718 (14.2)	738 (14.5)	805 (15.8)	855 (16.8)	875 (17.2)	855 (16.8)	945 (18.6)	975 (19.2)
Carayan Allowable Payload + 3% Kg (cwt)	160 (3.2)	190 (3.8)	220 (4.4)	219 (4.3)	198 (3.9)	219 (4.3)	276 (5.5)	245 (4.8)


Tyres: RR = Reinforced Radial. SR = Standard Radial


Ex-works weights may vary +/- 3%. Caravan allowable payload has been calculated by adding 3% to ex-works weight.


"1997 ELF AND VOGUE RANGE PLOOR PLAN KEY."




















- A Dinette/Double Bed
- B Dinette/Single Bed with Bunk Over
- BB Gas Bottle Locker
- C Single Bed
- F Dinette/Double Bed with Bunk Over
- G Table
- GG Table Storage Unit
- HH 4 Burner Hob & Grill
- I Pull Out Bed
- J Sink & Drainer
- K Wardrobe
- L Chest of Drawers
- M Wall Lockers
- MV Mushroom Vent
- N Shelf
- O Toilet Compartment
- P Rooflight
- PP Porta Potti
- Q Dividing Curtain
- R Cocktail Cabinet
- RR Crockery Locker
- S Cupboard
- T Heater
- TT Battery Box
- U Fridge
- V Oven
- W Shower
- X Folding Door
- Y Water Heater
- Z Vanity Unit
- ZZ Shower/Dressing Room

"THE EXZOD RANGE."





Is it any wonder that the EX300
Hurricane won a Design Award? One look
at the spacious layouts and generous
specifications should tell you that the EX300
range really is in a class of its own. Great care
and attention has been lavished on internal
features, with handcrafted furniture and
many practical touches such
as removeable carpets.

The Carver Cascade Rapid gas electric water heater means you will have hot water always on tap whenever you want it and a Fanmaster heating system will ensure a warm night whatever the weather. With eight different models to choose from, the EX300 range offers an ideal opportunity for the discerning caravanner to taste the very best in travelling from Elddis.







Model - EX300 1997	Whirlwind	Mistral	Gulfstream	Hurricane S	Hurricane	Jetstream	Cyclone	Typhoon
Number of Berths	2	2	2	2	2	4	5	4
Body Length mm (ins)	3782 (12'5")	4034 (13'2")	4306 (14'1 1/2")	4552 (14'11")	4752 (15'7")	5047 (16'6 3/4")	5147 (16'10 '/2")	5147 (16'10 1/2")
Shipping Length	5235 (17'2")	5470 (17'11 '/:")	5742 (18'10")	5995 (19'8")	6195 (20'4")	6500 (21'3 1/2")	6600 (21' 7 1/4")	6600 (21' 7 3/4")
Overall Width mm (ins)	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")	2184 (7'2")
Overall Height mm (ins)	2564 (8'4 1/2")	2580 (8'5 1/2")	2580 (8'5 1/2")	2580 (8'5 1/2")	2580 (8'5 1/1")	2580 (8'5 1/1")	2580 (8'5 1/2")	2580 (8'5 1/2")
Max Headroom mm (ins)	1867 (6"1 1/2")	1867 (6'1 1/2")	1867 (6'1 1/2")	1867 (6'1 1/2")	1867 (6' 1 1/2")	1867 (6' 1 ¹ /1")	1867 (6" 1 1/2")	1867 (6"1 1/2")
Interior Width mm (ins)	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")	2032 (6'8")
Wheel Rim	4 1/2113	4 1/2/13	4 1/113	5/13	5113	5113	5/13	5113
Tyre Size	165 RR13/175 SR13	165 RR R13/175 SR13	165 RR R13/175 SR13	175SR 6 PLY	175SR 6 PLY	175SR G PLY	175SR 6 PLY	175SR 6 PLY
Tyre Pressure	45/36 PSI	45/36 PSI	45/36 PSI	44 PSI	47 PSI	50 PSI	50 PS1	50 PSI
Brake Size	200/50	200/50	200/50	200/50	200/50	200/50	200/50	200/50
Hitch Ball Height Fully Laden (mm)	422	427	427	427	427	437	437	437
Awning Sizes Ground to Ground (mm)	7637	7930	B202	8430	8630	8950	9050	9050
Bed Sizes Option 1	1 x Single 1880 x 698 (6'2" x 2'2") 1 x Single 1809 x 698 (6'0" x 2'2")	2 x Single 1880 x 699 (6"2" x 2'2")	1 x Single 1905 x 698 (6'4" x 2'2") 1 x Single 1805 x 698 (6'0" x 2'2")	1 x Single 1880 x 698 (6'2" x 2'2") 1 x Single 1812 x 698 (6'0" x 2'2")	1 x Single 1880 x 698 (6'2" x 2'2") 1 x Single 1805 x 698 (6'0" x 2'2")	2 x Single 1830 x 698 (6'0" x 2'2") 2 x Single 1830 x 610 (6'0" x 2'0")	1 x Single 1850 x 698 (61" x 2'2") 1 x Single 1880 x 698 (6'2" x 2'2") 1 x Single 2032 x 572 (6'6" x 1'9") 1 x Double 2032 x 1220 (6'6" x 4'0")	1 x Single 1862 x 698 (6'0" x 2'2") 1 x Single 1830 x 698 (6'0" x 2'2") 2 x Single 1800 x 630 (6'0" x 2'0")
Bed Sizes Option 2	1 x Double 2032 x 1422 (6'6" x 4'8")	1 x Double 2032 x 1422 (6'6" x 4'8")	1 x Double 2032 x 1422 (6'6" x 4'8")	1 x Double 2032 x 1422 (6'6" x 4'8")	1 x Double 2032 x 1422 (6'6" x 4'8")	1 x Double 2032 x 1400 (6'6" x 4'7") 2 x Single 2032 x 610 (6'6" x 2'0")	1 x Single 1850 x 698 (6'6" x 1'9") 1 x Double 2032 x 1422 (6'6" x 4'8") 1 x Double 2032 x 1220 (6'6" x 4'0")	1 x Double 2032 x 1422 (6'6" x 4'8") 2 x Single 1800 x 630 (6'0" x 2'0")
Max Authorised Weight Kg (cwt)	1050 (20.7)	1050 (20.7)	1100 (21.6)	1100 (21.6)	1200 (23.6)	1250 (24.6)	1250 (24.6)	1250 (24.6)
Ex Works Weight Kg (cwt)	820 (16.2)	835 (16.4)	865 (17.0)	880 (17.4)	940 (18.5)	980 (19.3)	995 (19.6)	980 (19.3)
Caravan Allowable Payload +3% Kg (cwt)	205 (3.9)	190 (3.7)	209 (4.1)	193 (3.7)	232 (4.5)	240 (4.7)	225 (4.4)	240 (4.7)


Tyres: RR = Reinforced Radial. SR = Standard Radial


Ex-works weights may vary +/- 3%. Caravan allowable payload has been calculated by adding 3% to ex-works weight.


"1997 EX300 RANGE FLOOR PLAN KEY."











- A Dinette/Double Bed
- B Dinette/Single Bed with Bunk Over
- BB Gas Bottle Locker
- C Single Bed
- F Dinette/Double Bed with Bunk Over
- G Table
- GG Table Storage Unit
- HH 4 Burner Hob & Grill
- I Pull Out Bed
- J Sink & Drainer
- K Wardrobe
- L Chest of Drawers
- M Wall Lockers
- MV Mushroom Vent
- N Shelf
- O Toilet Compartment
- P Rooflight
- PP Porta Potti
- Q Dividing Curtain
- R Cocktail Cabinet
- RR Crockery Locker
- S Cupboard
- T Heater
- TT Battery Box
- U Fridge
- V Oven
- W Shower
- X Sliding Door
- Y Water Heater
- Z Vanity Unit
- ZZ Shower/Dressing Room





The Crusaders are at the very top of the Elddis range, offering a luxurious specification for the all year round user, who appreciates every home comfort. A magnificent interior complete with quality fabrics is complemented by a spacious, fully equipped kitchen, fitted with the new Stoves oven, hob and grill.

In addition, blown air heating comes as standard, as does an award

winning washroom layout. And for a taste of the ne plus ultra in caravan aesthetics, savour the Crusader Super Storm, with its new five berth layout and dinette. Whether it is the Sirocco, the Storm, or the Super Storm, for caravanning in its most refined form, the Crusader range is hard to beat. It sums up what travelling with Elddis

is all about: luxury, relaxation

and pure pleasure.






CRUSADER RANGE SPECIFICATIONS.


Model - Crusader 1997	Sirocco	Storm	Super Storm	
Number of Berths	4	44	5	
Body Length mm (ins)	5968 (19'7")	5968 (19'7")	6350 (20'9 1/2")	
Shipping Length	7411 (24'3 1/2")	7411 (24'3 1/2")	") 7706 (25' 3 ¹ /4")	
Overall Width mm (ins)	2259 (7'5")	2259 (7'5")	2259 (7'5")	
Overall Height mm (ins)	2641 (8'8")	2641 (8'8")	2641 (8'8")	
Max Headroom mm (ins)	1905 (6'3")	1905 (6'3")	1905 (6'3")	
Interior Width mm (ins)	2107 (6"11")	2107 (5"11")	2107 (6"11")	
Wheel Rim	4 1/21	4 1/1	4 1/2)	
Tyre Size	155SR 13	155SR 13	155SR 13	
Tyre Pressure	35 PSI	35 PSI	35 PSI	
Brake Size	200/50	200/50	200/50	
Hitch Ball Height Fully Laden	409	409	409	
Awning Sizes Ground to Ground mm	9770	9770	10175	
Bed Sizes Option 1	1 x Single 1800 x 720 (6'0" x 2'4") 1 x Double 1830 x 1400 (6'0" x 4'7") 1 x Single 1830 x 720 (6'0" x 2'4")	2 x Single 1880 x 720 (6'2" x 2'4") 2 x Single 1830 x 610 (6'0" x 2'0")	2 x Single 1880 x 720 (6'2" x 2'4") 1 x Single 1730 x 585 (5'6" x 2'0") 1 x Single 1830 x 720 (6'0" x 2'4") 1 x Single 1830 x 800 (6'0" x 2'5")	
Bed Sizes Option 2	1 x Double 1830 x 1400 (6'0" x 4'7") 1 x Double 2030 x 1422 (6'6" x 4'8")	1 x Double 2030 x 1422 (6'6" x 4'8") 2 x Single 1830 x 610 (6'0" x 2'0")	1 x Double 2030 x 1422 (6'6" x 4'8") 1 x Single 1730 x 585 (5'6" x 2'0") 1 x Single 1830 x 720 (6'6" x 2'4") 1 x Single 1830 x 800 (6'0" x 2'6")	
Max Authorised Weight Kg (cwt)	1600 (31.5)	1600 (31.5)	1600 (31.5)	
Ex Works Weight Kg (cwt)	1241 (24.5)	1262 (24.8)	1316 (25.9)	
Caravan Allowable Payload +3% Kg (cwt)	321 (6.3)	300 (5.9)	244 (4.8)	


Tyres: RR = Reinforced Radial. SR = Standard Radial

Ex-works weights may vary +/-3%. Caravan allowable payload has been calculated by adding 3% to ex-works weight.

"1997 CRUSADER RANGE FLOOR PLAN KEY."







- A Dinette/Double Bed
- AL Access Locker
- B Dinette/Single Bed with Bunk Over
- BB Gas Bottle Locker
- C Single Bed
- CC Single Bed with Bunk Over
- CCC Dinette Single
- DB Double Bed
- F Dinette/Double Bed with Bunk Over
- G Table
- GG Table Storage Unit
- HH 4 Burner Hob & Grill C/W Spark Ignition & Flame Failure Device
- Pull Out Bed
- J Sink & Drainer
- K Wardrobe
- L Chest of Drawers
- M Wall Lockers
- MV Mushroom Vent
- N Shelf
- O Toilet Compartment
- P Rooflight
- PP Porta Potti
- Q Dividing Curtain
- R Cocktail Cabinet
- RR Crockery Locker
- S Cupboard
- T Heater
- TT Battery Box
- U Fridge
- V Oven
- 141 01
- W Shower
- X Folding Door
- Y Water Heater
- Z Vanity Unit
- ZZ Shower/Dressing Room

RANGE CHECKLIST"

	VOGUE	ELF	EX300	CRUSADER
3 years body seal warranty	•		•	
Aerodynamic shaped front with integral handles		•		•
Front panel with 3 opening windows	- E• 1/2		•	•
Awning light, rail and skirt rail	•			
Colour co-ordinated wheel trims			The April 19 Carlo	
Moulded 1 piece wraparound rear light panel		•		•
Reversing light			HIE.	•
High level brake light				
Lockable front storage compartment		•		•
Lockable battery compartment			•	
Lockable corner steadies		•		
Roof mounted t.v. aerial with booster	O		•	•
Window in deer with blind				•
Sprung interior upholstery	•	•	•	•
Hardwood framed furniture doors			• 1	
12v t.v. socket and aerial socket	•	•	•	E
Upholstered pelmet with clock			-	
Oven	0	•		
4 burner hob & grill with glass lid	*			
Push fit plumbing system	•			
Electrolux refrigerator (litres)	70	70	70	π
Carver Fanmaster blown air ducted heating				
Carver Cascade gas/electric hot water system & shower	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Shower tray, vanity unit & cassette toilet				
In board water tank				
Mains input & circuit breaker	•			
Electric distribution panel	•			
3 amp sockets	B 2 2 9 5 1 1 1 1	•	•	
Courtesy light switch in doorway				•
Cassette blinds & flyscreens to windows	•			
Flyscreen to door	0		0	

[•] Standard · Optional



Elddis Caravans (Consett) Ltd, Delves Lane, Consett, Co. Durham DH8 7LG.

Once you have decided which Elddis suits you best you can decide how to buy it. Your dealer will be able to provide information about credit finance with options to suit your requirements.

Elddis Caravans (Consett) Ltd reserves the right to alter specifications, prices and model ranges as materials and conditions demand and can accept no responsibility for discrepancies between this information and subsequent models.

Household items have been used to enhance interior photography, e.g. vases of flowers, creckery, cutlery, trilletry articles and bedding. These are not available with the caravan.