





Designed to last



From the time the very first Swift model rolled off the production line over 26 years ago, innovative design and quality of construction have been the hallmark of the company.

All Swifts are built to stand the test of time and an excellent resale value is testimony to their ongoing popularity over the years.



Today, Swift Caravans has grown from being one of the pioneers of modern caravan manufacturing techniques to become one of the leading companies producing leisure vehicles in Europe.

It is part of the Swift Group, which includes Swift Motorhomes, the UK's top coachbuilt motorcaravan manufacturers, together with companies involved in plastics manufacturing and transport.

The Group's 26 acre production complex at Cottingham in North Humberside bristles with all the latest high technology design and production equipment, making it the envy of the European caravan industry.

This has transformed the way the modern caravan is conceived and manufactured.

Starting at the design stage, a powerful CAD computer system, produces everything from initial concepts to final drawings for the production lines. It provides the designers with hundreds of options, many in three dimensions, enabling them to picture the Swift tourers of tomorrow, without a panel being built. Adjustments and refinements can be made at the touch of a computer key.

In days gone by it would have been necessary to build a prototype of every design option. Now it can be produced in a fraction of the time on the computer screen, such is the pace of progress and the quest for quality.

Even in construction the computer has come into its own. The factory floor boasts the latest computer numerically controlled machines, producing the finest quality furniture, and many other vital components, all under Swift's direct control.



Quality built-in



Years of experience and craftsmanship is built into every Swift product, experience that has gained the company the reputation for making the best quality touring caravans in Europe.

The best products deserve the best dealers, and Swift's nationwide network are all hand picked to ensure the standard of quality built into each caravan is matched by the standard of service provided by every Swift dealer.

A service that is supported by a factory operated after sales scheme, designed to provide the Swift customer with an after sales service par excellence.

Purpose built after sales delivery vehicles provide dealers with a round the year supply of spare parts. And with dealer staff attending regular product knowledge and after sales service courses at the company's purpose built £350,000 training centre, every Swift customer is assured of the most informed attention and service



when buying a new caravan.

The 1991 range is the largest and most comprehensive ever produced by Swift. Starting off the year are 20 models from the Swift, Corniche, Challenger and Conqueror ranges. By early 1991 there will also be an exciting new, value for money, 5 model Rapide range, and a 2 model, luxury Celeste range, proving the ultimate in two berth comfort.

Choose your own style and your own level of comfort.

A perfect combination of design, quality of construction and choice of models puts the 1991 range from Swift at the top of every caravanners list.



Inside every Swift there is a story of craftsmanship, attention to detail and years of experience, supporting the company's reputation for building a better touring caravan.

Many of the more important points are hidden from the eye, but are just as important as the more obvious features. This cut away sectional view of a Challenger 470/2SE illustrates some of these points.

The inside story

Swift has a policy of continuous product development, and the designers scrutinize information from a wide variety of sources before selecting items to enter into the development programme.

Important sources for this information are comments from existing Swift owners, suggestions from the company's dealers, and an ongoing market research programme.



ALL-ROUND INSULATION

Floors that are 44mm thick, walls 24mm thick and a roof 31mm thick provides superior strength and insulation.

SAFETY

Luxury fitted kitchen with friction hinges to the hob work top to make sure it stays safely in place.


SECURITY

Double glazed windows across the full width, many with integral blinds and flyscreens.

STYLE

Front GRP mouldings provide style with practicality. Integral bottle box holders with one piece GRP floors (not Swift) also house a wheel brace, jack handle and optional spare wheel.





PERFORMANCE

Lightweight chassis with wide track axle for optimum safety and performance.

PRACTICALITY

Ventilation boards behind seat rests and slatted bed box construction to banish condensation.

No idea or suggested improvement is too small to consider. Examples of this are well illustrated in the more detailed model improvements across the range for 1991.

Little things like counter balance hinges on hob work surfaces, for safe easy use.

Door mats that sit in their own recessed floor well and have a built in dust brush out facility.

And side marker lights and more reflectors to make your caravan stand out after dark.



All practical points to make your holiday more relaxing.

All Swift products have been generally upgraded to meet European safety standard ISO 8818, and all power packs now also conform to European standards of performance and safety.

Another illustration of advanced planning for 1992 and particularly relevant as a growing number of Swift owners spend their holidays abroad.



The all new Rapide sets new standards in style and value for money bringing the renowned Swift quality of construction and standard of finish within the range of anyone looking for a new caravan.

There is no longer any need to compromise. Swift models now cover the complete market, from the value for money Rapides to the super luxury, twin axle Conqueror.

Innovative style, renowned quality of construction and finish, the finest attention to detail, a superb re-sale value and a loyal following from caravanners of all ages, are all synonymous with the Swift name.

Needless to say, they are also what makes the new Rapides extra special.

They have more style. The front is a one piece acrylic capped ABS panel, to enhance the aerodynamics. To provide the optimum balance, the gas bottle locker is now centrally positioned.

They have more strength. The best sandwich construction techniques combined with a galvanised lightweight chassis provides the ultimate combination of strength and performance.

They have more luxury. Inside the Rapides have top quality furniture, a luxury fitted kitchen with Electrolux fridge, a Carver 1800 heater, mains electrics and even a shower tray in the washroom. There is also an optional cassette toilet and hot water system.

They offer more choice. There are five models including a 2 berth model, all based on popular layouts to suit every need.

THE RAPIDE RANGE










RAPIDE	Internal Length (At bed box height)	Overall Width	Overall Height	Overall Length	Ex Works Weight +/-5%	Maximum Loading
380/2	3.84m/12'7"	2.13m/7'0"	2.51m/8'3"	5.10m/16'9"	665kg/13.1cwt	185kg/3.6cwt
430/4	4.43m/14′6″	2.13m/7'0"	2.51m/8'3"	5.70m/18'8"	725kg/14.3cwt	225kg/4.5cwt
440/4	4.50m/14′9″	2.13m/7'0"	2.51m/8'3"	5.75m/18'10"	745kg/14.7cwt	205kg/4.0cwt
450/5	4.50m/14′9″	2.13m/7'0"	2.51m/8'3"	5.75m/18'10"	755kg/14.9cwt	195kg/3.8cwt
490/5	4.90m/16'1"	2.13m/7'0"	2.51m/8'3"	6.15m/20'2"	820kg/16.1cwt	240kg/4.7cwt

The new Rapides offer more quality for less than you would expect. So don't compromise when you can have affordable quality the Swift way.


MAIN FEATURES


- Aerodynamic acrylic capped ABS front panel
- Opening front window
- Full double glazing
- Lightweight galvanised chassis
- Bonded construction walls, floor and roof
- Stylish acrylic capped ABS rear panel
- Central gas bottle locker for 2 x 7kg bottles
- Top quality furniture
- Washroom with vanity unit, deep wash hand basin and shower tray
- Mains electrics with 1 socket
- 12 volt socket
- 3 way Electrolux fridge
- 3 burner stainless steel hob and grill unit
- Stainless steel sink unit
- Carver 1800 heater
- Top quality soft furnishing
- Fitted carpet
- Free standing table
- Velvet curtains
- Pull out slatted beds
- Bolt-on wheel trims
- Self Priming submersible water pump
- Roller blind to kitchen window
- Smoke detector
- Optional cassette toilet and hot water system
- Drop flaps for easy access to 6' bedding lockers.





RAPIDE 380/2

RAPIDE 430/4









RAPIDE 490/5

Substantially improved last year, the five model Swift range has been further upgraded for 1991 to provide an unrivalled combination of style, comfort and value for money.

In addition to the dozen or so detailed improvements made to all ranges, all Swift models also have new Carver 1800 fires and improved soft furnishings in a delicate shade of green.

By public demand, the Alouette has a revised 'L' shaped rear dinette area, which incorporates a stylish and highly useful sideboard unit, also featured in the Danette.

The five Swift models provide a range of layouts to suit from 2 to 5 people, and standard features include solid ash framed furniture doors, mains and 12 volt electrics, a fully equipped kitchen with large fridge and 3 burner enamelled hob unit, and even a shower tray and vanity unit in the toilet compartment.

To make full use of the shower tray, the optional Diamond Pack provides the luxury of your own fully fitted shower and dual gas/electric powered water heater.

Real luxury at an affordable price the Swift way.

MAIN FEATURES

- Mains electrics with 2 sockets
- Electrolux 3 way fridge
- Formica worktops
- Carver 1800 heater
- Fitted carpet

THE SWIFT RANGE













SWIFT	Internal Length (At bed box height)	Overall Width	Overall Height	Overall Length	Ex Works Weight +/-5%	Maximum Loading 160kg/3.2cwt	
SILHOUETTE	3.84m/12'7"	2.13m/7'0"	2.51m/8'3"	5.48m/18'0"	690kg/13.6cwt		
BARONETTE	4.43m/14'6"	2.13m/7'0"	2.51m/8'3"	6.02m/19'9"	765kg/15.1cwt	290kg/5.7cwt	
CORVETTE	4.35m/14'3"	2.13m/7'0"	2.51m/8'3"	5.95m/19'6"	770kg/15.2cwt	180kg/3.6cwt	
DANETTE	4.45m/14′7″	2.13m/7'0"	2.51m/8'3"	6.05m/19'10"	785kg/15.5cwt	275kg/5.4cwt	
ALOUETTE	4.93m/16'2"	2.13m/7'0"	2.51m/8'3"	6.51m/21'4"	850kg/16.8cwt	210kg/4.2cwt	


Note: For Diamond Pack reduce loading margin by 8kg/0.16cwt











■ Double glazing

■ Free standing table

Door mat in easy clean tray

New soft furnishings

■ Lined velvet curtains

■ Pull out roller slatted beds

 Self priming submersible water pump

Inboard water pipes

■ Roller blind to kitchen

■ A Frame cover

■ Vanity unit

Shower tray

3 burner enamelled hob unit

10 amp charger/transformer

 \blacksquare 4 × 12 volt reading lights

■ 12 volt socket

■ Internal battery box

■ Roof light with night blinds and flyscreen

■ Solid ash framed doors and drawer fronts

■ Fluorescent lights

Quartz clock

Awning light

■ Exterior door window

Concealed document storage

■ Bottle box for 2 × 7kg bottles and spare wheel (not supplied)

■ Side repeater flashers

■ Bolt-on wheel trims and mud flaps

Front reflectors and side markers

■ Drawer pack with occasional table (6' beds)

■ Wall board lined wardrobe

 Optional Diamond Pack with dual power water heater, shower equipment, Diamond badging





The Challenger is Britain's most popular range of touring caravans, providing a unique blend of modern styling, a wide choice of layouts and the facility to specify your own level of comfort.


In its standard form, the Challenger is comfort personified. In its 'SE' form, it is pure luxury, with mains reading lights, electronic ignition to the fridge, a Maxol oven, 4 burner hob with electronic ignition, blinds and flyscreens at all opening windows, Carver 3000 blown air heating and even a spare wheel added to the already impressive specification.

And for 1991 there are two new exciting models, the 460/4 and the 510/4, and a new L shaped kitchen in the 390/2, adding even more versatility to the range.


The Challengers are guaranteed to turn heads wherever they go.

MAIN FEATURES

- Mains electrics with 3 sockets
- 2.7 cu ft Electrolux 3 way fridge
- Formica worktops
- Fitted carpet
- Double glazing
- Free standing table
- Door mat in easy clean tray
- Pull out roller slatted beds
- 3 burner enamelled hob unit
- 10 amp charger/transformer




CHALLENGER 390/2 2 ber



CHALLENGER 440/4 4 berth

THE CHALLENGER RANGE











CHALLENGER	Internal Length (At bed box height)	Overall Width	Overall Height	Overall Length	Ex Works Weight +/-5%	Maximum Loading	
390/2	4.22m/13'10"	2.13m/7′0″	2.51m/8'3"	5.70m/18'8"	775kg/15.3cwt	225kg/4.5cwt	
440/4 4.62m/15'2"		2.13m/7′0"	2.51m/8'3"	6.10m/20'0"	860kg/16.9cwt	200kg/3,9cwt	
450/5	4,45m/14'7"	2.13m/7'0"	2.51m/8'3"	5.93m/19'6"	820kg/16.2cwt	240kg/4.7cwt	
460/4	4.60m/15'1"	2.13m/7′0″	2.51m/8'3"	6.08m/19'11"	870kg/17.2cwt	280kg/5.5cwt	
470/2	4.65m/15'3"	2.13m/7′0"	2.51m/8'3"	6.13m/20'1"	845kg/16.6cwt	305kg/6.0cwt	
490/5	5.01m/16′5″	2.13m/7'0"	2.51m/8′3″	6.49m/21'4"	895kg/17.7cwt	255kg/5.0cwt	
490/5L	5.01m/16′5″	2.13m/7'0"	2.51m/8'3"	6.49m/21'4"	930kg/18.4cwt	220kg/4.3cwt	
510/4	5.10m/16'9"	2.13m/7'0"	2.51m/8'3"	6.58m/21'7"	930kg/18.4cwt	330kg/4.3cwt	


Note: For SE models reduce loading margin by 50kg/0.98cwt




CHALLENGER 450/5 5 ber



CHALLENGER 460/4 4 bertl




CHALLENGER 470/2 2 berth




CHALLENGER 490/5 5 berth

\$349965 L	57 Yapter	9200	
12 vo	lt readir	ng lig	hts

- 12 volt socket
- Inboard water pipes
- Roof light with night blind and flyscreen
- Solid ash framed doors and drawer fronts
- Fluorescent lights
- Quartz clock
- Awning light
- Exterior door window
- Concealed document storage
- Bottle box for 2 × 7kg bottles and
- Bottle box for 2 × 7kg bottles and spare wheel (not supplied)
- Side repeater flashers
- Bolt-on wheel trims and mud flaps
- Dual power water heater
- Luxury shower room with riser bar for showerhead
- Electric flush cassette toilet
- 12 volt power for external refilling of cassette
- Lined velvet curtains
- 3 front opening windows
- Carver 1800 heater (3000 in 470, 490 and 510)
- External battery box
- One piece flat roof
- Front reflectors and side marker lights
- Optional SE Pack with 3000 heater ducted blown air, oven, mains reading lights, electronic ignition to fridge, blinds and flyscreens to all opening windows, 4 burner hob with electronic ignition, spare wheel.



CHALLENGER 510/4 4 ber



CHALLENGER 490/5L

5 bert

The Corniche remains one of the most distinctive exterior designs on the market. Its raised bottom skirt, made from GRP, gives the four model range a unique appearance, ideally suited to complement the more rounded shapes of today's motor cars.

Inside the best of Swift tradition makes this a super luxury caravan by anyone's standards. New for 1991 is a dual powered water heater, serving the shower room and kitchen, which also has an integrated oven and grill, and a four burner hob with electronic ignition.

Supplementary power now comes from a battery (not supplied), housed in a new style slide-out box, accessed conveniently from the outside. Water comes via new style taps, with replaceable microswitches, and the solid ash framed furniture doors have a new style profile.

Blown air heating is via the latest Carver 3000 fire, just one of the long list of standard features that makes the Corniche one of the most luxurious caravans in its class, with a style that is totally Swift.

MAIN FEATURES

- Mains electrics with 3 sockets
- 12 volt socket
- Formica worktops
- Free standing table
- Door mat in easy clean tray
- New soft furnishings
- Pull out roller slatted beds
- Bottle box for 2×7 kg bottles
- 10 amp charger/transformer
- 2 mains reading lights
- 4 × 12 volt reading lights
- Roof light with night blind and flyscreen

THE CORNICHE RANGE











CORNICHE	Internal Length (At bed box height)	Overall Width	Overall Height*	Overall Length	Ex Works Weight +/-5%	Maximum Loading
12/2	3.78m/12'5"	· 2.13m/7'0"	2.47m/8'1"	5.47m/18'0"	815kg/16.1cwt	185kg/3.7cwt
14/2	4.35m/14'3"	2.13m/7'0"	2.47m/8'1"	6.05m/19'10"	880kg/17.4cwt	180kg/3.6cwt
14/2E	4.35m/14'3"	2.13m/7'0"	2.47m/8'1"	6.05m/19'10"	870kg/17.2cwt	190kg/3.7cwt
14/4	4.35m/14'3"	2.13m/7'0"	2.47m/8'1"	6.05m/19'10"	885kg/17.5cwt	175kg/3 5cwt

*Excluding aerial




	+ + + + + + + + + + + + + + + + + + +	Wardrobe Tolet Compartment
/	Table	
	* * * * * * * * * * *	Weish Cocktail Cabrier
	Locker	Locker





CORNICHE 14/4 4 berth

- Fluorescent lights
- Quartz clock
- Awning light
- Exterior door window
- Concealed document storage
- Fully fitted shower room with riser bar to shower-head
- Bolt-on wheel trims and mud flaps
- Drawer pack with occasional table
- Dual power water heater
- Maxol integrated oven and grill
- 2.7 cu ft Electrolux electronic ignition fridge
- 4 burner enamelled hob with electronic ignition
- Carver 3000 blown air heating
- Inboard water pipes
- Exterior battery box
- New style taps with easy to fit microswitch
- Electric flush cassette toilet
- 12 volt power for external refilling of cassette
- Spare wheel compartment light
- Reversing lights
- Side repeater flashers
- Front reflectors and side marker lights
- 2 bolster and 2 scatter cushions
- Lined velvet curtains
- 3 opening front windows
- Maxview aerial, socket and coax cable
- Spare wheel and scissor jack
- New style solid ash framed doors and drawer fronts
- Cocktail cabinet
- Seitz window blinds and flyscreens to all opening windows
- Double glazing
- Roller blind to kitchen window
- Window in toilet compartment
- Wall board lined wardrobe









There are twin axle tourers and then there is the Conqueror range from Swift, three models that lead the way in design and specification, and are clearly in a class of their own.

The Conquerors were designed for year round caravanning and the 1991 models are the most comprehensively equipped ever produced.

Maximum use of space has been achieved by increasing the internal width to 2.1 metres (6'11"), providing more spacious rear-end luxury shower rooms in all models.

The 520/5 also now has a more spacious 'L' shaped rear dinette providing larger beds, and a sideboard unit for extra storage.

Other improvements include new continental style ash framed furniture, an improved control panel console in the kitchen, with extractor fan, light, water level, pump and battery condition indicators.

Check out the list of features and you will see that every conceivable creature comfort is standard, making the Conquerors go anywhere any time of the year caravans.

MAIN FEATURES

- Mains electrics with 3 sockets
- 12 volt socket
- Formica worktops
- New style solid ash framed furniture
- Fitted carpet
- Door mat in easy clean tray
- Double glazing
- Free standing table
- Pull out roller slatted beds
- Mud flaps
- 10 amp charger/transformer

THE CONQUEROR RANGE










CONQUEROR	Internal Length (At bed box height)	Overall Width	Overall Height **	Overall Length	Ex Works Weight +/-5%	Maximum Loading
520/5	5.23m/17'2"	2.22m/7'3"	2.57m/8'5"	6.71m/22'0"	1105kg/21.8cwt	395kg/7.8cwt
560/4	5.58m/18'4"	2.22m/7'3"	2.57m/8'5"	7.06m/23'2"	1120kg/22.1cwt	380kg/7.5cwt
600/5	6.03m/19'9"	2.22m/7'3"	2.57m/8′5″	7.53m/24'8"	1260kg/24.8cwt	240kg/4.7cwt


**Excluding aerial



NE SE			
CONQ	JEROR 5	20/5	5 berth



CONQUEROR 560/4 4 berth



CONQUEROR 600/5 5 berth

- 2 mains reading lights
- 6 × 12 volt reading lights
- Inboard water pipes and tank
- Roof light with night blind and flyscreen
- Fluorescent lights
- Quartz clock
- Awning lights 12v/240v
- Front reflectors and side markers
- Exterior door window
- Concealed document storage
- Bottle box for 2 × 7kg bottles and spare wheel
- Side repeater flashers
- Bolt-on wheel trims
- Dual power water heater
- Maxol oven with integrated grill
- Extractor fan
- 2.7 cu ft Electrolux electronic ignition fridge
- Carver 3000 heater with ducted blown air (5000 in 600)
- Winterised insulation
- Luxury shower room with riser bar for shower-head
- Electric flush cassette toilet
- 12 volt power for external refilling of cassette
- Reversing light
- 2 bolster and 2 scatter cushions
- Lined velvet curtains
- Roller blind in kitchen
- Enamelled 4 burner hob unit with electronic ignition
- One piece flat roof
- Maxview aerial, socket and coax
- New, easy access exterior battery box
- Scissor jack
- Control panel with water tank level indicator
- Seitz window blinds and flyscreens
- Wall board lined wardrobe

The Celeste is a perfect blend of traditional caravan styling and modern manufacturing techniques, providing the ultimate in two berth luxury.

The exterior has been carefully shaped to retain the traditional Celeste appeal using a one piece GRP front, sandwich construction floor, walls and roof, and a distinctively styled back.

The renowned balanced Swift design, ensures safe stable towing.

Inside the Celeste there is every conceivable holiday comfort from blown air central heating to a luxury shower room with gold style taps and shower head, shaver point and a cassette toilet.

The kitchen has a large Electrolux fridge and four burner flame failure hob, both with electronic ignition, and an attractive glass fronted oven and grill.

There is an on board fresh water tank and the water heating system is dual gas/electric operated. There are two mains lights, four 12 volt reading lights, courtesy lights in both the full length wardrobe and glass fronted cocktail cabinet and even low entrance lights in the door well.

Take a close look at the detailed feature list and you will see that the Celeste adds a new dimension to the Swift tradition.

MAIN FEATURES

- Mains electrics with 3 sockets
- 12 volt socket
- Formica worktops
- Free standing table
- Door mat in easy clean tray
- Top quality furnishings including 2 bolster and 2 scatter cushions
- Bottle box for 2×7 kg bottles
- 10 amp charger/transformer
- 2 mains lights
- 4 × 12 volt reading lights

THE CELESTE RANGE










CELESTE	Internal Length (At bed box height)	Overall Width	Overall Height*	Overall Length	Ex Works Weight +/-5%	Maximum Loading
13/2	4.08m/13'5"	2.13m/7′0″	2.57m/8'5"	5.68m/18'7"	850kg/16.8cwt	210kg/4.2cwt
15/2	4.65m/15'3"	2.13m/7'0"	2.57m/8'5"	6.25m/20'6"	940kg/18.5cwt	210kg/4.2cwt

^{*}Excluding aerial



- Mains and 12 volt awning lights
- Quartz clock
- Exterior door window
- Roof light with night blind and flyscreen
- Seitz window blinds and flyscreens to all opening windows
- External battery box
- Carver 3000 blown air heating
- Cocktail cabinet
- Four burner enamel hob with electronic ignition
- 2.7 cu ft Electrolux electronic ignition fridge
- Maxol integrated oven and grill
- Dual powered water heater
- Fully fitted shower room with riser bar for shower-head
- Shaver socket
- Electric flush cassette toilet
- 12 volt power for external refilling of cassette
- Reversing lights
- Side repeater flashers
- Front reflectors and side marker lights
- Three opening front windows
- Maxview aerial, socket and coax cable
- Solid ash framed furniture, doors and drawer fronts
- Magazine rack
- Stereo radio/cassette and speakers
- Door-well lighting
- Inboard fresh water tank
- Pull out bed locker storage
- Smoke detector
- Full length wardrobe
- Lined curtains
- Courtesy lights in wardrobe and cocktail cabinet
- Taps with easy to replace microswitch
- Built in water pipes
- Bolt-on wheel trims and mud flaps
- Spare wheel and tyre
- Scissor jack



Impressive features

)E	1	PACK	NGER	NGER	H.	ROR	TE	
RAPIDE	SWIFT	SWIFT DIAMOND PAC	CHALLENGE	CHALLENGER SE PACK	CORNICHE	сомапенов	CELESTE	SPECIFICATION
			Laborate Co.	10000	_	Section 1	_	
1	2	2	3	3	3	3	3	Mains electrics with sockets
•	•	•	•	•	•	•		12 volt socket
	•		•	•	•	•	_	2 mains reading lights
1	•	•	_	100	-	100	•	4 x 12 volt reading lights (6 in some models)
	•	•	•	•	•	•	•	Side repeater flashers
					•	•	•	Reversing lights
•	•	•	•	•	•	•	•	Fluorescent lights
	•	•	•	•	•	•	•	Awning light (12v and 240v Conqueror)
•	•	•	•	•	•	•		Front reflectors and side markers
	•	•						Internal battery box (excluding battery)
			•	•	•	•	•	Exterior access battery box (excluding battery)
					•	•	•	Maxview aerial and socket
	•	•	•	•	•	•	•	10 amp charger/transformer
						•	•	Electrolux 2.7cu ft fridge with electronic ignition
	MAY		•					Electrolux 2.7cu ft fridge
•	•	•		100				Electrolux 2cu ft fridge
				•				Maxol oven
		TO THE		1000	•	•	•	Maxol integrated oven and grill
•	•	•	•		•	•	•	Counter balance hinges to hob work surfaces
	•	•	•	100	-		_	3 burner enamelled hob
	-	2.7.2	_	•		•	•	4 burner hob with electronic ignition
	•	•	•	•	-	•	•	
•	-	•	-	No. of Contract of	•		-	Formica worktops
	_		_	•	•	•	•	Window blinds and flyscreens
•	•	•	•		_			Carver Trumatic 1800 heater (see below)
			•	•	•	•	•	Carver Trumatic 3000 heater (470, 490, 510) 5000 in 600
	7			•	•	•	•	Blown air system
•	•	•	•	•	-0	•	•	Vanity unit
•	•	•	•	•	•	•	•	Shower tray
opt		•	•	•	•	•	•	Fitted shower with riser bar (no riser bar in Swift)
opt	opt	apt	•	•	•	•	•	Electric flush cassette toilet
					•	•	•	Pop out storage hopper to shower room
•	•	•	•	•	•	•	•	Double glazing (with night latch ventilation position)
•	•	•	•	•	•	•		Free standing table
	•	•	•	•	•	•	•	Door mat tray with brush out facility
•	•	•	•	•	•	•	•	Lined velvet curtains
	•	•	•	•	•	•	•	2 bolster and scatter cushions (6' beds only)
•	•	•	•	•	•	•	•	Pull out roller slatted beds
	•	•	•	•	•	•	•	Mud flaps
	•	•	•	•		•	•	Inboard water pipes
						•	•	Inboard water tank
133	•	•	•	•	•	•	•	Roof light with blind and flyscreen
	•	•	•	•	•	•	•	Solid ash framed furniture doors
	•	•	•	•	•	•	•	Quartz clock
	•	•	•	•	•	•	•	Exterior door window
	•	•			•		•	Drawer pack with occasional table (6' beds only)
1				•	•	•	•	Spare wheel
		18			•	•	•	Scissor jack
•	•	•	•	•	•	•	•	Kitchen window roller blinds
			•	•	•	•	•	3 opening front windows
opt		•	•	•	•	•	•	Dual power water-heater
			•	•			•	Separate table storage (390, 440, 460, 470, 510, 560)
•	•	•			•	•		Table storage in toilet compartment (except above)
						•		Cocktail cabinet (except Danette, Corvette, Alouette, 440, 450



Easy to erect bunk bed



Solid ash framed furniture doors



Luxury fitted kitchen



Lined wardrobes



Versatile locker storage



Mains reading lights



Integrated oven and grill



12v reading lights



Blind and flyscreen



Night blind in rooflight



Roller slatted bed box tops



Flued heater



Occasional table



Ventilation boards behind seats



Luxurious shower room



2.7 cu.ft. fridge





Recessed door mat with brush out facility

Specifications


The specification details on these pages should be read in conjunction with the details on the individual product range pages.

TYRE SIZES					
MODEL	SIZE				
Rapide 380/2, Swift Silhouette Conqueror 520/5, 560/4, 600/5	155R x 13 Radial				
Rapide 430/4, 440/4, 450/5, Swift Corvette, Celeste 13/2	165R x 13 Radial				
Rapide 490/5, Swift Baronette, Danette, Alouette, Challenger 390/2, 440/4, 450/5, Corniche 12/2, 14/2, 14/2E, 14/4	165R x 13 Reinforced Radial				
Celeste 15/2	175R x 13 Radial				
Challenger 460/4, 470/2, 490/5, 490/5L, 510/4	175R x 13 Reinforced Radial				

Hitch heights are 415mm $(16\frac{1}{2})' + /- 30$ mm (1'') on all models.

BED	SIZES
RAPIDE 380/2: 2 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2").	CHALLENGER 470/2: 2 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2").
RAPIDE 430/4: 4 Berth: Front double 197 x 135cm (6'5½" x 4'5") Singles 173 x 60cm (5'9" x 2'0"), 190 x 60cm (6'2½" x 2'0")*.	CHALLENGER 490/5: 5 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Rear double 116 x 197cm (3'9½" x 6'5½"),
RAPIDE 440/4: 4 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Singles 197 x 73cm (6'5½" x 2'5").	Bunk 201 x 61cm (6'7" x 2'0"). CHALLENGER 490/5L: 5 Berth: Front double 197 x 191cm (6'5½" x 6'3")
RAPIDE 450/5: 5 Berth: Front double 197 x 135cm (6'5½" x 4'5"), Rear double 180 x 115cm (5'11" x 3'8½"), Bunk 201 x 69cm (6'7" x 2'3").	or Singles 191 x 66cm (6'3" x 2'2"), Rear double 180 x 115cm (5'11" x 3'9¼"), Bunk 201 x 61cm (6'7" x 2'0").
RAPIDE 490/5: 5 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Rear double 197 x 116cm (6'5½" x 3'9½"), Single 197 x 69cm (6'5½" x 2'3").	CHALLENGER 510/4: 4 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Single 180 x 60cm (5'11" x 2'0"), Bunk 180 x 60cm (5'11" x 2'0").
SWIFT SILHOUETTE: 2 Berth: Front double 201 x 142cm (6'7" x 4'8") or Singles 183 x 69cm (6'0" x 2'3").	CORNICHE 12/2: 2 Berth: Front double 197 x 142cm (6'5½" x 4'8") or Singles 183 x 66cm (6'0" x 2'2").
SWIFT BARONETTE: 4 Berth: Front double 201 x 135cm (6'7" x 4'5"), Singles 180 x 60cm (5'11" x 2'0"), Bunk 180 x 60cm (5'11" x 2'0").	CORNICHE 14/2: 2 Berth: Front double 197 x 150cm (6'5½" x 4'11") or Singles 191 x 66cm (6'3" x 2'2").
SWIFT CORVETTE: 4 Berth: Front double 201 x 142cm (6'7" x 4'8") or Singles 183 x 69cm (6'0" x 2'3"), Singles 201 x 76cm (6'7" x 2'6"). Bunk 201 x 76cm (6'7" x 2'6").	CORNICHE 14/2E: 2 Berth: Front double 197 x 150cm (6'5½" x 4'11") or Singles 191 x 66cm (6'3" x 2'2").
SWIFT DANETTE: 5 Berth: Front double 201 x 135cm (6'7" x 4'5"), Rear double 183 x 116cm (6'0" x 3'9½"), or rear single 183 x 69cm (6'0" x 2'3"), Bunk 201 x 61cm (6'7" x 2'0").	CORNICHE 14/4: 4 Berth: Front double 197 x 142cm (6'5½" x 4'8") or Singles 183 x 66cm (6'0" x 2'2"), Single 201 x 76cm (6'7" x 2'6"), Bunk 201 x 76cm (6'7" x 2'6").
SWIFT ALOUETTE: 5 Berth: Front double 201 x 142cm (6'7" x 4'8"), Rear double 183 x 116cm (6'0" x 3'9½") or rear single 183 x 69cm (6'0" x 2'3"), Bunk 201 x 61cm (6'7" x 2'0").	CONQUEROR 520/5: 5 Berth: Front double 206 x 191cm (6'9" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Rear double 189 x 115cm (6'2" x 3'9"), Bunk 210 x 61cm (6'10½" x 2'0").
CHALLENGER 390/2: 2 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2").	CONQUEROR 560/4: 4 Berth: Front double 206 x 191cm (6'9" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Singles 180 x 60cm (5'11" x 2'0").
CHALLENGER 440/4: 4 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Single 197 x 76cm (6'5½" x 2'6"), Bunk 201 x 76cm (6'7" x 2'6").	CONQUEROR 600/5: 5 Berth: Front double 206 x 191cm·(6'9" x 6'3") or Singles 191 x 66cm (6'3" x 2'2"), Rear double 206 x 116cm (6'9" x 3'9½"), Bunk 210 x 61cm (6'10½" x 2'0").
CHALLENGER 450/5: 5 Berth: Front double 201 x 135cm (6'7" x 4'5"), Rear double 180 x 116cm (5'11" x 3'9"), Single 201 x 61cm (6'7" x 2'0").	CELESTE 13/2: 2 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2")
CHALLENGER 460/4: 4 Berth: Front double 197 x 135cm (6'5½" x 4'5"), Single 180 x 60cm (5'11" x 2'0"), Bunk 180 x 60cm (5'11" x 2'0").	CELESTE 15/2: 2 Berth: Front double 197 x 191cm (6'5½" x 6'3") or Singles 191 x 66cm (6'3" x 2'2")

AWNING SIZES (GROUND TO GROUND)	
MODEL	SIZE
Rapide 380/2	7.75m/25′5″
Rapide 430/4	8.34m/27'4"
Rapide 440/4	8.41m/27′8″
Rapide 450/5	8.41m/27′8″
Rapide 490/5	8.81m/28'11"
Silhouette	7.87m/25′10″
Baronette	8.38m/27'6"
Corvette	8.38m/27'6"
Danette	8.47m/27′10″
Alouette	8.96m/29′5″
Challenger 390/2	8.23m/27′1″
Challenger 440/4	8.65m/28′5″
Challenger 450/5	8.47m/27′10″
Challenger 460/4	8.43m/27′8″
Challenger 470/2	8.58m/28′2″
Challenger 490/5	9.04m/29'8"
Challenger 590/4L	9.04m/29'8"
Challenger 510/4	9.13m/30′0″
Corniche 12/2	7.61m/25′0″
Corniche 14/2	8.14m/26′9″
Corniche 14/2E	8.14m/26′9″
Corniche 14/4	8.14m/26′9″
Conqueror 520/5	9.20m/30'3"
Conqueror 560/4	9.62m/31'7"
Conqueror 600/5	10.06m/33′1″
Celeste 13/2	8.33m/27'4"
Celeste 15/2	8.90m/29'3"





All caravans in this brochure conform to the British Standard for Touring Caravans: B\$4626. This brochure does not constitute an offer by the Company. Swift Caravans Limited reserves the right to alter specifications and prices as materials and conditions demand.



Swift Caravans Limited, Dunswell Road, Cottingham, North Humberside, HU16 4JS. Telephone: 0482 847332. Fax: 0482 843947.