

Swift Caravan Range 1998



Quality Caravans for a Quality Time

More than three decades of quality and innovation has earned Swift Caravans a host of press and consumer awards and the distinction of being revered as the thoroughbred of the touring caravan world.

The Swift designers and craftsmen have been working strenuously to enhance still further the 22-strong fleet of models, and 1998 sees the introduction of a wealth of exciting innovations.

Taking centre stage in this programme of development is the legendary Corniche. This caravan of caravans has been completely transformed, with new layouts, a unique and dramatic exterior and a fresh interior treatment. As the premier Swift model, it has achieved all the major accolades over the years. Today, it enjoys a more sumptuous specification and stunning design than ever before.

This same drive for excellence can be seen throughout the Swift range. The Conqueror, Challenger and Classic ranges all display

the loving care and attention to detail that makes Swift the setter of standards.

Investment in advanced computer technology ensures that all models are produced to the same uncompromising quality, whilst Computer Aided Design techniques allow Swift designers to consider every possible improvement option before a prototype is even built.

Such technology automatically checks safety and stability variances at blue print stage. Even so, Swift engineers conduct well over 200 stringent manual tests to guarantee absolute perfection. This commitment has earned Swift the prestigious ISO 9001 certificate for the standard of quality systems operated by the company.

Every element of a Swift tourer is carefully considered.

Only the finest proprietary fixtures such as Stoves ovens and



Electrolux fridges are good enough. All raw materials are of the highest quality. Safety and security features abound, including a new specially concealed electronic security chip tag on all models for instant checking.

Then, there are the traditional building skills developed by our craftsmen over the years. Blended with the best of new technology, they have earned the company a reputation for producing the finest touring caravans in Europe.

Total Customer satisfaction is top priority at the Swift Group, and the quality ethos extends to authorised Swift dealers who are hand picked for their outstanding level of service.

The same goes for after sales service.

Swift Supercare is a highly sophisticated after sales operation that utilises a national computer system linking dealers directly to the manufacturing site. Supercare provides expert help to dealers as well as instant parts ordering and rapid supply to keep your caravan on the road.

To reserve your place on a factory tour to see Swift products being produced in one of Europe's most sophisticated factories, simply call the number on the back of the brochure.

Owners of new Swift caravans also enjoy a comprehensive three year warranty scheme called Swift SuperSure. The warranty is operated by Swift for the first year and administered by Warranty Holdings in subsequent years. For a competitive single premium, Swift SuperSure can be extended for a further two years to give a full five years' peace of mind. Warranty maintenance simply involves a chargeable annual inspection and service by an authorised Swift dealer. Swift dealers also offer a range of financial services, comprehensive caravan insurance and a host of useful accessories to provide today's caravanner with everything they could ever need for the perfect holiday, The Swift Way.



**All the Joys of the Country,
All the Comforts of Home**

Corniche Range


Presenting the all-new Corniche range for 1998. With a unique streamlined signature created through the skilled use of Glass Reinforced Plastic, one-piece GRP front and rear panels, striking graphics, a wider body and increased headroom, the award winning Corniche is as impressive in appearance as it is luxurious in specification.

Add a generous choice of washroom layouts and the most comprehensive array of features on the market, and the new Corniche is the ultimate touring caravan for all seasons.



Corniche 17/3NT

Right, Corniche 17/3NT



Corniche 17/3NT



Corniche 17/3NT



Corniche 17/3NT



Corniche 17/3NT



Corniche 17/3NT

Right, Corniche 17/3NT

With flush fitting new style windows for added sleekness on the outside, and new furniture designs with aircraft style shaped overhead lockers and Belgian designer fabrics on the inside, the Corniche range offers five star luxury.

All models enjoy a host of features, such as a quality removable carpet to the main living area over a luxury vinyl floor. The kitchen layout in the 14/2 is more spacious, and all kitchens boast the latest 86 litre Electrolux fridge with full width freezer compartment. Washrooms throughout the range benefit from water systems with domestic style easy action taps with micro switches, and the 15/2E and 17/3 washrooms have been further enhanced for '98. The Corniche range. The first name in style, the last word in luxury.



Conqueror Range



Conqueror 640



Conqueror 640

Right,
Conqueror
640



The Conqueror range is renowned for the impressive style and high standards of comfort that helped the Conqueror 580 win the Tourer of the Year title in 1997. The eight spacious model variations feature bold new exterior graphics for '98, subtly curved new style furniture lockers and extra lockers above the front windows. Four models that have the spacious L shaped front seating option also enjoy a panoramic picture window. And the award-winning kitchens now have even more room, incorporating the Electrolux 86 litre fridge with full width freezer compartment. Add a dedicated Radio/TV station and infra-red alarm system, and it's easy to see why the Conqueror is head and shoulders above the competition.



Conqueror 640



Conqueror 580

Challenger Range



Challenger 530

Right, Challenger 470

For years, the Challenger has been the firm favourite with the committed caravanner, offering a perfect blend of style, specification and sophistication for those who see their caravan as an extension to their everyday life.

A wide range of improvements have been introduced for 1998, from the revised washroom layouts in the 480 and 530 models to the more spacious L shaped kitchen in the 400. All now also boast overhead front lockers.

And with the emphasis upon choice, a range of different washroom options offers something to suit everyone's needs. On the outside, the exterior features new flush fitting windows which are edged in diamond black to camouflage the window stays and catches for improved security.

The Challenger range. The ultimate leisure tourer.





Challenger 530



Challenger 470



Challenger 530

Classic Range

For level of sophistication, value for money and choice of both two berth and family layouts, there can be little to beat the 1998 Classic range.

This year sees no fewer than 8 models plus the brand new Danette with its spacious L shape rear seating. All the washrooms have reached new heights of luxury, and the Coronette and Doublette feature the new RT washroom with domestic style swivel seat toilet, separate shower, centre vanity unit, changing area and wardrobe. Thoughtful touches abound, such as split seat bed cushions for easy bed make up and solid hardwood framed furniture doors.

All in all, a classic blend of luxury and affordability.



Silhouette



Right, Duette



Duette



Danette



Danette

Washrooms

A major redevelopment of the washroom and changing areas in all four Swift ranges has provided improvements in the layouts available for 1998. The designs featured offer the greatest possible combination of options in this key area.



NT Layout



RT Layout



Centre Layout


NEAR SIDE TOILET WASHROOM (NT) LAYOUT IS AVAILABLE IN THE FOLLOWING MODELS:

DUETTE
BARONETTE
CHALLENGER 470
CHALLENGER 520
CORNICHE 15/2E NT
CORNICHE 17/3 NT
CONQUEROR 580 NT



REAR FACING TOILET WASHROOM (RT) LAYOUT IS AVAILABLE IN THE FOLLOWING MODELS:

CORONETTE
DOUBLETTE
CHALLENGER 480
CHALLENGER 530
CORNICHE 15/2E RT
CORNICHE 17/3 RT
CONQUEROR 580 RT



CENTRE LAYOUT IS AVAILABLE IN THE FOLLOWING MODELS:

SILHOUETTE
DANETTE
CORVETTE
ALOUETTE
CHALLENGER 400
CHALLENGER 440
CHALLENGER 490 L
CORNICHE 14/2
CONQUEROR 590 SAL AND LUX
CONQUEROR 640 SAL AND LUX




NOTE: WINDOWS AND WINDOW POSITIONS VARY FROM RANGE TO RANGE. SEE INDIVIDUAL MODEL LAYOUTS.


Features

Features will vary depending on model range concerned.


Please refer to individual specification sheets for each range.




Rear double with bunk over



Side single with bunk over



Front double




Under bed storage



Pull out occasional table



Pull out vegetable rack



Exterior flyscreen door



Electrical control panel



Welsh dresser



Ash framed furniture with soft shut seal



Electrolux 86 litre fridge with full width freezer



De luxe electrical control panel (Corniche)

Corniche Range

Exterior

- Light weight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and window blind
- Three opening front windows
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut and internal door release
- High level tail and brake lights
- Awning light
- Reversing lights
- Side direction indicator lights
- Status TV aerial and booster

New for 1998

- All new bodyshell
- New style front windows
- New style GRP front panel
- New style GRP rear panel
- All new co-ordinated graphics
- 14" wheels and tyres
- Electrolux fridge vents

Lounge/Dining area

- Free standing ash edged table with dedicated storage
- Drawer unit with occasional table
- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and backrests
- Contrasting curtains
- Upholstered armrests and scatter cushions

New for 1998

- New shaped aircraft style overhead lockers
- Co-ordinated fabrics for curtains and upholstery
- Removable bound edge over carpet
- Easy clean vinyl cushion floor

Kitchen

- High impact polycarbonate bowl/drainage in green
- Domestic style flush fitting Stoves 9000 green, four burner hob, oven and grill with FFD and electronic ignition

New for 1998

- Improved L shaped kitchen layout in 14/2
- Electrolux 86 litre electric ignition fridge with full width freezer compartment, interior light and solid wood framed cloaking door

Heating & Plumbing

- Carver 3600 auto ignition space heater with Fanmaster electric heating
- Blown air central heating
- Inboard rigid piped micro-switched water system
- Insulated fresh water tank

- Luxury bathroom suite with built-in wall mirrors, matching shower and vanity unit with integral storage (layout varies depending on model)
- Electric flush Thetford cassette toilet with exterior filler pump
- Carver rapid gas/electric water heater

New for 1998

- Large bore rigid waste system
- Micro-switched water system with domestic style mono bloc single action taps
- Revised washroom layouts in 15/2E and 17/3

Electrical

- Mains electrics with four 230v sockets (including one exterior socket)
- TV Station with 230v/12v aerial connection point
- Low level interior lighting
- 230v and 12v reading lights
- 12amp switch mode charger/transformer
- 25 metre mains hook up cable

New for 1998

- PMS 2500 sophisticated central electrical control panel with soft touch controls to alarm
- New high level brake lights
- New rear road light clusters
- Halogen interior lights

Fittings & Equipment

- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior door
- Roof lights with night blinds and flyscreens (to main compartment)
- Pull out roller slatted bed
- Fully slatted bed box tops
- Vent boards to back rests
- Concealed metal wall plates for secure furniture fixing
- Quartz clock
- Spare wheel and tyre
- Side mounted jacking system
- Philips stereo radio/cassette

New for 1998


- Insulated wheel boxes for improved heat retention
- Internally operated front bottle box with easy access and gas strut
- External gas barbecue point
- Side operated jack

Security


- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and chassis
- Lockable rear corner steadies

New for 1998


- New style Polyplastic windows with concealed locks and stays
- Concealed security data chip




14/2




17/3 NT




15/2E NT



17/3 RT



15/2E RT



L shape front

- All models have L shaped front option.

MODEL	14/2	15/2E	17/3
Berths	2	2	2-3
Internal Length (at bed box height)	4.27m/14'0"	4.70m/15'5"	5.35m/17'7"
Overall Width	2.15m/7'1"	2.15m/7'1"	2.15m/7'1"
Overall Height	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
Overall Length	5.85m/19'2"	6.26m/20'7"	6.93m/22'9"
Ex-works Weight (See Note)	950kg/18.7cwt*	980kg/19.3cwt*	1120kg/22.0cwt*
Maximum Authorised Weight	1200kg/23.6cwt*	1250kg/24.6cwt*	1400kg/27.6cwt*
Caravan Allowable Payload	220kg/4.3cwt	240kg/4.7cwt	245kg/4.8cwt
Maximum Technical Permissible Weight	1230kg/24.2cwt	1300kg/25.6cwt	1450kg/28.5cwt
Awning Rail Size Ground to Ground	8.35m/27'5"	8.78m/28'10"	9.43m/30'11"
Tyre Sizes	195/70 R14 4 ply	175 R14 8 ply	175 R14 8 ply

Note: A tolerance of 3% in the ex-works weight has been allowed for in the calculation of payload margins (i.e. Maximum Authorised Weight = Payload + Ex-works weight plus 3%).
* Estimated

Bed sizes

14/2	15/2E	17/3
Singles 192cm x 66cm/6'4" x 2'2"	Singles 192cm x 66cm/6'4" x 2'2"	Singles 192cm x 66cm/6'4" x 2'2"
or double 201cm x 192cm/6'7" x 6'4"	or double 201cm x 192cm/6'7" x 6'4"	182cm x 66cm/6'0" x 2'2"
		or double 201cm x 182cm/6'7" x 6'0"
		Side single 180cm x 67cm/5'11" x 2'2 1/2"

Note: Payloads on all 1998 Swift Caravans (all ranges). Maximum Authorised weight (MAW) - is the maximum weight all caravans are plated to by the manufacturer to include a normal payload. Maximum Technical Permissible Weight (MTPW) - if you require extra payload, in some cases it may be possible to increase the MAW to the MTPW. To do this, you must contact your dealer who will arrange to have a new weight plate supplied by the manufacturer for a charge. If you exceed the Maximum Authorised Weight plated on your Swift tourer you could be liable to prosecution.

Conqueror Range

Exterior

- Stylish exterior shape with roof spoiler incorporating tail lights
- Light weight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and window blind
- Three opening front windows
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut
- Bolt on wheel trims
- Awning light
- Reversing lights
- Side direction indicator lights
- Status TV aerial and booster

New for 1998

- Exciting new graphics with gold Swift badges
- External gas barbeque point
- External 230v mains socket
- New style Polyplastic windows with concealed locks and stays
- Electrolux fridge vents

Lounge/Dining area

- Free standing ash edged table with dedicated storage
- Drawer unit with occasional table
- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and backrests
- Lined velvet curtains
- Shaped armrests and scatter cushions
- 590/640 standard as five berth

New for 1998

- Front overhead lockers above windows
- Larger picture window in all Salon models

Kitchen

- High impact polycarbonate bowl/drainage in green
- Domestic style flush fitting Stoves 9000 green four burner hob, grill and oven with FFD and electronic ignition

New for 1998

- Larger kitchen unit incorporating new Electrolux 86 litre fridge
- New micro-switched domestic style single action taps

Heating & Plumbing

- Carver 3600 auto ignition space heater with Fanmaster electric heating
- Blown air central heating
- Inboard rigid piped micro-switched water system
- Insulated fresh water tank

- Luxury bathroom suite with built-in wall mirrors, matching shower and vanity unit with integral storage (layout varies depending on model)
- Electric flush Thetford cassette toilet with exterior filler pump
- Carver rapid gas/electric water heater

New for 1998

- Improved water system with micro-switched taps in all locations
- Large bore rigid waste pipes

Electrical

- Mains electrics with four 230v sockets
- 230v and 12v reading lights
- TV Station with 230v/12v/aerial connection point
- 12amp switch mode charger/transformer
- 25 metre mains hook up cable
- PMS 2000 sophisticated central electrical control panel
- Dedicated radio/cassette storage location (excluding radio)

New for 1998

- New round halogen ceiling lights
- External 230v socket

Fittings & Equipment

- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior door
- Roof lights with night blinds and flyscreens (to main compartment)
- Pull out roller slatted bed
- Fully slatted bed box tops
- Vent boards to back rests
- Solid ash framed furniture doors
- Concealed metal wall plates for secure furniture fixing
- Quartz clock
- Spare wheel and tyre
- Side mounted jack system
- Omnivent 12v fan and skylight
- Door mat with brush out facility

New for 1998


- Side operated jack

Security

- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and caravan chassis
- Lockable rear corner steadies (locks excluded)

New for 1998


- New style Polyplastic windows with concealed locks and stays
- Concealed security data chip



580 LUX NT




640 LUX



580 LUX RT



590 LUX



Salon front

- All models have salon (L) front option which includes nearside picture window

MODEL	580 sal/lux	590 sal/lux	640 sal/lux
Berths	4	5	5
Internal Length (at bed box height)	5.85m/19'2"	5.85m/19'2"	6.35m/20'10"
Overall Width	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"
Overall Height	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	7.33m/24'1"	7.33m/24'1"	7.83m/25'8"
Ex-works Weight (See Note)	1190kg/23.4cwt*	1230kg/24.2cwt*	1290kg/25.4cwt
Maximum Authorised Weight	1600kg/31.5cwt*	1600kg/31.5cwt*	1600kg/31.5cwt
Caravan Allowable Payload	375kg/7.4cwt	330kg/6.5cwt	270kg/5.3cwt
Maximum Technical Permissible Weight	1600kg/31.5cwt	1600kg/31.5cwt	1600kg/31.5cwt
Awning Rail Size Ground to Ground	9.70m/31'10"	9.70m/31'10"	10.50m/34'5"
Tyre Sizes	155 R13 4 ply	155 R13 4 ply	155 R13 4 ply

Note: A tolerance of 3% in the ex-works weight has been allowed for in the calculation of payload margins (i.e. Maximum Authorised Weight = Payload + Ex-works weight plus 3%).

*Estimated

Bed sizes

580 sal/lux

Front singles	192cm x 66cm/6'4" x 2'2"
or double	206cm x 192cm/6'9" x 6'4"
Side Single	180cm x 67cm/5'11" x 2'2"
Bunk	180cm x 59cm/5'11" x 1'11"

590 sal/lux

Front singles	192cm x 66cm/6'4" x 2'2"
or double	206cm x 192cm/6'9" x 6'4"
Rear double	206cm x 140cm/6'9" x 4'7"
Bunk	206cm x 59cm/6'9" x 1'11"

640 sal/lux

Front singles	192cm x 66cm/6'4" x 2'2"
or double	206cm x 192cm/6'9" x 6'4"
Rear double	206cm x 140cm/6'9" x 4'7"
Bunk	206cm x 59cm/6'9" x 1'11"

Challenger Range

Exterior

- Light weight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and window blind
- Three opening front windows
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut
- Bolt on wheel trims
- Side direction indicator lights
- Awning light
- Reversing lights
- Status TV aerial and booster
- Roof spoiler incorporating high level tail lights
- Large window area

New for 1998

- New striking external graphics
- New style Polyplastic windows with concealed locks and stays
- Electrolux fridge vents

Lounge/Dining area

- Free standing ash edged table with dedicated storage
- Drawer unit with occasional table
- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and backrests
- Lined velvet curtains
- 2 bolster cushions and scatter cushions

New for 1998

- Front overhead lockers
- New co-ordinated curtains, carpets and upholstery
- New hardwood framed doors

Kitchen

- Electrolux 77 litre electric ignition fridge with full width freezer compartment
- High impact polycarbonate bowl/drain
- Pull out chopping board in centre kitchens
- Stoves sandstone, domestic style flush fitting four burner hob, oven and grill with FFD and electronic ignition

New for 1998

- Improved L shaped kitchen in 400
- Ash framed fridge door

Heating & Plumbing

- Fanmaster with ducted blown air

- Luxury bathroom suite with built-in wall mirrors, matching shower and vanity unit with integral storage (layout varies depending on model)
- Thetford cassette toilet
- Carver rapid gas/electric water heater
- Carver 3600 space heater with auto ignition
- Inboard rigid piped pressurised fresh water system

New for 1998

- Improved bathroom layouts in 470, 480, 520 and 530 models
- Large bore rigid waste pipes

Electrical

- Mains electrics with three 230v sockets
- 12v socket
- 230v and 12v reading lights
- 12amp switch mode charger/transformer
- 25 metre mains hook up cable
- Dedicated TV Station with 230v/12v/aerial connection point
- PMS 2000 sophisticated central electrical control panel with ELCB

New for 1998

- Circular halogen centre ceiling lights

Fittings & Equipment


- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Full length cassette flyscreen to exterior door
- Roof lights with night blinds and flyscreens (to main compartment)
- Pull out roller slatted bed
- Fully slatted bed box tops
- Vent boards to back rests
- Concealed metal wall plates for secure furniture fixing
- Quartz clock
- Door mat with brush out facility

Security


- Single key high security locks
- Identity number etched to windows and caravan chassis
- Exterior road lighting isolator

New for 1998


- Concealed security data chip




400




440




470




480




490 L




Parallel rear (490)



520



530



L shape front seating option

- All models have L shaped front option.

- Challenger 490 has parallel rear option.

MODEL	400SE	440SE	470SE	480SE	490SE	520SE	530SE
Berths	2	4	2	2	5	4	4
Internal Length (at bed box height)	4.27m/14'0"	4.70m/15'5"	4.70/15'5"	4.70m/15'5"	5.30m/17'5"	5.30m/17'5"	5.30m/17'5"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	5.74m/18'10"	6.17m/20'3"	6.17m/20'3"	6.17m/20'3"	6.77m/22'3"	6.77m/22'3"	6.77m/22'3"
Ex-works Weight (See Note)	890kg/17.5cwt	930kg/18.3cwt*	925kg/18.2cwt	940kg/18.5cwt*	1030kg/20.3cwt	1040kg/20.5cwt*	1030kg/20.3cwt*
Maximum Authorised Weight	1100kg/21.7cwt	1200kg/23.6cwt*	1200kg/23.6cwt	1200kg/23.6cwt*	1300kg/25.6cwt	1300kg/25.6cwt*	1300kg/25.6cwt*
Caravan Allowable Payload	183kg/3.6cwt	240kg/4.7cwt	245kg/4.8cwt	230kg/4.5cwt	239kg/4.7cwt	228kg/4.5cwt	239kg/4.7cwt
Maximum Technical Permissible Weight	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt
Awning Rail Size Ground to Ground	8.35m/27'5"	8.78m/28'10"	8.78m/28'10"	8.78m/28'10"	9.38m/30'9"	9.38m/30'9"	9.38m/30'9"
Tyre Sizes	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply

Note: A tolerance of 3% in the ex-works weight has been allowed for in the calculation of payload margins (i.e. Maximum Authorised Weight = Payload + Ex-works weight plus 3%).
* Estimated

Bed sizes

400SE

Front singles 189cm x 66cm/6'2" x 2'2"
or double 197cm x 189cm/6'6" x 6'2"

440SE

Front singles 189cm x 66cm/6'2" x 2'2"
or double 197cm x 189cm/6'6" x 6'2"
Rear single 197cm x 80cm/6'6" x 2'7"
Bunk 201cm x 59cm/6'7" x 1'11"

470SE

Front singles 189cm x 66cm/6'2" x 2'2"
or double 197cm x 189cm/6'6" x 6'2"

480SE

Front singles 189cm x 66cm/6'2" x 2'2"
or double 197cm x 189cm/6'6" x 6'2"

490SE

Front singles 189cm x 66cm/6'2" x 2'2"
Rear double 197cm x 140cm/6'6" x 4'7"
or double 197cm x 189cm/6'6" x 6'2"
Bunk 201cm x 59cm/6'7" x 1'11"

520SE

Front singles 189cm x 66cm/6'2" x 2'2"
182cm x 66cm/6'0" x 2'2"
or double 197cm x 182cm/6'6" x 6'0"
Side single 180cm x 67cm/5'11" x 2'2"
Bunk 180cm x 59cm/5'11" x 1'11"

530SE

Front singles 189cm x 66cm/6'2" x 2'2"
182cm x 66cm/6'0" x 2'2"
or double 197cm x 182cm/6'6" x 6'0"
Side single 180cm x 67cm/5'11" x 2'2"
Bunk 180cm x 59cm/5'11" x 1'11"

Classic Range

Exterior

- Stylish exterior shape
- Light weight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and window blind
- Three opening front windows
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut
- Bolt on wheel trims
- Awning light
- Reversing lights
- Status TV aerial & booster

New for 1998

- Exciting up to date new graphics
- Electrolux fridge vents for easy maintenance and inspection

Lounge/Dining area

- Free standing table with dedicated storage
- Drawer unit with occasional table (excluding Danette)
- Lined velvet curtains
- 2 bolster cushions and scatter cushions
- Domestic quality interior sprung bedding and backrests (except bunks and side dinettes)

New for 1998

- Front base cushions split 60/40 for easy bed make-up (excluding Danette)
- Belgian fabrics with co-ordinated curtains and carpets
- Front occasional TV shelf in Danette
- Attractive pleated pelmets

Kitchen

- Electrolux 70 litre Piezo ignition fridge
- 4 burner enamel hob with FFD and grill
- Stoves thermostatic manual oven
- High impact polycarbonate bowl/drain
- Chinchilla worktop cutting surface

New for 1998

- New laminate work surface

Heating & Plumbing

- Carver 1800 space heater (Silhouette, Danette, Coronette, Duette, Corvette)
- Carver 3600 space heater with auto ignition (Alouette, Baronette, Doublette)
- Fanmaster and ducted blown air
- Carver rapid gas/electric water heater
- Inboard rigid piped pressurised fresh water system
- Fully fitted shower and vanity unit with mixer taps
- Thetford cassette toilet

New for 1998

- Improved washroom layouts for certain models
- Large bore rigid waste system

Electrical

- Mains electrics with two 230v sockets
- TV Station with 230v/12v/aerial connection point
- 12v and 230v reading lights
- 12amp switch mode charger/transformer
- 25 metre mains hook up cable
- Modular electrical control console with ELCB

Fittings & Equipment

- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Roof lights with night blinds and flyscreens (to main compartment)
- Pull out roller slatted bed
- Fully slatted bed box tops
- Concealed metal wall plates for secure furniture fixing

New for 1998


- New style maple furniture with hard wood framed doors
- New ceiling finish with flush joint finish

Security


- Single key high security locks
- Identity number etched to windows and stamped on chassis

New for 1998


- Concealed security data chip



SILHOUETTE




DANETTE



CORONETTE




DUETTE




CORVETTE




ALOUETTE




L shape rear



BARONETTE



DOUBLETTE



L shape front

Note:

- All models have L shaped front option except Danette
- Alouette has L shaped rear option

MODEL	SILHOUETTE	DANETTE	CORONETTE	DUETTE	CORVETTE	ALOUETTE	BARONETTE	DOUBLETTE
Berths	2	5	2	2	4	5	4	4
Internal Length (at bed box height)	3.94m/12'11"	4.52m/14'10"	4.61m/15'2"	4.61m/15'2"	4.61m/15'2"	5.03m/16'6"	5.23m/17'2"	5.23m/17'2"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	5.42m/17'9"	6.00m/19'8"	6.09m/19'11"	6.09m/19'11"	6.09m/19'11"	6.51m/21'4"	6.71m/22'0"	6.71m/22'0"
Ex-works Weight (See Note)	765kg/15.1cwt	850kg/16.7cwt*	850kg/16.7cwt*	850kg/16.7cwt	875kg/17.2cwt*	940kg/18.5cwt	950kg/18.7cwt*	960kg/18.9cwt*
Maximum Authorised Weight	950kg/18.7cwt	1100kg/21.7cwt*	1060kg/20.9cwt*	1060kg/20.9cwt	1100kg/21.7cwt*	1160kg/22.8cwt	1200kg/23.6cwt*	1200kg/23.6cwt*
Caravan Allowable Payload	160kg/3.1cwt	224kg/4.4cwt	184kg/3.6cwt	184kg/3.6cwt	195kg/3.8cwt	190kg/3.7cwt	220kg/4.3cwt	210kg/4.1cwt
Maximum Technical Permissible Weight	1060kg/20.9cwt	1100kg/21.7cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt	1300kg/25.6cwt
Awning Rail Size Ground to Ground	8.15m/26'9"	8.73m/28'8"	8.82m/28'11"	8.82m/28'11"	8.82m/28'11"	9.25m/30'4"	9.45m/31'0"	9.45m/31'0"
Tyre Sizes	175 R13 4 ply	175 R13 Rein.	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply	175 R13 6 ply

Note: A tolerance of 3% in the ex-works weight has been allowed for in the calculation of payload margins (i.e. Maximum Authorised Weight = Payload + Ex-works weight plus 3%).
* Estimated

Bed sizes

Silhouette

Singles	192cm x 67cm/6'4" x 2'2 1/2"
or double	201cm x 192cm/6'7" x 6'4"

Danette

Front double	201cm x 140cm/6'7" x 4'7"
Rear double	201cm x 120cm/6'7" x 3'11"
Bunk	201cm x 59cm/6'7" x 1'11"

Coronette

Singles and or double	192cm x 67cm/6'4" x 2'2 1/2"
	182cm x 67cm/6'0" x 2'2 1/2"
	201cm x 182cm/6'7" x 6'0"

Duette

Singles and or double	192cm x 67cm/6'4" x 2'2 1/2"
	182cm x 67cm/6'0" x 2'2 1/2"
	201cm x 182cm/6'7" x 6'0"

Corvette

Front single or double	192cm x 67cm/6'4" x 2'2 1/2"
Rear single	201cm x 192cm/6'7" x 6'4"
Bunk	201cm x 78cm/6'7" x 2'6 1/2"
	201cm x 59cm/6'7" x 1'11"

Alouette

Front single or double	192cm x 67cm/6'4" x 2'2 1/2"
Rear double	201cm x 192cm/6'7" x 6'4"
Bunk	201cm x 120cm/6'7" x 3'11"
	201cm x 59cm/6'7" x 1'11"

Baronette

Front single and or double	192cm x 67cm/6'4" x 2'2 1/2"
Side single	182cm x 67cm/6'0" x 2'2 1/2"
Bunk	201cm x 182cm/6'7" x 6'0"
	180cm x 67cm/5'11" x 2'2 1/2"
	178cm x 59cm/5'10" x 1'11"

Doublette

Front single and or double	192cm x 67cm/6'4" x 2'2 1/2"
Side single	182cm x 67cm/6'0" x 2'2 1/2"
Bunk	201cm x 182cm/6'7" x 6'0"
	180cm x 67cm/5'11" x 2'2 1/2"
	178cm x 59cm/5'10" x 1'11"

Your Local Dealer

Highbridge Caravan Centre Ltd
A.38 Bristol Road
Highbridge
Somerset TA9 4EX
Tel: 01276-782725



SWIFT CARAVANS, DUNSWELL ROAD, COTTINGHAM, EAST YORKSHIRE HU16 4JX. TEL: 01482 847332 FAX: 01482 841042

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 1998 models will have commenced on or after 1 September 1997.

Accessories supplied by RJ Homeshops, 0171 681 9000. Cars courtesy of Vauxhall Motors