




Swift Caravan Range 1999





More than three decades of quality and innovation have earned Swift Caravans a host of press and consumer awards and the distinction of being revered as the thoroughbred of the touring caravan world.

The 23-strong fleet of models has been further enhanced for 1999 by the dedication of the Swift designers and craftsmen to constantly innovate and upgrade each model range.

The legendary Corniche leads the field in this programme of development and subtle enhancements have been made to keep

“Thoroughbred of the touring caravan world”

Swift's premier brand ahead of the competition.

This same drive for excellence


can be seen throughout the Swift range. The Conqueror, Challenger and Classic ranges all display the loving care and attention to detail that makes Swift the setter of standards.

Investment in advanced computer technology ensures that all models are produced to the same uncompromising quality, whilst Computer Aided Design techniques allow the designers to consider every possible improvement option before a prototype is even built.

Such technology automatically checks safety and stability variances at blue print stage. Even so, Swift engineers conduct over 200 stringent manual tests to guarantee absolute perfection. This commitment ensures all models comply with the New European Standards and has earned Swift the prestigious ISO 9001 certificate for the standard of quality systems operated by the company.

Every element of a Swift tourer is carefully considered. Only the finest proprietary fixtures such as Stoves ovens and Electrolux fridges are good enough. All raw materials are of the highest quality. Safety and security features abound, including a specially concealed electronic security tag on all models for instant reading.

Total customer satisfaction is top priority at the Swift Group, and the quality ethos extends to authorised Swift dealers who are hand picked for their outstanding level of service.



“Style that innovates, design that wins awards”

The same goes for after sales service, Swift Supercare is a highly sophisticated after sales operation that utilises a national computer system linking dealers directly to the manufacturing site. Supercare provides expert help to dealers as well as instant parts ordering and rapid supply to keep your caravan on the road.

Owners of new Swift caravans also enjoy a comprehensive three year

warranty scheme called Swift SuperSure. The warranty is operated by Swift for the first year and administered by Warranty Holdings in subsequent years. For a competitive premium, Swift SuperSure can be extended for a further two years to give a full five years' peace of mind. Warranty maintenance simply involves a chargeable annual inspection and service by an authorised Swift dealer. Swift dealers also offer a range of financial services, comprehensive caravan insurance and a host of useful accessories to provide today's tourer with everything they could ever need for the perfect holiday, The Swift Way.



To reserve your place on a factory tour to see Swift products being produced in one of Europe's most sophisticated factories, simply call the number on the back of the brochure.

C O N T E N T S

Corniche Range 3

Touring style and luxury in a class of its own

Conqueror Range 7

Renowned for impressive style and high standards

Challenger Range 9

The committed caravaner's firm favourite

Classic Range 11

A classic blend of luxury and affordability

Washrooms & Features 13

Specifications 15



Last year's stunning transformation gave the Corniche a unique streamlined signature created through the skilled use of Glass Reinforced Plastic, (GRP) one piece front and rear panels, striking graphics, a wider body and increased headroom.

Corniche Range

For 1999, the ultimate touring caravan has an alternative choice of washroom, the SB, with a new fully sealed circular style shower cubicle and roller door, separate vanity unit, Thetford electronic cassette toilet and changing area with wardrobe. Add the most comprehensive range of features on the market, a choice of designer Belgian fabrics, antique alder finish furniture, aircraft style overhead lockers and quality removable carpet over a luxury vinyl floor and the Corniche takes touring style and luxury into a new dimension.





*All pictures show
Corniche 17/3*





Stylish rear GRP panel with high level brake light



Rear kitchen in Corniche 14/2




SB washroom in Corniche 15/2E





Left Corniche 15/2E

*Below Flush fitting
front windows
Corniche 17/3*





Conqueror 640

Conqueror Range

layout with the choice of parallel

or L shaped front seating in all models, and a rear L option in the 590 and 640.

New antique alder style furniture and large rooflight give a feeling of warmth and light, whilst the award winning colour co-ordinated kitchen layouts with Stoves oven and Electrolux 86 litre fridge, together with the new SB washroom and popular NT washroom, confirm the impressive style and high standards for which the Conqueror range is renowned.



New GRP front



New GRP rear



Side kitchen in Conqueror 640





*Above welsh dresser in
Conqueror 580*

Left Conqueror 640

*Below centre dinette in
Conqueror 580*





Challenger 530

Challenger Range

The award winning, firm favourite with the committed caravanner grows in height, width and range for 1999. An all new body shell, incorporating stylish GRP front and rear panels, allows for a more spacious interior with increased leg room in centre dinettes and larger front beds. The new 500SE with its fixed rear bed layout, side L-shaped kitchen with swivel TV facility and front wrap round seating adds a dynamic new layout to the Challenger range.

All models offer the perfect blend of style, with antique alder finish furniture, optional traditional upholstery, and a level of specification for the ultimate leisure tourer.



Challenger 470



Challenger 500



Above new GRP rear

Left Challenger 530

*Below rear L shape kitchen
in Challenger 400*





Classic Alouette

The Classic range provides sophistication, value and choice. With 8 models and various seating options there's a layout to suit every need.

Classic Range

Luxury washrooms include the new MB washroom in the Coronette and Doublette which gives a spacious shower cubicle, separate vanity unit, Thetford cassette toilet and changing area with wardrobe.

Add traditional Belgian velour fabrics and antique alder finish furniture, together with kitchen work surfaces in green oregano laminate, and you have the classic blend of luxury and affordability.



Rear bunk bed in Classic Danette



Classic Duette washroom





Left, Classic Duette

*Below, side kitchen in
Classic Duette*



Washrooms

NT Washroom

Available on the following models:
Duette
Baronette
Challenger 470SE
Challenger 520SE
Corniche 15/2E NT
Corniche 17/3 NT
Conqueror 580 NT



SB Washroom

Available on the following models:
Challenger 480SE
Challenger 530SE
Corniche 15/2E SB
Corniche 17/3 SB
Conqueror 580 SB



MB Washroom

Available on the following models:
Coronette
Doublette



Centre Layout washroom

Available on the following models:
Silhouette
Danette
Corvette
Alouette
Challenger 400SE
Challenger 440SE
Challenger 490L SE
Corniche 14/2
Conqueror 590 SAL/LUX
Conqueror 640 SAL/LUX



Constant development of washrooms and changing areas in all four Swift ranges provides practical layouts that offer the greatest possible choice in this key area.




NT Layout (Corniche 17/3)



Centre Layout (Challenger 490L)



Centre Layout (Classic Danette)



SB Layout (Challenger 530)

Note: Specifications of windows and window positions vary from range to range. See individual model layouts.

Features

Features will vary depending on model range concerned. Please refer to individual specifications for each range.



Welsh dresser, Challenger 470 and 480



Roof installed Omnivent extractor as fitted to Conqueror



Side single with bunk over in Challenger 520 and 530



Under bed storage with vent boards



Vegetable rack as fitted to Conqueror 640



Pull out occasional table in Challenger



Exterior door flyscreen



Large 86 litre fridge as fitted to Corniche and Conqueror



Electrical control panel fitted to Conqueror and Challenger



Ash framed furniture with soft shut seal as fitted to Challenger and Conqueror




Large roof light as fitted to Conqueror




Alarm control panel and CD as fitted to Corniche

The Corniche Range


14/2




15/2E NT




15/2E SB




17/3 NT



17/3 SB



L Shape Front Option
Available on all models



EXTERIOR

New for 1999

- All models comply with New European Standards
- Al-Ko galvanised steel chassis with Euro-Axle
- GRP front panel with flush fitting reverse bubble windows
- GRP rear panel with high level brake light
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut support and internal release
- Awning light
- Light clusters incorporating stop/tail, indicator, high intensity and reverse lights
- Side direction repeater lights
- TV aerial and amplifier
- 14" wheels and tyres
- Electrolux fridge vents for ease of maintenance

LOUNGE/DINING AREA

- Antique alder style furniture board
- Aircraft style overhead lockers
- Drawer unit with occasional table (parallel option only)
- Free standing ash edged table with dedicated storage location
- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and back rests
- Removable bound edged carpet over easy clean vinyl cushion floor
- Co-ordinated fabrics for curtains and upholstery

KITCHEN

- High impact polycarbonate sink and drainer in green
- Matching Stoves 9000 flush fitting oven with four burner hob and full width grill with flame failure device and electronic ignition
- Electrolux 86 litre fridge with full width freezer compartment, interior light and full solid wood cloaking door
- L shaped kitchen in 14/2 layout

HEATING & PLUMBING

New for 1999

- Waste water tank
- Carver 4000 auto ignition space heater
- Fanmaster blown air central heating with independent radiant heating
- Insulated fresh water tank
- Microswitched water system with domestic style mono block single action taps
- Inboard rigid piped micro switched water system
- Luxury washrooms with built in wall mirrors and matching shower and vanity unit with integral storage (layout varies according to model)
- New SB washroom layout in Corniche 15/2E and 17/3
- Electric flush Thetford cassette toilet with exterior 12v point for filler pump
- Carver Rapide gas electric water heater

ELECTRICAL

New for 1999

- Philips radio/CD player
- PMS 2500 central electrical control panel with soft touch controls to alarm
- Halogen interior lights
- Mains electrics with four 230v sockets (one exterior)
- TV station with 230v/12v and aerial connections
- Low level interior lighting
- 230v and 12v reading lights
- 25 metre electric hook up cable

FITTINGS & EQUIPMENT

New for 1999

- Caravan entrance step
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi-directional roof lights and sliding blind and flyscreen

- Pull out roller slatted beds
- Full slatted bed box tops
- Ventilation boards to back rests
- Quartz clock
- Concealed metal wall plates and timbers for secure furniture fixing
- Spare wheel and tyre
- Side operated jack
- External barbecue point

SECURITY

- Polyplastic windows with concealed locks and stays
- Concealed security data chip within caravan construction
- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and stamped on chassis
- Lockable corner steadies (locks not supplied)

| Model | 14/2 | 15/2E | 17/3 |
|---|----------------|-----------------|----------------|
| Berths | 2 | 2 | 3 |
| Internal Length (at bed box height) | 4.27m/14'0" | 4.70m/15'5" | 5.35m/17'7" |
| Overall Width | 2.15m/7'1" | 2.15m/7'1" | 2.15m/7'1" |
| Overall Height (including TV aerial) | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" |
| Overall Length | 5.85m/19'2" | 6.28m/20'7" | 6.93m/22'9" |
| Mass in Running Order (inc. 3% tolerance) | 995kg/19.6cwt | 1025kg/20.2cwt* | 1185kg/23.5cwt |
| Essential Habitation Equipment Payload | 128kg/2.5cwt | 113kg/2.2cwt | 113kg/2.2cwt |
| Personal Effects Payload | 101kg/2.0cwt | 105kg/2.1cwt | 121kg/2.4cwt |
| Optional Equipment Payload | 6kg/0.1cwt | 7kg/0.1cwt | 6kg/0.1cwt |
| Maximum Technical Permissible Laden Mass | 1200kg/23.6cwt | 1250kg/24.6cwt | 1425kg/28.0cwt |
| Awning A/A Dimension | 8.41m/27'7" | 8.84m/29'0" | 9.49m/31'1½" |
| Tyre size | 195/70 R14 91T | 175 R14 99N | 175 R14 99N |

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Denotes weights are estimated.

Bed Sizes

| 14/2 | 15/2E | 17/3 | Optional L Shape Front |
|--|--|--|--|
| Front Double 201cm x 192cm/6'7" x 6'3½" | Front Double 201cm x 192cm/6'7" x 6'3½" | Front Double 201cm x 187cm/6'7" x 6'0" | Front Double 201cm x 137cm/6'7" x 4'6" |
| Or 2 Front Singles 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles 183cm x 66cm/6'0" x 2'2" | |
| | | Side Single 190cm x 66cm/6'3½" x 2'2" | |
| | | Optional Side Bunk 180cm x 66cm/5'11" x 2'2" | |
| | | | 172cm x 58cm/5'8" x 1'11" |

Note: Payloads on all 1999 Swift Caravans (all ranges) Maximum Technical Permissible Laden Mass is the maximum weight all caravans are plated to by the manufacturer to include a normal payload. If you require extra payload, in some cases it may be possible to increase the MTPLM. To do this, you must contact your dealer who will arrange to have a new weight plate supplied by the manufacturer for a charge. If you exceed the MTPLM plated on your Swift tourer you could be liable to prosecution.

The Conqueror Range

EXTERIOR

New for 1999

- All models comply with new European Standards
- Aerodynamically efficient styled GRP front panel
- Aerodynamically efficient styled GRP back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Upgraded Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut to door
- External gas barbecue point
- External 230v mains socket
- Polyplastic windows with concealed locks and stays
- Electrolux fridge vents for ease of maintenance
- Bolt on wheel trims
- Awning light
- Side direction repeater lights
- TV aerial and amplifier

LOUNGE/DINING AREA

New for 1999

- New antique alder style furniture
- New fabric to all upholstery
- New velvet curtains to match upholstery
- New large roof light for extra light
- Improved seating in 580 side dinette for more comfort and legroom
- Free standing ash edged table with dedicated storage
- Drawer unit with occasional table (not available in Salon models)
- Fitted cocktail cabinet
- Domestic quality interior sprung bedding and backrests
- 590/640 standard as 5 berth
- Front overhead lockers above front windows
- Large nearside picture window in Salon models

KITCHEN

New for 1999

- New domestic hinge/stay system for overhead lockers
- Domestic style Stoves 9000 flush fitting oven with 4 burner hob and grill with flame failure device and

- electronic ignition in matching green
- Co-ordinating green sink and drainer in high impact polycarbonate
- Colour co-ordinated microswitch single action mixer tap
- Ergonomically designed large kitchen unit incorporating Electrolux 86 litre fridge
- Sandstone kitchen equipment option on all Conqueror models

HEATING & PLUMBING

New for 1999

- New SB washroom layout in Conqueror 580
- New Carver 4000 space heater with auto ignition and radiant heat facility
- Waste water container provided
- Microswitch water system with single action taps colour co-ordinated to all locations
- Large bore under slung rigid waste water system
- Fanmaster blown air central heating
- Insulated under slung fresh water tank
- Luxury washrooms with built in wall mirrors, matching shower and vanity unit and integral storage (layout varies dependent on model)

- Electronic flush Thetford cassette toilet
- Carver Rapide gas/electric water heater
- Water level tank sensor
- Inboard rigid piped fresh water system

ELECTRICAL

- Mains electrics with four 230v sockets
- 25 metre mains hook up cable
- 230v and 12v reading lights
- TV station with 230v/12v/aerial connection
- 12amp switch mode charger/transformer
- PMS 2000 central electrical control panel
- Dedicated radio cassette location (radio cassette not supplied) pre-wired for ease of installation
- Round halogen ceiling lights
- External 230v socket
- Omnivert 3 speed fan and sky light

FITTINGS & EQUIPMENT

New for 1999

- Caravan entrance step
- Bunk ladder (where bunks provided)
- Double glazing with night latch ventilation

- Full blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi directional roof vents with sliding blinds and flyscreen (to main compartment)
- Pull out roller slatted beds
- Fully slatted bed box tops
- Ventilation boards to backrests
- Solid ash framed furniture doors
- Concealed metal wall plates and timbers for secure furniture fixing
- Quartz clock
- Spare wheel and tyre
- Side mounted jack system
- Door mat with brush out facility
- Side operated jack

SECURITY

- Passive infra-red security alarm
- Single key high security locks
- Identity numbers etched to windows and stamped on chassis
- Lockable rear corner steadies (lock not supplied)
- Polyplastic windows conceal locks and stays with concealed fixing of hinge bar
- Concealed security data chip within caravan construction

| | 580 NT | 580 SB | 590 Salon | 590 Lux | 640 Salon | 640 Lux |
|---|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Berths | 4 | 4 | 5 | 5 | 5-7 | 5-7 |
| Internal Length (at bed box height) | 5.85m/19'2" | 5.85m/19'2" | 5.85m/19'2" | 5.85m/19'2" | 6.35m/20'10" | 6.35m/20'10" |
| Overall Width | 2.22m/7'3" | 2.22m/7'3" | 2.22m/7'3" | 2.22m/7'3" | 2.22m/7'3" | 2.22m/7'3" |
| Overall Height (including TV aerial) | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" |
| Overall Length | 7.33m/24'1" | 7.33m/24'1" | 7.33m/24'1" | 7.33m/24'1" | 7.83m/25'8" | 7.83m/25'8" |
| Mass in Running Order (inc. 3% tolerance) | 1300kg/25.6cwt | 1300kg/25.6cwt | 1300kg/25.6cwt* | 1300kg/25.6cwt* | 1375kg/27.0cwt* | 1375kg/27.0cwt* |
| Essential Habitation Equipment Payload | 113kg/2.2cwt | 113kg/2.2cwt | 128kg/2.5cwt | 128kg/2.5cwt | 128kg/2.5cwt | 128kg/2.5cwt |
| Personal Effects Payload | 135kg/2.7cwt | 135kg/2.7cwt | 145kg/2.8cwt | 145kg/2.8cwt | 170kg/3.4cwt | 170kg/3.4cwt |
| Optional Equipment Payload | 52kg/1.0cwt | 52kg/1.0cwt | 27kg/0.5cwt | 27kg/0.5cwt | 27kg/0.5cwt | 27kg/0.5cwt |
| Maximum Technical Permissible Laden Mass | 1600kg/31.5cwt | 1600kg/31.5cwt | 1600kg/31.5cwt | 1600kg/31.5cwt | 1700kg/33.4cwt | 1700kg/33.4cwt |
| Awning A/A Dimension | 10.0m/32'10" | 10.0m/32'10" | 10.0m/32'10" | 10.0m/32'10" | 10.5m/34'5½" | 10.5m/34'5½" |
| Tyre size | 155 R13 78S | 155 R13 78S | 155 R13 78S | 155 R13 78S | 155 R13 78S | 155 R13 78S |

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Denotes weights are estimated.


Bed Sizes

| 580 NT | | 590 Salon | | 640 Salon | | Optional L Shape Rear | |
|--------------------|----------------------------|--------------------|----------------------------|--------------------|----------------------------|-----------------------|---------------------------|
| Front Double | 205cm x 137cm/6'9" x 4'6" | Front Double | 205cm x 137cm/6'9" x 4'6" | Front Double | 205cm x 137cm/6'9" x 4'6" | Single | 201cm x 68cm/6'7" x 2'3" |
| Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | or Double | 201cm x 137cm/6'7" x 4'6" |
| Side Single | 180cm x 66cm/5'11" x 2'2" | Rear Double | 205cm x 137cm/6'9" x 4'6" | Rear Double | 205cm x 137cm/6'9" x 4'6" | Bunk | 196cm x 58cm/6'5" x 1'11" |
| Bunk | 172cm x 58cm/5'8" x 1'11" | Bunk | 205cm x 58cm/6'9" x 1'11" | Bunk | 205cm x 58cm/6'9" x 1'11" | | |
| 580 SB | | 590 Lux | | 640 Lux | | | |
| Front Double | 205cm x 192cm/6'9" x 6'3½" | Front Double | 205cm x 192cm/6'9" x 6'3½" | Front Double | 205cm x 192cm/6'9" x 6'3½" | | |
| Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3½" x 2'2" | | |
| Side Single | 180cm x 66cm/5'11" x 2'2" | Rear Double | 205cm x 137cm/6'9" x 4'6" | Rear Double | 205cm x 137cm/6'9" x 4'6" | | |
| Bunk | 172cm x 58cm/5'8" x 1'11" | Bunk | 205cm x 58cm/6'9" x 1'11" | Bunk | 205cm x 58cm/6'9" x 1'11" | | |

580 NT



580 SB



590 Salon




590 Lux



640 Salon



640 Lux




Salon Front Option Available on 580 NT/SB




L Shape Rear Option Available on 590 Salon/Lux and 640 Salon/Lux

The Challenger Range


400SE




440SE




470SE




480SE




490LSE




500SE



520SE



530SE



L Shape Front Option Available on all models

Parallel Rear Option Available on 490LSE only

EXTERIOR

New for 1999

- All models comply with the new European Standards
- New style exterior body shape
- Increased width and height for improved interior space
- Aerodynamically efficient styled GRP front panel
- Aerodynamically efficient styled GRP back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Wheel arch fairings complement the new bodyshell
- New easy clean style graphics
- New wheel trims
- Al-Ko galvanised chassis with Euro-Axle
- Exterior door with window and window blind
- Full exterior door cassette flyscreen
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut supported door
- Side direction indicator repeater lights

- Awning light
- TV aerial and amplifier system

LOUNGE/DINING AREA

New for 1999

- New antique alder style furniture
- Matching furniture tops (except kitchen)
- New traditional style fabric option in velour
- Redesigned centre dinette for improved leg room and seating (520/530)
- Overhead side lockers include new style techno hinges with self closing/opening mechanism
- Front beds 1920mm (6'3")
- Free standing ash edged table with dedicated storage area
- Drawer unit with occasional table (parallel front option only)
- Fitted cocktail cabinet
- Domestic quality interior sprung upholstery including backrest
- Lined velvet curtains
- Two bolster cushions
- Two scatter cushions
- Optional L front layout on all models (except 500)
- Overhead front lockers for extra storage

KITCHEN

New for 1999

- L shaped kitchen in 500 with new swivel TV facility
- Electrolux 77 litre fridge with electronic ignition and full width freezer compartment
- High impact polycarbonate bowl and drainer in sandstone
- Pull out chopping board on centre kitchens
- Stoves sandstone domestic style flush fitting oven with four burner hob, oven and grill with flame failure device and electronic ignition
- Ash framed fridge door

HEATING & PLUMBING

New for 1999

- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Carver 4000 heating system with auto ignition and radiant heat facility
- Improved Fanmaster with ducted blown air distribution
- Colour co-ordinated Elite kitchen tap
- Chrome effect Elite washroom taps
- Improved washrooms in 480 and 530 models with attractive shower

area with sliding circular shaped door

- Luxury washroom suite with built in wall mirrors and matching vanity unit with integral storage (layouts dependent on model)
- Thetford cassette toilet with electric flush
- Carver Rapide gas/electric water heater
- Inboard rigid piped fresh water system
- Large bore rigid waste pipes

ELECTRICAL

- Mains electrics with three 230v sockets
- 12v socket
- 230v and 12v reading light
- 12amp switch mode charger/transformer
- 25m mains hook up cable
- Dedicated TV station with 230v/12v/aerial connection
- PMS2000 sophisticated central electrical control panel with ELCB
- Circular halogen centre ceiling light

FITTINGS & EQUIPMENT

New for 1999

- Bunk ladder (where bunks supplied)

- Caravan entrance step
- New domestic style cabinet door hinge and stay
- Double glazing with night latch ventilation and concealed fasteners
- Full window blinds and flyscreens to all opening windows
- Multi-directional roof lights with sliding blind and flyscreen to main compartment
- Pull out roller slatted beds and slatted bed box tops
- Ventilation boards to back rests
- Concealed metal wall plates and timber for secure furniture fixings
- Quartz clock
- Solid ash framed doors
- Deep hardwood edges to all work surfaces

SECURITY

- Concealed security data chip within the caravan construction
- Single key high security locks
- Identity number etched to windows and stamped on chassis

| Model | 400SE | 440SE | 470SE | 480SE | 490LSE | 500SE | 520SE | 530SE |
|---|----------------|----------------|----------------|----------------|----------------|-----------------|----------------|----------------|
| Berths | 2 | 4 | 2 | 2 | 5 | 4 | 4 | 4 |
| Internal Length (at bed box height) | 4.27m/14'0" | 4.70m/15'5" | 4.70m/15'5" | 4.70m/15'5" | 5.30m/17'5" | 5.08m/16'8" | 5.30m/17'5" | 5.30m/17'5" |
| Overall Width | 2.15m/7'1" | 2.15m/7'1" | 2.15m/7'1" | 2.15m/7'1" | 2.15m/7'1" | 2.22m/7'3" | 2.15m/7'1" | 2.15m/7'1" |
| Overall Height (including TV aerial) | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" | 2.75m/9'0" |
| Overall Length | 5.74m/18'10" | 6.17m/20'3" | 6.17m/20'3" | 6.17m/20'3" | 6.77m/22'3" | 6.57m/21'7" | 6.77m/22'3" | 6.77m/22'3" |
| Mass in Running Order (inc. 3% tolerance) | 930kg/18.3cwt | 995kg/19.6cwt* | 975kg/19.2cwt | 975kg/19.2cwt | 1050kg/20.6cwt | 1030kg/20.2cwt* | 1070kg/20.1cwt | 1070kg/20.1cwt |
| Essential Habitation Equipment Payload | 88kg/1.7cwt | 88kg/1.7cwt | 73kg/1.4cwt | 73kg/1.4cwt | 88kg/1.7cwt | 73kg/1.4cwt | 73kg/1.4cwt | 73kg/1.4cwt |
| Personal Effects Payload | 99kg/1.9cwt | 124kg/2.4cwt | 104kg/2.0cwt | 104kg/2.0cwt | 140kg/2.8cwt | 128kg/2.5cwt | 130kg/2.6cwt | 130kg/2.6cwt |
| Optional Equipment Payload | 33kg/0.7cwt | 23kg/0.5cwt | 47kg/0.9cwt | 47kg/0.9cwt | 22kg/0.4cwt | 27kg/0.5cwt | 27kg/0.5cwt | 27kg/0.5cwt |
| Maximum Technical Permissible Laden Mass | 1150kg/22.6cwt | 1230kg/24.2cwt | 1200kg/23.6cwt | 1200kg/23.6cwt | 1300kg/25.6cwt | 1300kg/25.6cwt | 1300kg/25.6cwt | 1300kg/25.6cwt |
| Awning A/A Dimension | 8.50m/28'3" | 8.93m/29'3" | 8.93m/29'3" | 8.93m/29'3" | 9.53m/31'3" | 9.31m/30'6" | 9.53m/31'3" | 9.53m/31'3" |
| Tyre size | 165 R13 91R | 165 R13 91R | 165 R13 91R | 165 R13 91R | 175 R13 94N | 175 R13 94N | 175 R13 94N | 175 R13 94N |

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Denotes weights are estimated.

Bed Sizes

| | | | | | | | |
|--------------------|---------------------------|---------------------|---------------------------|---|---------------------------|-------------------------------|---------------------------|
| 400SE | | 480SE | | 520SE | | Optional L Shape Front | |
| Front Double | 201cm x 192cm/6'7" x 6'3" | Front Double | 201cm x 192cm/6'7" x 6'3" | Front Double | 201cm x 183cm/6'7" x 6'0" | Front Double | 201cm x 137cm/6'7" x 4'6" |
| Or 2 Front Singles | 192cm x 66cm/6'3" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3" x 2'2" | Or 2 Front Singles and Side Single Bunk | 183cm x 66cm/6'0" x 2'2" | | |
| 440SE | | 490LSE | | 530SE | | | |
| Front Double | 201cm x 192cm/6'7" x 6'3" | Front Double | 201cm x 192cm/6'7" x 6'3" | Front Double | 201cm x 183cm/6'7" x 6'0" | | |
| Or 2 Front Singles | 192cm x 66cm/6'3" x 2'2" | Or 2 Front Singles | 192cm x 66cm/6'3" x 2'2" | Or 2 Front Singles and Side Single Bunk | 183cm x 66cm/6'0" x 2'2" | | |
| Rear Single | 201cm x 80cm/6'7" x 2'7" | Rear Double | 190cm x 137cm/6'3" x 4'6" | | 192cm x 66cm/6'3" x 2'2" | | |
| Bunk | 201cm x 58cm/6'7" x 1'11" | Or Rear Single Bunk | 190cm x 68cm/6'3" x 2'3" | | 180cm x 66cm/5'11" x 2'2" | | |
| 470SE | | 500SE | | | 172cm x 58cm/5'8" x 1'11" | | |
| Front Double | 201cm x 192cm/6'7" x 6'3" | Front Double | 205cm x 160cm/6'9" x 5'3" | | | | |
| Or 2 Front Singles | 192cm x 66cm/6'3" x 2'2" | Rear Double | 190cm x 137cm/6'3" x 4'6" | | | | |

The Classic Range

EXTERIOR

New for 1999

- All models comply with new European Regulations
- New graphics in burgundy and green
- New design wheel arch fairings
- Matching wheel trims
- Light weight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and blind
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage area with gas strut support
- Awning light
- Neutral density rear light cluster including reversing and fog lights
- TV aerial with amplifier

LOUNGE/DINING AREA

New for 1999

- Antique alder style furniture
- Traditional velour upholstery

- Co-ordinated carpet and lined velvet curtains
- Matching work tops in antique alder (except kitchen)
- L shape layout option in all models (except Danette)
- Drawer unit with occasional table on parallel layout (except Danette)
- Two pillow style bolster cushions
- Superior quality domestic style sprung bedding including backrests (excluding side dinettes and bunks)
- Front occasional table in Danette model
- Split front base cushions 60/40 for easy bed make up (excluding Danette)

KITCHEN

New for 1999

- Green Oregano work top laminate
- Electrolux 70 litre piezo ignition fridge
- 4 burner Stoves sandstone enamel hob with flame failure device

- Full width grill
- Polycarbonate sink and drainer in matching sandstone
- Stoves thermostatic sandstone glass fronted oven

HEATING & PLUMBING

New for 1999

- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Improved washrooms in Coronette and Doublette
- Improved specification in centre washrooms (Silhouette, Danette and Alouette)
- Fanmaster ducted blown air background heating
- Carver Rapide gas/electric water heater
- Inboard rigid piped water system
- Fully fitted vanity units with mixer tap
- Large bore under slung waste pipes
- Thetford cassette toilet

- Carver 2000 space heater in Silhouette, Duette, Danette, Coronette and Corvette
- Carver 4000 space heater in Alouette, Baronette and Doublette

ELECTRICAL

New for 1999

- Halogen ceiling lights
- Full mains electrics with two 230v sockets
- TV station with 230v/12v and aerial connection
- 12v and 230v reading lights
- Switch mode charger/transformer with ELCB
- Modular electrical control panel
- 25 metre mains hook up facility

FITTINGS & EQUIPMENT

New for 1999

- Caravan entrance step
- Bunk ladder (where bunks provided)

- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Roof lights with night blinds and flyscreens (main compartment)
- Exterior door flyscreen
- Pull out roller slatted beds
- Fully slatted bed box tops
- Solid ash framed furniture doors
- Concealed metal wall plates and timber rails for secure furniture fixing

SECURITY

- Concealed security data chip within caravan construction
- Identity number etched to window and chassis stamped
- High security single key operation


| Model | Silhouette | Danette | Duette | Coronette | Corvette | Alouette | Baronette | Doublette |
|---|-----------------|----------------|----------------|----------------|----------------|-----------------|----------------|----------------|
| Berths | 2 | 5 | 2 | 2 | 4 | 5 | 4 | 4 |
| Internal Length (at bed box height) | 3.94m/12'11" | 4.52m/14'10" | 4.61m/15'2" | 4.61m/15'2" | 4.61m/15'2" | 5.03m/16'6" | 5.23m/17'2" | 5.23m/17'2" |
| Overall Width | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" | 2.13m/7'0" |
| Overall Height (including TV aerial) | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" | 2.71m/8'11" |
| Overall Length | 5.42m/17'9" | 6.00m/19'8" | 6.09m/19'11" | 6.09m/19'11" | 6.09m/19'11" | 6.51m/21'4" | 6.71m/22'0" | 6.71m/22'0" |
| Mass in Running Order (inc. 3% tolerance) | 793kg/15.6cwt | 910kg/17.9cwt | 875kg/17.2cwt | 875kg/17.2cwt | 915kg/18.0cwt* | 975kg/19.1cwt | 980kg/19.3cwt | 980kg/19.3cwt |
| Essential Habitation Equipment Payload | 88kg/1.7cwt | 88kg/1.7cwt | 80kg/1.6cwt | 80kg/1.6cwt | 88kg/1.7cwt | 88kg/1.7cwt | 80kg/1.6cwt | 80kg/1.6cwt |
| Personal Effects Payload | 96kg/1.9cwt | 132kg/2.6cwt | 103kg/2.0cwt | 103kg/2.0cwt | 123kg/2.4cwt | 137kg/2.7cwt | 129kg/2.5cwt | 129kg/2.5cwt |
| Optional Equipment Payload | 33kg/0.7cwt | 45kg/0.9cwt | 42kg/0.8cwt | 42kg/0.8cwt | 49kg/1.0cwt | 30kg/0.6cwt | 41kg/0.8cwt | 41kg/0.8cwt |
| Maximum Technical Permissible Laden Mass | 1010kg/19.9cwt | 1175kg/23.1cwt | 1100kg/21.6cwt | 1100kg/21.6cwt | 1150kg/22.6cwt | 1230kg/24.2cwt | 1230kg/24.2cwt | 1230kg/24.2cwt |
| Awning A/A Dimension | 8.14m/26'8 1/2" | 8.72m/28'7" | 8.81m/28'11" | 8.81m/28'11" | 8.81m/28'11" | 9.23m/30'3 1/2" | 9.43m/30'11" | 9.43m/30'11" |
| Tyre size | 175 R13 86S | 165 R13 91R | 165 R13 91R | 165 R13 91R | 165 R13 91R | 165 R13 91R | 165 R13 91R | 165 R13 91R |

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Denotes weights are estimated.


Bed Sizes

| Model | Front Double | Or 2 Front Singles | Coronette | Front Double | Or 2 Front Singles | Baronette | Front Double | Or 2 Front Singles | Optional L Shape Front |
|--------------------|-------------------------------|------------------------------|-----------|--------------|--------------------|-----------|--------------|--------------------|---------------------------|
| Silhouette | 201cm x 192cm/6'7" x 6'3 1/2" | 192cm x 66cm/6'3 1/2" x 2'2" | | | | | | | Front Double |
| Danette | 201cm x 137cm/6'7" x 4'6" | 201cm x 119cm/6'7" x 3'11" | | | | | | | 201cm x 137cm/6'7" x 4'6" |
| Rear Double | 201cm x 68cm/6'7" x 2'3" | 201cm x 56cm/6'7" x 1'10" | | | | | | | |
| Or Rear Single | | | | | | | | | |
| Bunk | | | | | | | | | |
| Duette | 201cm x 183cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Or 2 Front Singles | | | | | | | | | |
| and | | | | | | | | | |
| Coronette | 201cm x 192cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Front Double | 201cm x 192cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Or 2 Front Singles | | | | | | | | | |
| Rear Single | 201cm x 76cm/6'7" x 2'6" | 201cm x 56cm/6'7" x 1'10" | | | | | | | |
| Bunk | | | | | | | | | |
| Alouette | 201cm x 192cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Front Double | 201cm x 192cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Or 2 Front Singles | | | | | | | | | |
| Rear Double | 201cm x 119cm/6'7" x 3'11" | 201cm x 56cm/6'7" x 1'10" | | | | | | | |
| Bunk | | | | | | | | | |
| Doublette | 201cm x 183cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Front Double | 201cm x 183cm/6'7" x 6'0" | 183cm x 66cm/6'0" x 2'2" | | | | | | | |
| Or 2 Front Singles | | | | | | | | | |
| and | | | | | | | | | |
| Side Single | 180cm x 66cm/5'11" x 2'2" | 172cm x 58cm/5'8" x 1'11" | | | | | | | |
| Bunk | | | | | | | | | |


Silhouette




Danette




Duette




Coronette




Corvette




Alouette



Baronette




Doublette



L Shape

Front Option

Available on all models (except Danette)



L Shape

Rear Option

Available on Alouette only



Your Local Dealer

HIGHBRIDGE
Caravan Centre

A38 Bristol Road, Highbridge,
Somerset TA9 4EX

Tel: (01278) 782725



INVESTOR IN PEOPLE



SWIFT CARAVANS, DUNSWELL ROAD, COTTINGHAM, EAST YORKSHIRE HU16 4JX.

TEL: 01482 847332 OR 07000 SWIFT GROUP FAX: 01482 841042

e-mail/web site: www.swiftleisure.co.uk

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 1999 models will have commenced on or after 1 September 1998.

Issued September 1998